This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

B 49640 8

Digitized by Google



THE GIFT OF
Maine dept. of Vital
Statistics

Digitized by Google

614.179
M2

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Maine. Dept. of Vital Statistics.

FOURTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1905.

AUGUSTA
KENNEBEC JOURNAL PRINT
1907

Digitized by Google

Digitized by Google

179
M2

FOURTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1905.

Digitized by Google

Digitized by Google

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, MAINE, April 16, 1907.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Fourteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1905.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

Digitized by Google

Digitized by Google

REGISTRATION REPORT, 1905.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1905.

The number of births registered in that year is 600 more than in the preceding year. The number of births recorded in each of the registration years, 1892-1905, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, and 16,005, respectively.

The number of marriages (number of couples married) in 1905 was 6,264 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1905 is respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, and 6,264.

The number of deaths recorded in the State for the same year was 11,381, a number 35 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346, and in 1905, 11,381.

Compared with 1904, among the chief causes of death there were in 1905, 197 more from diarrheal diseases, 77 more from influenza, 71 more from diseases of the nervous system, 51 more from cancer, 31 more from diseases of heart, 27 more from peritonitis, 24 more from diabetes, 17 more from nephritis and Bright's disease, 10 more from measles, and 3 more from pneumonia.

On the other hand there was a smaller number of deaths from the following causes: from tuberculosis in all forms 108 fewer; from typhoid fever, 86; from diphtheria and croup, 52; from whooping cough, 16; from bronchitis, 5; and from scarlet fever, 3.

Digitized by Google

Bertillon Classification. The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1904 and 1905 from some of the leading causes of death.

TABLE No. 1.

Deaths from Some of the Leading Causes.

Diseases.	1904.	1905.	More in 1904.	More in 1905.
Measles	22	32	-	10
Scarlet fever	10	7	3	-
Influenza	166	243	-	77
Whooping cough	54	38	16	-
Diphtheria and croup	162	110	52	-
Typhoid fever	242	156	86	-
Tuberculosis	1,217	1,109	108	-
Diarrheal diseases	475	672	-	197
Rheumatism	60	60	-	-
Cancer	611	662	-	51
Diabetes	91	115	-	24
Diseases of nervous system	1,576	1,647	-	71
Diseases of heart	1,191	1,222	-	31
Pneumonia	1,050	1,053	-	3
Bronchitis	223	218	5	-
Peritonitis	63	90	-	27
Nephritis and Bright's disease	629	646	-	17

Population. The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1905.

Digitized by Google

TABLE No. 2.

Population in 1890, and 1900, and Estimated Population for 1905.

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1905.
Androscoggin	48,968	54,242	56,879
Aroostook	49,589	60,744	66,322
Cumberland	90,949	100,689	105,559
Franklin	17,053	18,444	19,140
Hancock	37,312	37,241	37,241
Kennebec	57,012	59,117	60,170
Knox	31,473	30,406	30,406
Lincoln	21,996	19,669	19,669
Oxford	30,586	32,238	33,064
Penobscot	72,865	76,246	77,937
Piscataquis	16,134	16,949	17,357
Sagadahoc	19,452	20,330	20,769
Somerset	32,627	33,849	34,460
Waldo	27,759	24,185	24,185
Washington	44,482	45,232	45,607
York	62,829	64,885	65,913
Total	661,086	694,466	714,378

TABLE No. 3.

Births, Marriages and Deaths, 1897-1905.

State.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Number of births	14,430	14,473	13,895	14,095	14,021	14,508	14,453	14,673	15,294
Number of marriages	5,331	5,144	5,329	5,482	5,735	5,905	6,200	6,208	6,264
Number of deaths	11,236	10,956	11,370	11,389	11,133	10,673	11,009	11,346	11,351
Birth-rate	21.83	21.89	20.10	20.30	20.19	20.89	20.81	21.13	21.40
Marriage-rate	8.07	7.78	7.71	7.89	8.26	8.50	8.93	8.94	8.76
Death-rate	16.99	16.57	16.45	16.40	16.03	15.37	15.85	16.34	15.92

Digitized by Google

Birth, Marriage, and Death-Rates. In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1905, excepting Tables No. 7 and 8.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Estimated Population for 1905, Births, Marriages and Deaths with rate of each to 1,000 of Population for the Year ending December 31, 1905.

Counties.	Estimated population for 1905.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin	56,879	1,164	20.47	500	8.79	900	15.83
Aroostook	66,322	2,241	34.60	564	8.70	802	12.38
Cumberland	105,559	2,066	19.03	876	8.07	1,788	16.47
Franklin	19,140	432	22.72	177	9.32	283	14.89
Hancock	37,241	733	19.04	337	8.75	544	14.13
Kennebec	60,170	1,177	19.14	529	8.70	1,115	18.13
Knox	30,406	465	15.32	282	9.29	478	15.75
Lincoln	19,669	345	17.42	117	5.91	269	13.58
Oxford	33,064	792	23.36	371	10.94	506	14.92
Penobscot	77,937	1,578	20.04	732	9.29	1,305	16.57
Piscataquis	17,357	353	20.29	157	9.03	270	15.52
Sagadahoc	20,769	344	15.95	152	7.05	322	14.93
Somerset	34,460	698	19.95	350	10.00	561	16.03
Waldo	24,185	352	14.52	206	8.50	407	16.79
Washington	45,607	1,013	21.87	368	7.95	673	14.53
York	65,913	1,541	23.03	546	8.16	1,158	17.30
State	714,678	15,294	21.40	6,264	8.76	11,381	15.92

Digitized by Google

The following is a general summary of the births, marriages, and deaths in 1905.

BIRTHS.

Sex.		Parentage.	
Males	7,794	American	9,189
Females	7,483	Foreign	3,179
Not stated	17	One parent foreign	2,751
	15,294	Not stated	175
			15,294

Whole number of births	15,294
Birth-rate per 1,000	21.40

MARRIAGES.

Groom and bride both American	4,479
Groom and bride both foreign	672
Groom American, bride foreign	514
Groom foreign, bride American	560
Not stated	39
Whole number of marriages	6,264
Marriage-rate per 1,000	8.76

DEATHS.

Sex.		Parentage.	
Males	5,835	American	9,670
Females	5,545	Foreign	1,538
Not stated	1	Not stated	173
	11,381		11,381

Whole number of deaths	11,381
Death-rate per 1,000	15.92

Digitized by Google

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1905 was 16,005, and the number of deaths was 11,381, the natural increase of births over deaths was 4,624.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa:

TABLE No. 5.

Counties.	Estimated population for 1905.	Births.	Deaths.	Difference.
Androscoggin	56,879	1,164	900	264 gain
Aroostook	66,322	2,241	802	1,439 gain
Cumberland	105,559	2,066	1,788	278 gain
Franklin	19,140	432	283	149 gain
Hancock	37,241	733	544	189 gain
Kennebec	60,170	1,177	1,115	62 gain
Knox	30,406	465	478	13 loss
Lincoln	19,669	345	269	76 gain
Oxford	33,064	792	506	286 gain
Penobscot	77,337	1,578	1,305	273 gain
Piscataquis	17,357	353	270	83 gain
Sagadahoc	20,769	344	322	22 gain
Somerset	34,460	698	561	137 gain
Waldo	24,185	352	407	55 loss
Washington	45,607	1,013	673	340 gain
York	65,913	1,541	1,158	383 gain
State	714,678	15,294	11,381	3,913 gain

Digitized by Google

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. [The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 7 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 7 the death-rates are per 1,000 of population as shown by the census of 1900.]

TABLE No. 6.

Cities.	Population in 1900.	Estimated population in 1905.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn	12,951	13,802	208	173	35 gain	15.07	12.53
Augusta	11,683	12,261	251	284	33 loss	20.47	*15.90
Bangor	21,850	23,224	311	419	108 loss	13.39	*15.50
Bath	10,477	11,354	204	161	43 gain	17.97	14.18
Belfast	4,615	4,615	53	68	15 loss	11.48	14.73
Biddeford	16,145	16,996	531	270	261 gain	31.24	15.89
Brewer	4,835	5,156	148	88	60 gain	28.70	17.07
Calais	7,655	7,838	164	133	31 gain	20.92	16.97
Eastport	5,311	5,513	125	81	44 gain	22.67	14.69
Ellsworth	4,297	4,297	65	66	1 loss	15.13	15.36
Gardiner	5,501	5,506	106	100	6 gain	19.25	18.16
Hallowell	2,714	2,714	44	42	2 gain	16.21	15.48
Lewiston	23,761	24,791	621	475	146 gain	25.05	*17.75
Old Town	5,763	5,989	187	135	52 gain	31.22	22.54
Portland	50,145	57,005	1,051	938	113 gain	18.44	*15.86
Rockland	8,150	8,150	141	152	11 loss	17.31	18.65
Saco	6,122	6,146	126	114	12 gain	20.50	18.54
South Portland	6,287	6,287	126	85	41 gain	20.04	13.52
Waterville	9,477	10,662	290	141	149 gain	27.20	13.22
Westbrook	7,288	7,609	185	102	83 gain	24.31	13.41
Total	225,022	239,915	4,937	4,027	910 gain	20.58	16.79

* Deaths of non-residents in public institutions: Augusta, 89; Bangor, 59; Lewiston, 35; Portland, 34; deducted from total in estimating death-rate.

Digitized by Google

TABLE

Births, Marriages, and Deaths

ANDROSCOGGIN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	109	99	-	208	16.06	83	78	27	19	1
Durham	1,230	11	19	-	30	24.39	15	9	4	2	-
East Livermore	2,129	25	30	-	55	25.83	36	12	5	2	-
Greene	826	5	7	-	12	14.53	10	2	-	-	-
Leeds	1,065	8	13	-	21	19.72	16	1	2	2	-
Lewiston	23,761	322	299	-	621	26.56	139	326	84	64	8
Lisbon	3,603	39	41	1	81	22.48	42	23	9	7	-
Livermore	1,125	12	10	-	22	19.56	15	5	1	1	-
Mechanic Falls	1,687	11	6	-	17	10.08	13	1	-	2	1
Minot	808	5	7	-	12	14.85	9	-	1	1	1
Poland	1,648	14	8	-	22	13.35	19	1	-	1	1
Turner	1,842	25	8	-	33	17.92	29	-	1	3	-
Wales	436	6	2	-	8	18.35	6	1	1	-	-
Webster	1,131	14	8	-	22	19.45	16	2	2	2	-
Total	54,242	606	557	1	1,164	21.46	448	461	137	106	12

Digitized by Google

No. 7.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
90	20	7	13	1	131	91	82	-	173	149	23	1	13.36
12	1	-	2	-	15	15	16	-	31	27	4	-	24.39
16	6	1	3	-	26	19	12	-	31	28	3	-	14.56
4	1	-	-	-	5	10	8	-	18	18	-	-	21.79
10	-	-	-	-	10	7	10	-	17	17	-	-	15.96
84	81	31	32	1	229	244	231	-	475	325	145	5	20.00
22	10	2	1	-	35	16	17	-	33	24	7	2	9.16
9	-	-	-	-	9	9	4	-	13	12	1	-	11.56
12	-	-	1	-	13	9	15	-	24	20	4	-	14.23
2	-	-	-	-	2	6	4	-	10	10	-	-	12.38
4	-	-	1	-	5	7	14	-	21	19	2	-	12.74
10	-	1	-	-	11	23	16	-	39	37	2	-	21.17
1	-	-	-	-	1	2	1	-	3	3	-	-	6.88
2	-	3	2	1	8	4	8	-	12	10	2	-	10.61
278	119	45	55	3	500	462	438	-	900	699	193	8	16.59

Digitized by Google

TABLE

Births, Marriages, and Deaths

ARCOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	9	7	-	16	39.60	7	-	3	6	-
Ashland	1,080	17	24	-	41	37.96	25	7	5	4	-
Bancroft	318	5	2	-	7	22.01	2	2	2	1	-
Benedicta	350	3	9	-	12	34.29	12	-	-	-	-
Blaine	954	8	20	-	28	29.35	13	6	4	5	-
Bridgewater	1,179	14	22	-	36	30.53	8	11	7	9	1
Caribou	4,758	89	70	-	159	33.42	64	39	27	27	2
Castle Hill	567	5	10	-	15	26.46	6	2	4	3	-
Crystal	370	4	5	-	9	24.32	5	2	1	-	1
Dyer Brook	280	4	4	-	8	28.57	7	-	1	-	-
Easton	1,215	18	12	-	30	24.69	11	7	10	2	-
Fort Fairfield	4,181	58	74	1	133	31.81	51	31	13	30	8
Fort Kent	2,528	86	74	-	160	63.29	113	14	18	15	-
Frenchville	1,316	51	56	-	107	81.31	107	-	-	-	-
Grand Isle	1,104	24	21	-	45	40.76	27	2	9	7	-
Haynesville	316	4	5	-	9	28.48	6	-	3	-	-
Hersey	199	2	3	-	5	25.12	1	2	1	1	-
Hodgdon	1,120	13	9	1	23	20.35	16	1	2	3	1
Houlton	4,686	62	49	1	112	23.90	25	38	24	20	5
Island Falls	1,063	23	25	-	48	45.16	18	10	14	5	1
Limestone	1,131	31	13	-	44	38.90	13	7	8	16	-
Linneus	834	10	12	-	22	26.38	10	2	6	4	-
Littleton	956	7	10	-	17	17.78	8	3	2	4	-
Ludlow	394	7	8	-	15	38.07	6	1	4	4	-
Madawaska	1,698	26	37	-	63	37.10	57	-	1	5	-
Maple ton	853	8	3	-	11	12.90	8	2	-	1	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	1	-	-	3	5	2	-	7	4	3	-	17.33
8	1	1	-	-	10	4	7	-	11	10	1	-	10.19
2	-	-	-	-	2	1	4	-	5	3	2	-	15.72
2	-	-	-	-	2	3	1	-	4	3	1	-	11.43
6	-	1	3	-	10	6	11	-	17	13	4	-	17.82
2	1	3	5	-	11	3	5	-	8	5	3	-	6.79
24	5	6	10	-	45	41	27	-	68	47	21	-	14.29
4	-	1	-	-	5	3	2	-	5	2	3	-	8.82
1	-	1	1	-	3	1	3	-	4	1	3	-	10.81
1	-	-	-	-	1	2	1	-	3	3	-	-	10.71
4	1	1	1	-	7	5	10	-	15	15	-	-	12.35
15	3	7	4	1	30	3	5	-	8	5	2	1	1.91
22	2	2	9	-	35	17	16	-	33	25	8	-	13.05
10	-	-	-	-	10	19	21	-	40	40	-	-	30.40
5	1	2	1	-	9	9	10	-	19	17	2	-	17.21
2	-	-	-	-	2	2	3	-	5	4	1	-	15.82
2	-	-	1	-	3	1	2	-	3	2	1	-	15.08
5	-	1	1	-	7	5	4	-	9	4	5	-	7.96
11	9	1	10	1	32	22	19	-	41	22	18	1	8.75
8	2	2	2	-	14	8	2	-	10	7	2	1	9.41
10	1	6	4	-	21	10	5	-	15	10	5	-	13.26
2	-	1	4	-	7	5	10	-	15	11	4	-	17.99
3	-	1	1	1	6	3	4	-	7	4	3	-	7.32
-	-	1	1	-	2	4	2	-	6	2	4	-	15.23
12	-	-	3	-	15	7	8	-	15	14	1	-	8.83
5	1	2	2	-	10	4	7	-	11	8	2	1	12.90

Digitized by Google

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	1,183	19	26	-	45	38.04	15	12	9	9	-
Masardis	438	9	10	-	19	43.38	11	4	-	4	-
Monticello	1,332	28	18	-	46	34.53	13	14	11	8	-
New Limerick	600	4	1	-	5	8.33	3	-	2	-	-
New Sweden	867	13	15	-	28	32.30	-	18	6	4	-
Oakfield	860	11	17	-	28	32.56	17	2	7	1	1
Orient	208	5	1	-	6	28.84	4	-	1	1	-
Perham	580	9	19	-	28	48.28	17	4	1	6	-
Presque Isle	3,804	64	63	-	127	33.39	61	22	24	16	4
St. Agatha	1,396	46	44	-	90	64.47	82	2	2	4	-
Sherman	980	19	14	-	33	33.67	25	-	8	-	-
Smyrna	411	6	12	-	18	43.80	7	4	6	1	-
Van Buren	1,878	66	53	-	119	63.37	60	26	16	15	2
Washburn	1,225	23	25	-	48	39.18	30	4	7	5	2
Westfield	259	5	5	-	10	38.61	5	2	2	1	-
Weston	367	4	6	-	10	27.25	5	1	1	3	-
Woodland	1,096	13	17	-	30	27.37	15	4	6	5	-
Cary Pl	400	2	1	-	3	7.50	2	-	-	-	1
Caswell Pl	368	12	4	-	16	43.48	9	2	2	3	-
Chapman Pl	285	4	5	-	9	31.58	6	-	2	1	-
Connor Pl	453	6	7	-	13	28.70	8	-	5	-	-
Cyr Pl	502	16	19	-	35	69.72	25	3	3	4	-
E Pl	44	1	2	-	3	68.18	2	-	-	1	-
Eagle Lake Pl	406	30	34	-	64	157.64	48	1	13	2	-
Garfield Pl	111	1	1	-	2	18.02	2	-	-	-	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
8	2	4	3	-	17	11	3	-	14	4	10	-	11.84
1	-	3	-	-	4	2	3	-	5	4	1	-	11.42
-	-	2	3	-	5	13	6	-	19	13	6	-	14.26
-	-	1	3	-	4	6	2	-	8	7	1	-	13.33
-	-	1	3	-	4	8	3	-	11	9	2	-	12.69
4	-	2	1	-	7	10	4	-	14	10	2	2	16.28
1	-	-	2	-	3	2	2	-	4	4	-	-	19.23
6	-	1	1	-	8	6	5	-	11	8	3	-	18.97
22	7	4	12	-	45	34	29	-	63	46	17	-	16.56
11	-	-	1	-	12	16	17	-	33	25	8	-	23.64
6	-	1	2	-	9	6	7	-	13	11	2	-	13.27
-	-	-	-	-	-	1	2	-	3	2	1	-	7.80
10	3	2	2	-	17	27	20	-	47	44	3	-	25.02
10	-	2	-	-	12	4	5	-	9	5	3	1	7.34
2	-	1	-	-	3	1	4	-	5	4	1	-	19.31
3	2	-	-	-	5	3	1	-	4	3	1	-	10.90
2	1	1	3	-	7	7	5	-	12	6	5	1	10.95
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	2	-	-	-	5	4	4	-	8	5	3	-	21.74
1	-	-	-	-	1	-	1	-	1	1	-	-	3.51
4	-	1	3	-	8	2	6	-	8	8	-	-	17.66
1	-	-	-	-	1	8	6	-	14	11	3	-	27.89
1	-	1	-	-	2	-	-	-	-	-	-	-	-
15	-	-	4	-	19	15	7	-	22	21	1	-	54.19
-	-	-	-	-	-	1	-	-	1	1	-	-	9.01

Digitized by Google

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Glenwood Pl	178	7	3	-	10	56.18	9	-	-	1	-
Hamlin Pl	574	9	17	-	26	45.30	11	2	2	11	-
Hammond Pl	116	-	-	-	-	-	-	-	-	-	-
Hill Pl	124	6	10	-	16	129.03	11	-	2	2	1
Macwahoc Pl	153	-	1	-	1	6.54	1	-	-	-	-
Merrill Pl	298	8	9	-	17	57.04	12	1	3	1	-
Moro Pl	217	-	-	-	-	-	-	-	-	-	-
Nashville Pl	32	-	1	-	1	31.25	1	-	-	-	-
New Canada Pl	419	10	11	-	21	50.12	8	-	3	8	2
Oxbow Pl	153	3	4	-	7	45.75	7	-	-	-	-
Portage Lake Pl	241	4	4	-	8	33.20	3	3	1	-	1
Reed Pl	399	9	3	-	12	30.08	7	-	3	2	-
St. Francis Pl	568	8	18	-	26	45.77	16	-	6	4	-
St. Jonn Pl	371	7	8	-	15	40.43	9	1	-	5	-
Silver Ridge Pl	168	1	1	-	2	11.90	1	-	-	1	-
Stockholm Pl	191	4	4	-	8	41.88	4	3	1	-	-
Wade Pl	271	7	6	-	13	47.97	7	2	3	1	-
Wallagrass Pl	784	23	20	-	43	54.85	35	-	2	2	4
Westmanland Pl	100	1	1	-	2	20.00	2	-	-	-	-
No. 8, R. 4	111	2	1	-	3	27.03	-	1	-	2	-
Total	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	336	37

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	2	1	-	3	3	-	-	16.85
3	-	-	-	-	3	9	12	-	21	20	1	-	36.59
-	-	-	-	-	-	-	3	-	3	2	1	-	25.86
1	-	-	2	-	3	2	-	-	2	1	1	-	16.13
2	-	-	-	-	2	-	-	-	-	-	-	-	-
2	-	1	-	-	3	3	2	-	5	4	-	1	16.78
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	-	2	-	62.50
1	-	-	-	-	1	3	2	-	5	4	1	-	11.94
2	-	-	-	-	2	1	-	-	1	-	1	-	6.54
-	-	-	3	-	3	1	1	-	2	1	1	-	8.30
5	-	-	1	-	6	4	1	-	5	4	1	-	12.53
6	-	2	2	-	10	4	4	-	8	7	1	-	14.08
2	-	-	2	-	4	1	2	-	3	2	-	1	8.09
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	3	1	1	-	5	5	-	-	5	3	2	-	26.18
2	-	-	1	-	3	1	3	-	4	3	1	-	14.76
11	-	1	-	-	12	5	4	-	9	6	3	-	11.48
-	-	-	1	-	1	3	2	-	5	1	4	-	50.00
-	-	-	-	-	-	1	5	-	6	6	-	-	54.05
320	47	75	119	3	564	427	375	-	802	600	192	10	13.51

Digitized by Google

TABLE

Births, Marriages, and Deaths

CUMBERLAND

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	821	7	5	-	12	14.62	11	-	-	1	-
Bridgton	2,868	19	27	-	46	16.04	37	1	3	4	1
Brunswick	6,806	98	76	-	174	25.57	48	89	12	23	2
Cape Elizabeth	887	8	8	-	16	18.04	14	-	1	1	-
Casco	783	5	10	-	15	19.16	15	-	-	-	-
Cumberland	1,404	13	18	-	31	22.08	22	4	2	3	-
Falmouth	1,511	9	4	-	13	8.60	10	3	-	-	-
Freeport	2,339	19	18	-	37	15.82	35	1	1	-	-
Gorham	2,540	25	15	-	40	15.75	37	1	1	1	-
Gray	1,388	16	11	-	27	19.45	24	-	-	3	-
Harpswell	1,750	26	18	-	44	25.14	39	1	3	-	1
Harrison	969	16	7	-	23	23.74	21	-	1	1	-
Naples	813	5	10	-	15	18.45	15	-	-	-	-
New Gloucester	1,162	13	9	-	22	18.93	21	-	-	1	-
North Yarmouth	642	5	4	-	9	14.02	7	-	-	2	-
Otisfield	728	7	5	-	12	16.48	11	-	-	1	-
Portland	50,145	521	528	2	1,051	20.96	451	378	85	123	14
Pownal	592	4	6	-	10	16.89	7	1	1	1	-
Raymond	823	9	5	-	14	17.01	14	-	-	-	-
Scarboro	1,865	7	22	-	29	15.55	19	5	1	4	-
Sebago	576	6	4	-	10	17.36	10	-	-	-	-
South Portland	6,267	73	53	-	126	20.04	89	19	5	11	2
Standish	1,504	13	17	-	30	19.95	27	-	1	1	1
Westbrook	7,283	102	83	-	185	25.40	68	69	26	20	2
Windham	1,929	20	16	-	36	18.66	33	2	-	1	-
Yarmouth	2,274	12	27	-	39	17.15	21	9	3	6	-
Total	100,689	1,058	1,006	2	2,066	20.52	1,106	583	146	208	23

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	-	1	-	8	2	4	-	6	6	-	-	7.31
21	-	-	1	-	22	24	29	-	53	51	2	-	18.48
28	14	1	-	7	50	68	66	-	134	107	26	1	19.69
3	-	-	-	-	3	6	3	-	9	8	1	-	10.15
6	-	-	-	-	6	11	9	-	20	19	1	-	25.54
7	-	3	2	-	12	15	11	-	26	25	1	-	18.52
8	-	-	1	-	9	18	9	-	27	22	4	1	17.81
16	-	-	-	-	16	21	19	-	40	40	-	-	17.10
13	-	-	1	-	14	31	26	-	57	56	1	-	22.44
9	-	1	2	-	12	10	8	-	18	18	-	-	12.97
12	-	-	1	-	13	16	16	-	32	32	-	-	18.29
4	-	-	-	-	4	15	9	-	24	24	-	-	24.77
9	-	-	-	-	9	2	6	-	8	8	-	-	9.84
11	-	-	1	-	12	13	10	-	23	22	-	1	19.79
7	-	-	-	-	7	5	2	-	7	7	-	-	10.90
2	-	-	-	-	2	11	5	-	16	15	-	1	21.98
290	85	50	50	1	476	461	476	1	938	685	217	36	18.71
2	-	1	-	-	3	9	6	-	15	14	1	-	25.34
7	-	-	-	-	7	9	7	-	16	16	-	-	19.44
9	-	1	-	-	10	13	13	-	26	24	2	-	13.94
5	-	-	-	-	5	2	5	-	7	7	-	-	12.15
38	3	7	3	-	51	39	46	-	85	72	12	1	13.52
19	-	1	1	-	21	9	14	-	23	23	-	-	15.29
33	14	11	11	1	70	56	46	-	102	79	23	-	14.01
14	-	-	1	-	15	16	23	-	39	38	1	-	20.22
10	4	3	1	1	19	21	16	-	37	32	5	-	16.27
560	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.76

Digitized by Google

TABLE

Births, Marriages, and Deaths

FRANKLIN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	6	1	-	7	15.63	7	-	-	-	-
Carthage	334	2	5	-	7	20.96	6	-	-	1	-
Chesterville	709	5	8	-	13	18.34	12	1	-	-	-
Eustis	436	8	5	-	13	29.82	9	2	2	-	-
Farmington	3,288	23	28	-	51	15.51	40	1	5	5	-
Freeman	397	2	6	-	8	20.15	7	-	1	-	-
Industry	553	4	5	-	9	16.27	9	-	-	-	-
Jay	2,758	52	48	-	100	36.26	19	60	14	7	-
Kingfield	693	8	6	-	14	20.20	11	-	1	2	-
Madrid	326	4	5	-	9	27.61	9	-	-	-	-
New Sharon	946	2	9	1	12	12.68	12	-	-	-	-
New Vineyard	584	7	3	-	10	17.12	9	-	-	1	-
Phillips	1,399	15	12	-	27	19.30	25	-	2	-	-
Rangeley	961	12	21	-	33	34.34	24	2	6	1	-
Salem	195	1	1	-	2	10.26	2	-	-	-	-
Strong	637	9	7	-	16	25.12	13	1	1	1	-
Temple	394	6	5	-	11	27.92	11	-	-	-	-
Weld	738	5	8	-	13	17.62	11	-	1	1	-
Wilton	1,647	30	21	-	51	30.97	43	1	2	3	2
Coplin Pl	70	2	1	-	3	42.86	3	-	-	-	-
Dallas Pl	172	2	7	-	9	52.33	7	-	1	-	1
Lang Pl	87	1	2	-	3	34.48	2	-	-	1	-
Rangeley Pl	98	2	-	-	2	20.41	2	-	-	-	-
Sandy River Pl	21	1	1	-	2	95.24	2	-	-	-	-
Perkins	63	2	3	-	5	79.37	5	-	-	-	-
Washington	20	1	-	-	1	50.00	1	-	-	-	-
No. 4, R. 3	33	1	-	-	1	30.30	1	-	-	-	-
Total	*18,007	213	218	1	432	23.99	302	68	36	23	3

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	1	-	2	4	-	-	4	4	-	-	8.93
7	-	-	-	-	7	2	3	-	5	5	-	-	14.97
6	-	-	-	-	6	8	9	-	17	16	1	-	23.88
8	-	-	-	-	8	1	4	-	5	4	-	1	11.47
31	1	-	-	-	32	18	29	-	47	46	1	-	14.29
6	-	-	-	-	6	5	2	-	7	7	-	-	17.63
2	-	-	-	-	2	5	3	-	8	8	-	-	14.47
7	10	1	4	-	22	17	21	-	38	31	7	-	13.78
4	-	-	-	-	4	3	8	-	11	11	-	-	15.37
3	-	-	-	-	3	6	4	-	10	10	-	-	30.67
7	-	-	-	-	7	10	7	-	17	17	-	-	17.97
5	-	-	1	-	6	6	3	-	9	9	-	-	15.41
16	1	2	-	-	19	11	8	-	19	19	-	-	13.58
16	-	1	-	-	17	4	8	-	12	11	-	1	12.49
1	-	-	-	-	1	3	1	-	4	4	-	-	20.51
7	-	-	-	-	7	4	6	-	10	9	1	-	15.70
3	-	-	-	-	3	2	3	-	5	5	-	-	12.69
3	-	-	-	-	3	7	4	-	11	11	-	-	14.31
15	-	-	1	-	16	23	13	-	36	34	1	1	21.86
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	1	-	3	3	-	-	17.44
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	10.20
1	-	-	1	-	2	1	1	-	2	2	-	-	95.24
-	-	-	-	-	-	-	1	-	1	1	-	-	15.37
1	-	-	-	-	1	-	1	-	1	1	-	-	50.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	12	4	8	-	177	143	140	-	283	269	11	3	15.72

Digitized by Google

TABLE

Births, Marriages, and Deaths

HANCOCK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	7	4	-	11	30.22	10	-	1	-	-
Aurora	152	1	2	-	3	19.74	3	-	-	-	-
Bluehill	1,828	10	15	-	25	13.68	25	-	-	-	-
Brooklin	936	9	7	-	16	17.09	15	-	-	1	-
Brooksville	1,171	14	9	-	23	19.64	23	-	-	-	-
Bucksport	2,339	17	17	-	34	14.54	30	-	2	1	1
Castine	925	13	11	-	24	25.95	23	-	-	-	1
Cranberry Isles	374	4	1	-	5	13.37	4	-	-	1	-
Dedham	327	2	2	-	4	12.23	3	-	1	-	-
Deer Isle	2,047	29	24	-	53	25.89	50	-	1	1	1
Eastbrook	248	1	1	-	2	8.06	2	-	-	-	-
Eden	4,379	45	41	2	88	20.10	63	11	6	5	3
Ellsworth	4,297	33	32	-	65	15.13	62	-	3	-	-
Franklin	1,201	16	9	-	25	20.82	24	-	-	1	-
Gouldsboro	1,259	9	9	-	18	14.30	16	-	1	1	-
Hancock	900	8	6	-	14	15.56	13	-	1	-	-
Isle au Haut	182	2	-	-	2	10.99	2	-	-	-	-
Lamoine	594	5	3	-	8	13.47	8	-	-	-	-
Mariaville	218	-	1	-	1	4.59	1	-	-	-	-
Mount Desert	1,660	16	15	-	31	19.38	28	-	2	-	1
Orland	1,251	11	8	-	19	15.19	18	-	-	-	1
Otis	152	4	1	-	5	32.89	5	-	-	-	-
Penobscot	1,156	10	15	-	25	21.63	23	-	1	-	1
Sedgwick	902	14	11	-	25	27.72	21	1	2	-	1
Sorrento	117	-	2	-	2	17.09	2	-	-	-	-
South West Harbor	-	9	8	-	17	-	13	2	1	1	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
-	-	-	-	-	-	2	1	-	3	3	-	-	8.24
2	-	-	-	-	2	4	4	-	8	8	-	-	52.63
13	-	1	-	-	14	17	9	-	26	26	-	-	14.22
6	-	-	-	-	6	12	7	-	19	16	3	-	20.30
5	-	-	-	-	5	12	5	-	17	17	-	-	14.52
15	-	1	1	-	17	22	21	-	43	38	4	1	18.38
7	-	1	1	-	9	8	8	-	16	16	-	-	17.30
3	-	-	-	-	3	1	-	-	1	1	-	-	2.67
-	-	-	-	-	-	1	3	-	4	3	1	-	12.23
21	-	1	-	-	22	13	14	-	27	27	-	-	13.19
1	-	-	-	-	1	2	-	-	2	2	-	-	8.06
45	1	3	4	-	56	25	27	-	52	42	7	3	11.87
42	-	2	1	-	45	34	32	-	66	56	8	2	15.36
15	-	1	1	-	17	9	11	-	20	18	2	-	16.65
9	-	-	-	-	9	3	6	-	9	7	1	1	7.15
11	-	-	-	-	11	13	6	-	19	19	-	-	21.11
2	-	-	-	-	2	-	2	-	2	2	-	-	10.99
5	-	-	1	-	6	4	10	-	14	14	-	-	23.57
2	-	-	-	-	2	2	1	-	3	3	-	-	13.76
9	-	2	1	-	12	14	5	-	19	19	-	-	11.88
11	-	-	-	-	11	9	13	-	22	22	-	-	17.59
3	-	-	-	-	3	2	-	-	2	2	-	-	13.16
6	-	-	-	-	6	12	14	-	26	26	-	-	22.49
6	-	-	-	-	6	6	5	-	11	11	-	-	12.20
3	-	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	-	-	6	2	7	-	9	8	1	-	-

Digitized by Google

TABLE

Births, Marriages, and Deaths

HANCOCK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington	1,648	23	25	-	48	29.13	31	11	5	1	-
Sullivan	1,034	15	14	-	29	28.05	19	2	4	4	-
Surry	900	12	14	-	26	28.89	26	-	-	-	-
Swan's Island	758	11	7	-	18	23.75	16	-	2	-	-
Tremont	2,010	19	16	-	35	17.41	33	-	1	1	-
Trenton	459	4	7	-	11	23.97	10	-	-	1	-
Verona	234	2	-	-	2	8.55	2	-	-	-	-
Waltham	192	1	1	-	2	10.42	2	-	-	-	-
Winter Harbor	571	8	3	-	11	19.26	8	-	-	2	1
Long Island Pl	174	2	2	-	4	22.99	2	-	1	-	1
No. 21 Pl	58	1	-	-	1	17.24	1	-	-	-	-
No. 33 Pl	82	1	-	-	1	12.20	1	-	-	-	-
Total	*37,039	388	343	2	733	19.79	638	27	35	21	12

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
18	-	-	4	-	22	10	17	-	27	27	-	-	16.38
4	-	-	-	-	4	7	8	-	15	15	-	-	14.51
9	-	-	-	-	9	8	10	-	18	18	-	-	20.00
7	-	-	-	-	7	4	2	-	6	6	-	-	7.92
7	-	-	-	-	7	9	7	-	16	16	-	-	7.96
4	-	-	-	-	4	7	5	-	12	12	-	-	26.14
1	-	-	-	-	1	-	1	-	1	1	-	-	4.27
2	-	-	-	-	2	1	-	-	1	1	-	-	5.21
3	-	-	-	-	3	4	-	-	4	4	-	-	7.01
-	-	-	2	-	2	3	-	-	3	3	-	-	17.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	1	-	1	1	-	-	12.20
308	1	12	16	-	337	282	262	-	544	510	27	7	14.69

Digitized by Google

TABLE

Births, Marriages, and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	5	6	-	11	12.53	11	-	-	-	-
Augusta	11,683	137	113	1	251	21.48	134	76	17	21	3
Belgrade	1,058	9	8	-	17	16.07	14	-	2	1	-
Benton	1,097	10	8	-	18	16.41	14	1	1	1	1
Chelsea	3,092	12	3	-	15	4.85	12	-	2	1	-
China	1,380	14	13	-	27	19.57	25	-	2	-	-
Clinton	1,398	7	8	1	16	11.44	13	2	1	-	-
Farmingdale	848	8	6	-	14	16.51	10	2	2	-	-
Fayette	560	5	5	-	10	17.86	9	1	-	-	-
Gardiner	5,501	55	51	-	106	19.27	73	15	7	11	-
Hallowell	2,714	24	20	-	44	16.21	29	6	7	2	-
Litchfield	1,057	6	5	-	11	10.41	10	-	1	-	-
Manchester	518	5	4	-	9	17.37	7	-	1	1	-
Monmouth	1,236	18	8	-	26	21.04	18	5	1	2	-
Mount Vernon	906	10	5	-	15	16.56	14	-	1	-	-
Oakland	1,913	17	15	-	32	16.73	25	2	1	4	-
Pittston	1,177	7	10	-	17	14.44	13	2	-	2	-
Randolph	1,077	12	11	-	23	21.36	9	7	4	3	-
Readfield	994	7	5	-	12	12.07	10	2	-	-	-
Rome	420	8	8	-	16	38.10	16	-	-	-	-
Sidney	1,068	10	4	-	14	13.11	14	-	-	-	-
Vassalboro	2,062	15	14	-	29	14.06	22	1	3	2	1
Vienna	406	5	3	-	8	19.70	7	-	-	-	1
Waterville	9,477	145	145	-	290	30.60	102	91	51	43	3
Wayne	707	9	8	-	17	27.05	16	-	-	1	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	-	-	-	7	11	4	-	15	15	-	-	17.10
85	15	8	7	6	121	151	133	-	284	217	51	16	24.31
8	-	-	-	-	8	9	13	-	22	21	1	-	20.79
10	-	-	-	-	10	16	12	-	28	26	2	-	25.52
12	1	2	-	-	15	7	5	-	12	11	1	-	3.88
13	-	-	1	-	14	9	16	-	25	23	2	-	18.12
14	-	-	-	-	14	17	14	-	31	28	3	-	22.17
3	-	-	-	-	3	5	8	-	13	12	1	-	15.33
1	-	-	-	-	1	9	6	-	15	14	-	1	26.79
42	-	6	2	-	50	54	46	-	100	92	8	-	18.18
17	1	-	-	-	18	22	20	-	42	33	7	2	15.48
4	-	-	-	-	4	8	7	-	15	14	1	-	14.19
2	-	-	-	-	2	5	5	-	10	8	2	-	19.31
9	-	1	-	-	10	13	11	-	24	24	-	-	19.42
6	-	-	-	-	6	12	7	-	19	19	-	-	20.97
20	-	1	-	-	21	19	22	-	41	39	2	-	21.43
12	-	1	-	1	14	8	12	-	20	18	2	-	16.99
4	2	-	-	-	6	9	13	-	22	20	2	-	20.43
9	-	-	-	-	9	7	7	-	14	13	1	-	14.08
4	-	1	-	-	5	4	4	-	8	8	-	-	19.05
8	-	-	-	-	8	15	15	-	30	28	2	-	28.09
13	4	6	1	-	24	19	22	-	41	38	3	-	19.88
5	-	-	-	-	5	7	3	-	10	10	-	-	24.63
52	21	15	13	2	103	78	63	-	141	110	26	5	14.88
3	-	1	-	-	4	8	10	-	18	17	1	-	25.46

Digitized by Google

TABLE

Births, Marriages, and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
West Gardiner	693	7	5	-	12	17.32	9	2	-	1	-
Windsor.....	782	2	1	-	3	3.84	3	-	-	-	-
Winslow	2,277	38	34	-	72	31.62	19	43	7	3	-
Winthrop	2,088	22	20	-	42	20.11	30	11	-	1	-
Unity Pl	50	-	-	-	-	-	-	-	-	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	629	546	2	1,177	19.91	688	269	111	100	9

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	6	7	-	13	12	1	-	18.76
4	-	-	-	-	4	11	5	-	16	16	-	-	20.46
13	6	3	3	-	25	16	22	-	38	31	7	-	16.69
10	3	1	-	-	14	20	19	-	39	35	4	-	18.68
-	-	-	-	-	-	1	-	-	1	1	-	-	20.00
-	-	-	-	-	-	8	-	-	8	8	-	-	-
394	53	46	27	9	529	584	531	-	1,115	961	130	24	18.87

Digitized by Google

TABLE

Births, Marriages, and Deaths

KNOX

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	8	9	-	17	17.44	17	-	-	-	-
Camden	2,825	26	24	-	50	17.70	46	1	2	1	-
Cushing	604	1	7	-	8	13.25	7	1	-	-	-
Friendship	814	4	6	-	10	12.29	10	-	-	-	-
Hope	599	4	3	-	7	11.69	5	-	1	-	1
Hurricane Isle	257	5	4	-	9	35.02	2	7	-	-	-
North Haven	551	5	4	-	9	16.33	8	1	-	-	-
Rockland	8,150	72	69	-	141	17.31	102	16	10	12	1
Rockport	2,314	21	21	-	42	18.15	35	1	2	3	1
St. George	2,206	24	12	-	36	16.32	17	13	3	3	-
South Thomaston	1,426	10	5	-	15	10.52	11	1	1	-	2
Thomaston	2,688	10	13	-	23	8.56	16	2	2	3	-
Union	1,248	12	5	-	17	13.62	15	-	1	1	-
Vinalhaven	2,358	21	24	-	45	19.08	34	6	2	3	-
Warren	2,069	13	9	-	22	10.63	19	2	-	-	1
Washington	1,019	6	6	-	12	11.78	12	-	-	-	-
Criehaven Pl	47	1	-	-	1	21.28	1	-	-	-	-
Matinicus Isle Pl	184	-	1	-	1	5.43	1	-	-	-	-
Total	*30,334	243	222	-	465	15.33	358	51	24	26	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	3	10	-	13	13	-	-	13.33
28	2	1	1	-	32	14	17	-	31	29	-	2	10.97
7	-	-	-	-	7	3	4	-	7	7	-	-	11.59
4	-	1	-	-	5	9	8	-	17	17	-	-	20.88
5	-	-	-	-	5	5	7	-	12	12	-	-	20.03
2	1	-	-	-	3	-	2	-	2	2	-	-	7.78
2	-	-	-	-	2	5	5	-	10	8	-	2	18.15
72	6	5	9	-	92	73	79	-	152	135	15	2	18.65
7	1	1	-	-	9	18	14	-	32	31	1	-	13.33
20	4	-	1	-	25	19	11	-	30	27	3	-	13.60
10	2	-	-	-	12	11	9	-	20	19	1	-	14.03
16	2	-	-	-	18	24	22	-	46	40	4	2	17.11
13	-	-	-	-	13	7	12	-	19	18	1	-	15.22
18	4	1	1	-	24	26	19	-	45	37	8	-	19.08
21	-	1	-	-	22	16	15	-	31	30	1	-	14.98
7	-	1	-	-	8	6	2	-	8	8	-	-	7.85
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	3	3	-	-	16.30
237	22	11	12	-	282	240	238	-	478	436	34	8	15.76

Digitized by Google

TABLE

Births, Marriages, and Deaths

LINCOLN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	2	5	-	7	15.77	7	-	-	-	-
Boothbay	1,766	21	20	-	41	23.22	40	-	-	1	-
Boothbay Harbor	1,926	22	26	1	49	25.44	44	-	2	3	-
Bremen	657	6	6	-	12	18.26	10	-	1	1	-
Bristol	2,572	28	29	-	57	22.16	54	1	2	-	-
Damariscotta	876	8	4	-	12	13.70	12	-	-	-	-
Dresden	882	7	9	-	16	18.14	15	-	1	-	-
Edgecomb	607	1	3	-	4	6.59	3	-	-	1	-
Jefferson	1,155	8	7	-	15	12.99	14	-	1	-	-
Newcastle	1,075	11	7	-	18	16.74	17	-	-	1	-
Nobleboro	810	6	5	-	11	13.58	9	-	-	2	-
Somerville	374	3	5	-	8	21.39	7	-	-	1	-
Southport	527	4	5	-	9	17.08	7	-	-	2	-
Waldoboro	3,145	23	21	-	44	13.99	39	-	3	1	1
Westport	330	-	1	-	1	3.03	1	-	-	-	-
Whitefield	1,156	9	4	-	13	11.25	11	-	1	1	-
Wiscasset	1,273	18	10	-	28	22.00	24	1	1	2	-
Monhegan Pl	94	-	-	-	-	-	-	-	-	-	-
Total	19,669	177	167	1	345	17.54	314	2	12	16	1

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	-	-	-	2	3	3	-	6	6	-	-	13.51
9	-	-	-	-	9	15	10	-	25	23	1	1	14.16
11	-	2	-	2	15	13	7	-	20	20	-	-	10.38
4	-	-	-	-	4	6	3	-	9	9	-	-	13.70
17	-	-	-	-	17	15	11	-	26	26	-	-	10.11
4	-	-	-	-	4	12	7	-	19	19	-	-	21.69
4	-	-	-	-	4	3	1	-	4	4	-	-	4.54
2	-	-	-	-	2	6	6	-	12	12	-	-	19.77
10	-	-	-	-	10	12	6	-	18	16	2	-	15.58
7	-	-	1	-	8	6	6	-	12	11	1	-	11.16
5	-	-	-	-	5	4	-	-	4	4	-	-	4.94
2	-	-	-	-	2	4	4	-	8	8	-	-	21.39
1	-	-	-	-	1	6	4	-	10	9	1	-	18.98
19	-	-	-	-	19	23	15	-	38	37	1	-	12.08
-	-	-	-	-	-	4	2	-	6	5	1	-	13.18
9	-	-	-	-	9	12	14	-	26	22	4	-	22.49
5	-	1	-	-	6	11	14	-	25	25	-	-	19.64
-	-	-	-	-	-	1	-	-	1	1	-	-	10.64
111	-	3	1	2	117	156	113	-	269	257	11	1	13.68

Digitized by Google

TABLE

Births, Marriages, and Deaths

OXFORD

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	4	5	-	9	16.73	7	-	2	-	-
Andover	727	6	10	-	16	22.01	13	2	1	-	-
Bethel	1,835	22	16	-	38	20.71	33	4	1	-	-
Brownfield	1,019	6	11	-	17	16.68	16	-	1	-	-
Buckfield	1,139	4	7	-	11	9.66	9	-	1	1	-
Byron	204	3	2	-	5	24.51	3	-	1	1	-
Canton	946	7	9	-	16	16.91	12	2	2	-	-
Denmark	634	7	6	-	13	20.50	11	1	1	-	-
Dixfield	1,052	11	8	-	19	18.06	18	1	-	-	-
Fryeburg	1,376	18	6	1	25	18.17	21	1	1	2	-
Gilead	340	1	2	-	3	8.82	3	-	-	-	-
Grafton	81	-	-	-	-	-	-	-	-	-	-
Greenwood	741	6	14	-	20	26.99	18	2	-	-	-
Hanover	214	2	-	-	2	9.35	2	-	-	-	-
Hartford	660	7	9	-	16	24.24	10	4	1	-	1
Hebron	494	2	1	-	3	6.07	2	-	-	-	1
Hiram	1,015	11	4	-	15	14.78	15	-	-	-	-
Lovell	693	7	7	-	14	20.20	13	-	1	-	-
Mason	67	3	1	-	4	59.70	3	-	1	-	-
Mexico	816	29	33	-	62	75.98	19	31	4	7	1
Newry	286	2	3	-	5	17.48	3	-	-	2	-
Norway	2,902	32	35	-	67	23.09	41	9	10	6	1
Oxford	1,331	15	15	-	30	22.54	25	-	4	1	-
Paris	3,225	32	29	-	61	18.91	49	6	3	3	-
Peru	773	6	3	-	9	11.64	7	1	-	1	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	-	-	-	-	3	4	2	-	6	6	-	-	11.15
6	1	2	1	-	10	3	6	-	9	8	-	1	12.38
17	-	-	-	-	17	20	19	-	39	35	4	-	21.25
7	-	1	-	-	8	11	4	-	15	15	-	-	14.72
7	-	-	-	-	7	12	17	-	29	29	-	-	25.46
2	-	-	-	-	2	1	-	-	1	1	-	-	4.90
2	-	-	2	-	4	7	3	-	10	9	1	-	10.57
3	-	-	-	-	3	5	9	-	14	13	1	-	22.08
10	-	-	1	-	11	8	12	-	20	19	1	-	19.01
12	-	-	-	-	12	11	7	-	18	17	1	-	13.08
-	-	-	-	-	-	4	2	-	6	6	-	-	17.65
2	-	-	-	-	2	-	2	-	2	2	-	-	24.69
11	-	-	-	-	11	3	5	-	8	8	-	-	10.80
1	-	-	-	-	1	1	2	-	3	3	-	-	14.02
4	-	-	1	-	5	1	6	-	7	7	-	-	10.61
2	-	-	-	-	2	2	1	-	3	3	-	-	6.07
6	-	-	-	-	6	8	6	-	14	13	1	-	13.79
6	-	-	-	-	6	8	4	-	12	11	1	-	17.32
-	-	-	-	-	-	-	2	-	2	2	-	-	29.85
10	2	4	4	-	20	5	9	-	14	14	-	-	17.15
1	-	-	-	-	1	2	2	-	4	4	-	-	13.99
22	2	-	1	-	25	23	13	-	36	33	3	-	12.41
7	-	-	2	-	9	12	9	-	21	20	1	-	15.78
41	4	-	2	-	47	22	26	-	48	47	1	-	14.88
10	-	-	-	-	10	3	5	-	8	7	1	-	10.35

Digitized by Google

TABLE

Births, Marriages, and Deaths

OXFORD

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Porter	586	10	12	-	22	24.83	20	1	-	1	-
Roxbury	238	3	2	-	5	21.01	4	1	-	-	-
Rumford	3,770	109	104	-	213	56.50	63	108	27	13	2
Stoneham	284	3	3	-	6	21.13	6	-	-	-	-
Stow	270	2	1	-	3	11.11	2	-	1	-	-
Sumner	802	7	12	-	19	23.69	18	-	1	-	-
Sweden	282	-	3	-	3	10.64	3	-	-	-	-
Upton	242	3	3	-	6	24.79	4	1	1	-	-
Waterford	917	4	8	-	12	13.09	11	-	1	-	-
Woodstock	816	8	8	-	16	19.61	14	-	1	1	-
Lincoln Pl	73	1	-	-	1	13.70	1	-	-	-	-
Magalloway Pl	77	-	1	-	1	12.99	1	-	-	-	-
Milton Pl	202	1	4	-	5	24.75	5	-	-	-	-
Total	*31,967	394	397	1	792	24.78	505	175	67	39	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	1	-	-	8	7	7	-	14	14	-	-	15.80
2	1	-	1	-	4	1	2	-	3	2	1	-	12.61
33	31	6	20	-	90	44	29	-	73	57	15	1	19.36
2	-	-	-	-	2	1	-	-	1	1	-	-	3.52
4	-	-	-	-	4	2	2	-	4	4	-	-	14.81
16	-	1	-	-	17	7	11	-	18	18	-	-	22.44
-	-	-	-	-	-	3	5	-	8	8	-	-	28.37
4	-	1	-	-	5	2	2	-	4	4	-	-	16.53
4	-	-	-	-	4	10	10	-	20	20	-	-	21.81
6	-	-	-	-	6	7	2	-	9	9	-	-	11.06
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
5	-	-	1	1	7	2	1	-	3	3	-	-	14.85
277	41	16	36	1	371	262	244	-	506	472	32	2	15.83

Digitized by Google

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	-	-	-	-	-	-	-	-	-	-
Argyle	320	2	3	-	5	15.63	4	-	-	1	-
Bangor	21,850	156	154	1	311	14.23	146	78	36	48	3
Bradford	954	7	9	-	16	16.77	15	-	-	1	-
Bradley	682	4	3	-	7	10.26	3	2	1	1	-
Brewer	4,835	73	75	-	148	30.61	80	46	14	6	2
Burlington	394	7	4	-	11	27.92	10	-	-	1	-
Carmel	932	9	12	-	21	22.53	19	1	-	-	1
Carroll	487	5	3	-	8	16.43	7	-	1	-	-
Charleston	842	4	7	-	11	13.06	11	-	-	-	-
Chester	363	4	7	-	11	30.30	10	-	-	1	-
Clifton	236	1	3	-	4	16.95	4	-	-	-	-
Corinna	1,170	5	6	-	11	9.40	8	1	1	1	-
Corinth	1,042	10	6	-	16	15.36	16	-	-	-	-
Dexter	2,941	57	39	-	96	32.64	58	15	12	11	-
Dixmont	843	7	9	-	16	18.98	16	-	-	-	-
Eddington	663	2	3	-	5	7.54	5	-	-	-	-
Edinburg	65	-	-	-	-	-	-	-	-	-	-
Enfield	1,062	9	18	-	27	25.42	14	5	6	2	-
Etna	527	5	4	-	9	17.08	8	1	-	-	-
Exeter	879	6	3	-	9	10.24	9	-	-	-	-
Garland	857	1	6	-	7	8.17	7	-	-	-	-
Glenburn	461	4	4	-	8	17.35	8	-	-	-	-
Greenbush	586	6	3	-	9	15.36	6	1	-	2	-
Hampden	2,182	13	16	-	29	13.29	25	1	1	2	-
Hermon	1,183	6	14	-	20	16.91	18	-	-	2	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	3	2	-	5	4	1	-	15.92
-	-	-	-	1	1	1	2	-	3	3	-	-	9.38
148	22	22	29	2	223	204	215	-	419	313	76	30	19.18
10	-	-	-	-	10	11	12	-	23	22	1	-	24.11
9	-	-	-	-	9	6	4	-	10	8	2	-	14.66
35	7	6	8	-	56	52	36	-	88	79	8	1	18.20
1	-	-	-	-	1	4	1	-	5	5	-	-	12.69
4	-	1	-	-	5	9	9	-	18	16	2	-	19.31
8	-	-	-	-	8	5	7	-	12	12	-	-	24.64
7	-	-	-	-	7	8	8	-	16	15	1	-	19.00
3	-	-	1	-	4	1	2	-	3	3	-	-	8.26
1	-	1	-	-	2	1	1	-	2	2	-	-	8.47
13	-	2	-	-	15	13	13	-	26	22	3	1	22.22
9	-	-	-	-	9	11	11	-	22	22	-	-	21.11
29	3	3	1	-	36	22	29	-	51	46	5	-	17.34
5	-	-	-	-	5	9	5	-	14	14	-	-	16.61
3	-	-	-	-	3	5	2	-	7	7	-	-	10.56
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	4	-	10	1	5	-	6	6	-	-	5.65
6	-	1	-	-	7	2	4	-	6	5	-	1	11.39
6	-	-	-	-	6	9	4	-	13	13	-	-	14.79
4	-	-	-	-	4	5	8	-	13	12	1	-	15.17
4	-	-	-	-	4	3	4	-	7	7	-	-	15.18
5	-	-	-	-	5	7	3	-	10	10	-	-	17.06
10	-	1	-	-	11	18	31	-	49	46	2	1	22.46
7	1	1	1	-	10	8	9	-	17	16	1	-	14.37

Digitized by Google

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Holden	602	3	6	-	9	14.95	5	2	2	-	-
Howland	519	2	8	-	10	19.27	8	1	1	-	-
Hudson	430	2	3	-	5	11.63	5	-	-	-	-
Kenduskeag	423	6	9	-	15	35.46	11	1	-	3	-
Kingman	936	16	10	-	26	27.78	10	5	7	4	-
Lagrange	574	5	7	-	12	20.91	9	1	-	2	-
Lee	801	10	12	-	22	27.47	19	1	1	1	-
Levant	789	10	5	-	15	19.01	13	1	-	1	-
Lincoln	1,731	35	26	-	61	35.24	38	11	8	3	1
Lowell	300	3	3	-	6	20.00	6	-	-	-	-
Mattawamkeag	527	8	4	-	12	22.77	9	1	2	-	-
Maxfield	115	1	-	-	1	8.70	1	-	-	-	-
Medway	297	5	4	-	9	30.30	6	-	2	-	1
Milford	838	6	10	-	16	19.09	12	1	2	1	-
Millinocket	1,144	55	59	-	114	99.65	38	46	20	10	-
Mt. Chase	299	2	4	-	6	20.07	6	-	-	-	-
Newburgh	734	4	-	-	4	5.45	4	-	-	-	-
Newport	1,533	10	7	-	17	11.09	13	1	1	1	1
Old Town	5,763	92	95	-	187	32.45	79	61	25	22	-
Orono	3,257	45	54	-	99	30.40	33	41	16	8	1
Orrington	1,266	11	14	-	25	19.75	22	1	1	1	-
Passadumkeag	409	4	2	-	6	14.67	4	-	2	-	-
Patten	1,172	-	-	-	-	-	-	-	-	-	-
Plymouth	658	4	3	-	7	10.64	7	-	-	-	-
Prentiss	502	7	6	-	13	25.90	9	-	2	2	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	-	-	-	-	3	4	1	-	5	4	1	-	8.31
5	-	3	1	-	9	2	4	-	6	5	1	-	11.56
5	-	-	-	-	5	1	4	-	5	4	1	-	11.63
4	-	-	-	-	4	6	2	-	8	7	1	-	18.91
3	-	-	-	-	3	6	7	-	13	12	1	-	13.89
2	-	-	1	-	3	7	2	-	9	8	1	-	15.68
3	-	-	-	-	3	8	5	-	13	13	-	-	16.23
3	-	-	-	-	3	3	3	-	6	6	-	-	7.60
18	3	1	2	-	24	21	12	-	33	31	2	-	19.06
2	-	1	-	-	3	2	1	-	3	2	1	-	10.00
2	-	-	-	-	2	1	1	-	2	-	1	1	3.80
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	1	-	2	3	-	-	3	2	1	-	10.10
3	-	-	-	-	3	3	9	-	12	9	2	1	14.32
12	8	5	7	-	32	11	5	-	16	9	7	-	13.99
3	-	-	-	-	3	3	4	-	7	7	-	-	23.41
7	1	-	-	-	8	4	12	-	16	16	-	-	21.80
18	3	2	1	-	24	10	14	-	24	24	-	-	15.66
32	2	8	13	-	55	89	46	-	135	107	26	2	23.43
14	8	6	5	-	33	23	21	-	44	30	14	-	13.51
5	-	-	-	-	8	10	14	-	24	24	-	-	18.96
6	-	-	-	1	7	4	4	-	8	7	1	-	19.56
2	-	1	-	-	3	-	-	-	-	-	-	-	-
5	-	-	-	-	5	9	4	-	13	13	-	-	19.76
2	-	-	-	-	2	2	5	-	7	7	-	-	13.94

Digitized by Google

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Springfield	532	9	7	-	16	30.08	13	-	1	2	-
Stetson	508	5	5	-	10	19.68	8	-	1	1	-
Veazie	555	3	2	-	5	9.01	4	-	-	1	-
Winn	688	8	2	-	10	14.53	6	2	1	1	-
Woodville	160	1	-	-	1	6.25	1	-	-	-	-
Drew Pl	120	1	-	-	1	8.33	1	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl	129	-	1	-	1	7.75	1	-	-	-	-
Seboeis Pl	96	3	1	-	4	41 67	4	-	-	-	-
Stacyville Pl	347	7	5	-	12	34.58	8	2	2	-	-
Webster Pl	124	3	2	-	5	40.32	3	-	2	-	-
No. 1, R. 7	42	1	-	-	1	-	-	-	1	-	-
Indian Township	-	-	-	-	-	-	-	-	-	-	-
Total	*75,637	790	787	1	1,578	20.86	923	330	172	143	10

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	4	3	-	7	7	-	-	13.16
2	-	-	-	-	2	6	2	-	8	5	-	-	15.90
6	-	-	-	-	6	4	9	-	13	9	3	1	23.42
4	-	-	-	-	4	4	4	-	8	6	1	1	11.63
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	-	-	1	1	-	-	8.33
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50
-	-	-	-	-	-	1	-	-	1	1	-	-	10.42
2	1	-	-	-	3	2	1	-	3	3	-	-	8.65
3	-	-	-	-	3	-	1	-	1	1	-	-	8.06
1	-	-	-	-	1	1	1	-	2	1	-	1	47.61
-	-	-	-	-	-	2	-	-	2	-	2	-	-
528	59	66	75	4	732	676	629	-	1,305	1,094	170	41	17.25

Digitized by Google

TABLE

Births, Marriages, and Deaths

PISCATAQUIS

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	3	6	-	9	12.57	7	1	-	1	-
Atkinson	495	5	2	-	7	14.14	7	-	-	-	-
Blanchard	248	-	2	-	2	8.06	2	-	-	-	-
Brownville	1,570	22	32	-	54	34.39	28	11	10	4	1
Dover	1,889	21	18	-	39	20.65	35	2	1	1	-
Foxcroft	1,629	16	13	1	30	18.42	21	1	4	4	-
Greenville	1,117	21	25	-	46	41.18	21	17	5	3	-
Guilford	1,544	12	23	-	35	22.67	28	4	1	2	-
Medford	282	-	1	-	1	3.55	1	-	-	-	-
Milo	1,150	16	12	-	28	24.35	25	-	1	2	-
Monson	1,116	7	13	-	20	17.92	7	9	1	2	1
Orneville	325	5	2	-	7	21.53	7	-	-	-	-
Parkman	718	3	3	-	6	8.36	5	-	1	-	-
Sangerville	1,294	11	15	-	26	20.10	23	1	-	2	-
Sebec	593	2	1	-	3	5.06	2	-	-	1	-
Shirley	248	4	1	-	5	20.16	4	-	1	-	-
Wellington	413	-	2	-	2	4.84	2	-	-	-	-
Williamsburg	117	2	-	-	2	17.09	1	-	1	-	-
Willimantic	419	4	2	-	6	14.32	6	-	-	-	-
Barnard Pl	98	-	3	-	3	30.61	3	-	-	-	-
Bowerbank Pl	66	3	1	-	4	60.61	4	-	-	-	-
Elliottsville Pl	86	1	-	-	1	11.63	1	-	-	-	-
Kingsbury Pl	106	5	3	-	8	75.47	8	-	-	-	-
Lake View Pl	173	2	5	-	7	40.46	2	2	2	1	-
Katahdin Iron Works	114	1	1	-	2	17.54	1	1	-	-	-
Total	*16,526	166	186	1	353	21.36	251	49	28	23	2

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	3	2	-	5	5	-	-	6.98
4	-	1	-	-	5	2	6	-	8	7	1	-	16.16
1	-	-	-	-	1	-	2	-	2	2	-	-	8.06
8	6	1	2	-	17	16	12	-	28	22	5	1	17.83
20	-	-	-	-	20	17	14	-	31	29	2	-	16.41
3	1	2	-	-	6	15	20	-	35	34	1	-	21.49
7	1	2	3	-	13	13	13	-	26	19	6	1	23.27
12	1	-	1	-	14	14	11	-	25	21	4	-	16.19
1	-	-	-	-	1	-	-	-	-	-	-	-	-
15	3	-	2	2	22	13	12	-	25	22	3	-	21.74
5	3	1	-	-	9	6	6	-	12	9	2	1	10.75
5	-	-	-	-	5	4	2	-	6	5	1	-	18.46
5	-	-	-	-	5	8	9	-	17	17	-	-	23.68
6	1	-	1	-	8	10	12	-	22	21	1	-	17.00
2	-	-	-	-	2	6	2	-	8	6	1	1	13.49
3	-	1	1	-	5	3	-	-	3	2	-	1	12.10
5	-	-	-	-	5	6	2	-	8	7	1	-	19.37
-	-	-	-	-	-	-	1	-	1	1	-	-	8.55
2	-	-	-	-	2	1	2	-	3	3	-	-	7.16
-	-	-	-	-	-	-	1	-	1	1	-	-	10.20
2	-	-	-	-	2	1	-	-	1	1	-	-	15.15
2	1	-	-	-	3	-	-	-	-	-	-	-	-
3	-	-	-	-	3	1	-	-	1	1	-	-	9.43
4	-	1	-	-	5	1	-	-	1	1	-	-	5.78
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
119	17	9	10	2	157	141	129	-	270	237	28	5	16.34

Digitized by Google

TABLE

Births, Marriages, and Deaths

SAGADAHOC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	1	2	-	3	16.67	3	-	-	-	-
Bath	10,477	108	96	-	204	19.47	118	50	14	20	2
Bowdoin	937	4	2	-	6	6.40	6	-	-	-	-
Bowdoinham	1,305	9	6	-	15	11.49	12	-	2	1	-
Georgetown	799	5	7	-	12	15.02	11	-	-	-	1
Perkins	61	-	-	-	-	-	-	-	-	-	-
Phippsburg	1,254	13	5	-	18	14.35	14	-	4	-	-
Richmond	2,049	13	11	-	24	11.71	19	2	2	1	-
Topsham	2,097	24	24	-	48	22.89	23	19	3	3	-
West Bath	291	1	-	-	1	3.44	1	-	-	-	-
Woolwich	880	7	6	-	13	14.77	13	-	-	-	-
Total	20,330	185	159	-	344	16.93	220	71	25	25	3

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	-	1	-	1	1	-	-	5.56
52	12	2	10	-	76	80	81	-	161	141	20	-	15.37
10	-	-	-	-	10	13	7	-	20	20	-	-	21.34
7	-	-	1	-	8	8	11	-	19	17	2	-	14.56
2	-	-	-	-	2	6	8	-	14	14	-	-	17.52
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	1	-	7	4	6	-	10	9	1	-	7.97
20	1	-	2	-	23	13	23	-	36	33	3	-	17.57
10	2	3	1	-	16	13	18	-	31	28	3	-	14.78
-	-	1	-	-	1	2	3	-	5	5	-	-	17.18
7	-	-	-	-	7	14	11	-	25	24	1	-	28.40
115	15	7	15	-	152	153	169	-	322	292	30	-	15.84

Digitized by Google

TABLE

Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	26	24	-	50	27.32	34	8	5	3	-
Athens	896	7	6	-	13	14.51	12	1	-	-	-
Bingham	841	10	8	-	18	21.40	13	-	1	2	2
Cambridge	364	1	5	-	6	16.48	4	1	-	1	-
Canaan	977	7	6	-	13	13.31	12	-	1	-	-
Concord	291	3	8	-	11	37.80	8	-	2	1	-
Cornville	689	3	3	-	6	8.71	6	-	-	-	-
Detroit	527	6	4	-	10	18.98	10	-	-	-	-
Embden	567	9	6	-	15	26.46	14	-	-	1	-
Fairfield	3,878	51	23	1	75	19.34	45	9	10	7	4
Harmony	571	8	11	-	19	33.28	17	1	-	1	-
Hartland	1,115	14	9	-	23	20.63	18	1	1	1	2
Madison	2,764	36	26	-	62	22.43	37	16	7	1	1
Mercer	493	3	5	-	8	16.23	7	-	1	-	-
Moscow	378	5	5	-	10	26.46	8	-	1	-	1
New Portland	913	11	5	-	16	17.52	14	-	1	1	-
Norridgewock	1,495	11	9	-	20	13.38	17	2	1	-	-
Palmyra	915	6	16	-	22	24.04	21	-	1	-	-
Pittsfield	2,891	40	29	-	69	23.87	63	-	2	4	-
Ripley	449	1	3	-	4	8.91	4	-	-	-	-
St. Albans	1,037	6	9	-	15	14.46	15	-	-	-	-
Skowhegan	5,180	64	42	-	106	20.46	65	20	15	6	-
Smithfield	449	5	5	-	10	22.27	9	1	-	-	-
Solon	996	8	10	-	18	18.07	14	1	3	-	-

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
12	2	5	3	-	22	14	19	-	33	32	1	-	18.06
3	-	-	-	-	3	11	11	-	22	20	2	-	24.55
4	-	2	1	-	7	10	2	-	12	10	2	-	14.27
1	-	1	2	-	4	2	4	-	6	5	1	-	16.48
6	-	1	-	-	7	6	17	-	23	22	-	1	23.54
4	-	-	-	-	4	1	2	-	3	3	-	-	10.31
6	-	-	-	-	6	9	4	-	13	12	1	-	18.87
3	-	1	-	-	4	3	1	-	4	3	1	-	7.59
4	-	-	-	-	4	8	5	-	13	13	-	-	22.93
25	4	3	5	-	37	32	31	-	63	48	10	5	16.25
9	-	-	-	-	9	4	8	-	12	11	1	-	21.02
17	1	1	1	-	20	7	12	-	19	18	1	-	17.04
17	4	4	1	-	26	24	17	-	41	36	4	1	14.83
7	-	-	-	-	7	3	3	-	6	6	-	-	12.17
2	-	-	3	-	5	9	4	-	13	10	3	-	34.39
7	-	-	-	-	7	3	4	-	7	7	-	-	7.67
10	-	-	1	-	11	5	11	-	16	16	-	-	10.70
6	-	1	-	-	7	13	11	-	24	24	-	-	26.23
36	1	1	1	-	39	36	19	-	55	54	-	1	19.02
10	-	-	-	-	10	3	3	-	6	6	-	-	13.36
8	-	-	1	-	9	8	11	-	19	19	-	-	18.32
37	6	9	7	-	59	43	41	-	84	67	15	2	16.22
4	-	-	-	-	4	2	3	-	5	5	-	-	11.14
6	-	-	-	-	6	10	5	-	15	13	2	-	15.06

Digitized by Google

TABLE

Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	12	3	-	15	23.58	14	-	-	-	1
Bigelow Pl	57	2	4	-	6	105.26	6	-	-	-	-
Brighton Pl	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl	218	4	2	-	6	27.52	6	-	-	-	-
Dead River Pl	91	3	3	-	6	65.93	6	-	-	-	-
Dennistown Pl	96	2	-	-	2	20.83	1	-	-	1	-
Flagstaff Pl	115	2	3	-	5	43.48	3	1	-	1	-
Highland Pl	67	-	-	-	-	-	-	-	-	-	-
Jackman Pl	352	6	9	-	15	42.61	1	11	1	2	-
Lexington Pl	231	6	3	-	9	38.96	8	-	1	-	-
Mayfield Pl	89	-	-	-	-	-	-	-	-	-	-
Moose River Pl	239	5	3	-	8	33.47	1	6	-	1	-
Pleasant Ridge Pl	114	-	-	-	-	-	-	-	-	-	-
The Forks Pl	157	2	-	-	2	12.74	1	-	-	1	-
West Forks Pl	160	1	2	-	3	18.75	1	-	2	-	-
Rockwood	76	-	-	-	-	-	-	-	-	-	-
Holeb	30	1	1	-	2	66.67	1	1	-	-	-
Total	*33,602	387	310	1	698	20.77	516	80	56	35	11

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
6	-	-	-	-	6	8	4	-	12	10	2	-	18.87
-	1	-	-	-	1	1	1	-	2	1	1	-	35.09
2	-	-	-	2	4	1	-	-	1	1	-	-	2.72
1	-	-	-	-	1	2	3	-	5	3	2	-	22.94
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	14.33
1	2	1	-	-	4	8	3	-	11	5	6	-	31.25
7	-	-	-	-	7	1	-	-	1	1	-	-	4.33
1	-	-	-	-	1	2	2	-	4	4	-	-	44.94
-	1	-	-	-	1	1	-	-	1	1	-	-	4.18
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
-	-	-	1	-	1	1	2	-	3	2	1	-	19.11
1	-	-	-	-	1	2	1	-	3	2	1	-	18.75
1	1	-	-	-	2	1	-	-	1	-	1	-	13.16
-	-	-	-	-	-	-	1	-	1	1	-	-	33.33
268	23	30	27	2	350	295	266	-	561	496	58	10	16.70

Digitized by Google

TABLE

Births, Marriages, and Deaths

WALDO

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	29	24	-	53	11.48	47	1	1	2	2
Belmont	352	3	3	-	6	17.05	5	-	-	-	1
Brooks	669	4	12	-	16	23.92	15	-	-	-	1
Burnham	766	5	7	-	12	15.67	12	-	-	-	-
Frankfort	1,211	11	5	-	16	13.21	7	5	2	2	-
Freedom	479	2	3	-	5	10.44	5	-	-	-	-
Islesboro	923	10	8	-	18	19.50	17	1	-	-	-
Jackson	439	3	2	-	5	11.39	4	-	-	1	-
Knox	558	2	4	-	6	10.75	4	-	-	2	-
Liberty	737	6	5	-	11	14.93	10	-	-	1	-
Lincolnville	1,223	9	7	-	16	13.08	16	-	-	-	-
Monroe	958	5	10	-	15	15.66	15	-	-	-	-
Montville	982	7	11	-	18	18.33	17	-	-	1	-
Morrill	420	2	3	-	5	11.90	5	-	-	-	-
Northport	545	2	7	-	9	16.51	9	-	-	-	-
Palermo	757	7	4	-	11	14.53	11	-	-	-	-
Prospect	648	8	7	-	15	23.15	14	-	1	-	-
Searsmont	949	8	9	-	17	17.91	16	-	-	1	-
Searsport	1,349	6	6	-	12	8.90	10	1	-	1	-
Stockton Springs	872	7	8	-	15	17.20	13	1	-	1	-
Swanville	502	4	4	-	8	15.94	6	-	-	2	-
Thorndike	497	2	4	-	6	12.07	6	-	-	-	-
Troy	766	5	7	-	12	15.67	11	-	-	1	-
Unity	877	4	6	-	10	11.40	10	-	-	-	-
Waldo	468	8	5	-	13	27.78	13	-	-	-	-
Winterport	1,623	12	10	-	22	13.56	17	-	2	3	-
Total	24,185	171	181	-	352	14.55	315	9	6	18	4

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
36	-	1	-	-	37	32	36	-	68	60	6	2	14.73
3	-	-	-	-	3	2	5	-	7	7	-	-	19.89
7	-	1	-	-	8	6	10	-	16	15	1	-	23.92
4	-	-	-	-	4	9	4	-	13	12	1	-	16.97
7	-	1	2	-	10	5	7	-	12	8	4	-	9.91
3	-	1	-	-	4	3	3	-	6	5	-	1	12.53
8	-	-	-	-	8	8	6	-	14	14	-	-	15.17
3	-	-	1	-	4	6	4	-	10	10	-	-	22.78
1	-	-	-	-	1	8	6	-	14	14	-	-	25.09
7	-	-	-	-	7	7	5	-	12	12	-	-	16.28
13	-	1	-	-	14	7	16	-	23	23	-	-	18.81
8	-	-	1	-	9	2	2	-	4	4	-	-	4.18
7	-	-	-	-	7	13	15	-	28	28	-	-	28 51
3	-	-	-	-	3	1	1	-	2	2	-	-	4.76
8	-	-	-	-	8	3	8	-	11	11	-	-	20.18
4	-	-	-	-	4	8	7	-	15	15	-	-	19.82
5	1	1	-	1	8	5	6	-	11	11	-	-	16.98
10	-	1	-	-	11	11	7	-	18	18	-	-	18.97
17	1	-	-	-	18	10	12	-	22	21	1	-	16.81
4	-	-	-	-	4	7	7	-	14	14	-	-	16.06
3	-	-	-	-	3	2	6	-	8	8	-	-	15.94
3	-	-	-	-	3	-	3	-	3	3	-	-	6.04
6	-	-	-	-	6	6	8	-	14	13	1	-	18.28
5	-	-	-	-	5	8	8	-	16	16	-	-	18.24
7	-	-	-	-	7	4	6	-	10	10	-	-	21.36
10	-	-	-	-	10	18	18	-	36	32	4	-	22.18
192	2	7	4	1	206	191	216	-	407	386	18	3	16.83

Digitized by Google

TABLE

Births, Marriages, and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,059	11	9	-	20	18.89	17	-	2	-	1
Alexander	333	8	7	-	15	45.05	13	-	1	1	-
Baileyville	215	9	5	-	14	65.12	7	5	2	-	-
Baring	231	1	1	-	2	8.66	1	-	-	1	-
Beddington	86	-	1	-	1	11.63	1	-	-	-	-
Brookton	285	2	-	-	2	7.02	-	1	-	1	-
Calais	7,655	78	86	-	164	21.42	43	33	37	44	7
Centerville	91	2	-	-	2	21.98	2	-	-	-	-
Charlotte	315	1	2	-	3	9.52	1	-	2	-	-
Cherryfield	1,859	12	19	-	31	16.68	26	-	-	2	3
Columbia	516	3	8	-	11	21.32	11	-	-	-	-
Columbia Falls	569	9	8	-	17	29.88	17	-	-	-	-
Cooper	207	2	3	-	5	24.15	5	-	-	-	-
Crawford	112	-	1	-	1	8.93	1	-	-	-	-
Cutler	565	5	4	-	9	15.93	8	-	-	1	-
Danforth	1,092	17	14	-	31	28.39	13	5	9	4	-
Deblois	73	-	2	-	2	27.40	2	-	-	-	-
Dennysville	482	7	3	-	10	20.75	9	-	-	1	-
East Machias	1,521	9	11	-	20	13.15	17	1	2	-	-
Eastport	5,311	65	60	-	125	23.54	57	14	24	29	1
Edmunds	492	12	5	-	17	34.55	15	-	-	1	1
Forest City	151	-	1	-	1	6.62	1	-	-	-	-
Harrington	1,165	4	3	-	7	6.01	7	-	-	-	-
Jonesboro	606	9	10	-	19	31.35	19	-	-	-	-
Jonesport	2,124	26	27	-	53	24.95	46	-	3	4	-
Lubec	3,005	39	69	-	108	35.94	54	25	15	11	3
Machias	2,082	32	25	-	57	27.38	48	-	4	1	4

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	-	-	-	-	3	9	9	-	18	18	-	-	17.00
3	-	1	-	-	4	3	1	-	4	3	1	-	12.01
-	1	-	-	-	1	4	-	-	4	3	1	-	18.60
-	-	-	1	-	1	2	2	-	4	3	1	-	17.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	2	-	5	1	2	-	3	3	-	-	10.53
28	10	11	10	-	59	73	60	-	133	84	49	-	17.37
-	-	-	-	-	-	1	2	-	3	3	-	-	32.97
2	-	-	-	-	2	2	-	-	2	1	1	-	6.35
12	-	-	-	-	12	2	6	-	8	6	2	-	4.30
9	-	-	-	-	9	9	4	-	13	13	-	-	25.19
5	-	-	-	-	5	3	1	-	4	4	-	-	7.03
1	-	-	-	-	1	1	-	-	1	-	-	1	4.33
-	-	-	-	-	-	1	1	-	2	1	1	-	17.86
3	-	-	-	-	3	7	4	-	11	10	1	-	19.47
6	-	1	2	-	9	9	10	-	19	12	6	1	17.40
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	1	-	7	3	1	-	4	3	1	-	8.30
9	-	-	-	-	9	9	11	-	20	20	-	-	13.15
34	6	8	8	-	56	40	41	-	81	47	33	1	15.25
6	-	2	1	-	9	2	2	-	4	4	-	-	8.13
-	-	-	1	-	1	1	-	-	1	1	-	-	6.62
5	-	-	-	-	5	9	9	-	18	17	1	-	15.45
6	-	-	-	-	6	7	5	-	12	12	-	-	19.80
20	-	-	3	-	23	13	18	-	31	24	7	-	14.60
9	3	5	3	-	20	22	33	-	55	43	11	1	15.84
20	-	1	1	-	22	19	14	-	33	30	3	-	15.85

Digitized by Google

TABLE

Births, Marriages, and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machiasport	1,218	6	13	-	19	15.60	16	1	1	1	-
Marion	95	1	1	-	2	21.05	2	-	-	-	-
Marshfield	227	3	-	-	3	13.22	3	-	-	-	-
Meddybemps	154	3	1	-	4	25.97	4	-	-	-	-
Milbridge	1,921	17	12	-	29	15.10	25	2	-	2	-
Northfield	126	1	1	-	2	15.87	1	-	-	1	-
Pembroke	1,652	23	18	-	41	24.82	36	-	2	2	1
Perry	1,245	7	13	-	20	16.06	12	-	2	4	2
Princeton	1,094	17	5	-	22	20.11	16	-	1	5	-
Robbinston	844	8	7	-	15	17.77	9	1	1	2	2
Roque Bluffs	168	2	3	-	5	29.76	4	-	-	1	-
Steuben	901	13	12	-	25	27.75	25	-	-	-	-
Talmage	93	-	1	-	1	10.75	1	-	-	-	-
Topsfield	282	5	7	-	12	42.55	12	-	-	-	-
Trescott	463	3	8	-	11	23.76	9	-	1	1	-
Vanceboro	550	7	12	-	19	34.55	10	4	4	-	1
Waite	135	2	1	-	3	22.22	2	-	-	1	-
Wesley	198	3	4	-	7	35.35	7	-	-	-	-
Whiting	399	2	2	-	4	10.03	4	-	-	-	-
Whitneyville	424	3	1	-	4	9.43	3	1	-	-	-
Codyville Pl	68	2	1	-	3	44.12	3	-	-	-	-
Grand Lake Stream Pl	221	2	9	-	11	49.77	11	-	-	-	-
No. 14 Pl	77	1	1	-	2	25.97	-	-	-	2	-
No. 21 Pl	86	1	1	-	2	23.26	2	-	-	-	-
No. 10, R. 3	46	-	-	-	-	-	-	-	-	-	-
Total	*44,889	495	518	-	1,013	22.57	658	93	113	123	26

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	1	1	-	-	9	4	5	-	9	9	-	-	7.39
-	-	-	-	-	-	1	-	-	1	1	-	-	10.53
1	-	-	-	-	1	3	4	-	7	7	-	-	30.84
3	-	-	1	-	4	2	1	-	3	1	2	-	19.48
17	-	-	-	-	17	24	13	-	37	34	3	-	19.26
2	-	-	-	-	2	2	2	-	4	4	-	-	31.75
4	-	1	1	-	6	12	8	-	20	14	6	-	12.11
7	-	2	2	-	11	3	10	-	13	11	2	-	10.44
2	1	-	2	-	5	10	6	-	16	13	3	-	14.63
-	-	1	-	-	1	5	6	-	11	7	4	-	13.03
2	-	-	1	-	3	2	2	-	4	4	-	-	23.81
13	-	-	-	-	13	7	9	-	16	15	1	-	17.76
-	-	-	-	-	-	1	-	-	1	-	1	-	10.75
4	-	-	1	-	5	2	3	-	5	5	-	-	17.73
4	-	1	-	-	5	3	3	-	6	4	2	-	12.96
-	1	-	1	-	2	5	1	-	6	3	2	1	10.91
-	-	-	-	-	-	1	1	-	2	1	1	-	14.81
1	-	-	-	-	1	1	5	-	6	5	1	-	30.30
4	-	-	-	1	5	2	3	-	5	5	-	-	12.53
1	-	-	-	-	1	-	3	-	3	2	1	-	7.08
-	-	-	-	-	-	-	2	-	2	1	1	-	29.41
-	-	1	-	-	1	3	2	-	5	4	1	-	22.62
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	23.26
-	-	-	-	-	-	1	-	-	1	1	-	-	21.74
264	24	37	42	1	368	347	326	-	673	518	150	5	14.99

Digitized by Google

TABLE

Births, Marriages, and Deaths

YORK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	5	11	-	16	20.57	15	-	1	-	-
Alfred	937	6	6	-	12	12.81	8	2	2	-	-
Berwick	2,260	15	22	-	37	16.23	25	5	7	-	-
Biddeford	16,145	271	260	-	531	32.89	76	363	46	46	-
Buxton	1,838	18	21	-	39	21.22	36	2	-	-	1
Cornish	984	3	5	-	8	8.13	7	-	1	-	-
Dayton	473	3	6	-	9	19.03	9	-	-	-	-
Eliot	1,458	12	13	-	25	17.15	19	2	3	1	-
Hollis	1,274	15	10	-	25	19.62	22	1	2	-	-
Kennebunk	3,228	25	31	-	56	17.35	40	8	2	5	1
Kennebunkport	2,123	15	21	-	36	16.96	27	5	3	1	-
Kittery	2,872	27	24	-	51	17.76	39	3	2	6	1
Lebanon	1,335	12	6	1	19	14.23	13	2	2	-	2
Limerick	874	6	9	-	15	17.16	13	-	-	2	-
Limington	1,001	10	12	-	22	21.98	20	-	-	2	-
Lyman	687	3	6	-	9	13.10	8	-	-	-	1
Newfield	676	7	6	-	13	19.23	10	1	2	-	-
North Berwick	1,748	13	14	-	27	15.45	27	-	-	-	-
Old Orchard	964	3	6	-	9	9.34	6	-	-	3	-
Parsonsfield	1,131	8	11	-	19	16.80	15	-	-	3	1
Saco	6,122	70	56	-	126	20.58	64	34	11	16	1
Sanford	6,078	136	114	-	250	41.13	76	131	20	23	-
Shapleigh	847	10	3	-	13	15.35	12	-	-	1	-
South Berwick	3,188	27	33	-	60	18.82	21	19	5	14	1
Waterboro	1,169	8	18	-	26	22.24	24	-	-	2	-
Wells	2,007	21	12	-	33	16.44	31	-	-	2	-
York	2,668	30	25	-	55	20.61	42	6	3	3	1
Total	64,885	779	761	1	1,541	23.75	705	584	112	130	10

Digitized by Google

No. 7—Concluded.

for the Year 1905.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	8	8	-	16	15	1	-	20.57
4	-	-	-	-	4	8	6	-	14	14	-	-	14.94
8	2	1	-	-	11	17	14	-	31	29	2	-	13.60
49	69	21	9	-	148	135	135	-	270	176	94	-	16.72
13	1	-	-	-	14	18	24	-	42	41	1	-	22.85
3	-	1	1	-	5	15	8	-	23	23	-	-	23.37
6	-	-	1	-	7	1	10	-	11	9	2	-	23.26
10	-	-	3	-	13	15	9	-	24	22	1	1	16.46
4	-	1	-	-	5	10	15	-	25	23	2	-	19.62
16	2	4	-	-	22	17	34	-	51	48	3	-	15.80
10	2	4	2	-	18	22	21	-	43	43	-	-	20.25
12	2	2	1	-	17	25	12	-	37	37	-	-	12.88
6	-	1	1	-	8	13	13	-	26	23	-	3	19.48
7	-	-	2	-	9	6	10	-	16	16	-	-	18.31
1	-	-	1	-	2	8	4	-	12	12	-	-	11.99
6	-	-	-	-	6	5	4	-	9	9	-	-	13.10
2	-	-	-	-	2	9	9	-	18	17	1	-	26.63
9	-	-	1	-	10	15	8	-	23	23	-	-	13.16
3	-	2	-	-	5	7	8	-	15	11	4	-	15.56
8	-	-	-	-	8	11	19	-	30	29	1	-	26.53
49	6	6	5	-	66	54	60	-	114	102	12	-	18.62
32	25	17	7	-	81	60	66	-	126	103	23	-	20.73
9	-	1	-	-	10	7	7	-	14	14	-	-	16.53
17	8	3	1	-	29	36	20	-	56	48	8	-	17.57
10	-	-	1	-	11	10	8	-	18	18	-	-	15.40
7	-	-	-	-	7	12	22	-	34	32	1	1	16.94
19	-	3	-	1	23	29	31	-	60	59	1	-	22.49
325	117	67	36	1	546	573	585	-	1,158	996	157	5	17.85

Digitized by Google

TABLE

Recapitulation

Counties.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	606	557	1	1,164	21.46	448	461	137	106	12
Aroostook	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	306	37
Cumberland	100,689	1,058	1,006	2	2,066	20.52	1,106	583	146	208	23
Franklin	*18,007	213	218	1	432	23.99	302	68	36	23	3
Hancock	*37,039	388	343	2	733	19.79	638	27	35	21	12
Kennebec	59,117	629	546	2	1,177	19.91	688	269	111	100	9
Knox	*30,334	243	222	-	465	15.33	358	51	24	26	6
Lincoln	19,669	177	167	1	345	17.54	314	2	12	16	1
Oxford	*31,967	394	397	1	792	24.78	505	175	67	39	6
Penobscot	*75,637	790	787	1	1,578	20.86	923	330	172	143	10
Piscataquis	*16,526	166	186	1	353	21.36	251	49	28	23	2
Sagadahoc	20,330	185	159	-	344	16.93	220	71	25	25	3
Somerset	*33,602	387	310	1	698	20.77	516	80	56	35	11
Waldo	24,185	171	181	-	352	14.55	315	9	6	18	4
Washington	*44,889	495	518	-	1,013	22.57	658	93	113	123	26
York	64,885	779	761	1	1,541	23.75	705	584	112	130	10
Total	*690,503	7,794	7,483	17	15,294	22.15	9,189	3,179	1409	1342	175

* Population omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 8.

by Counties.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
278	119	45	55	3	500	462	438	-	900	699	193	8	16.59
320	47	75	119	3	564	427	375	-	802	600	192	10	13.51
590	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.76
153	12	4	8	-	177	143	140	-	283	269	11	3	15.72
308	1	12	16	-	337	282	262	-	544	510	27	7	14.69
394	53	46	27	9	529	584	531	-	1,115	961	130	24	18.87
237	22	11	12	-	282	240	238	-	478	436	34	8	15.76
111	-	3	1	2	117	156	113	-	269	257	11	1	13.68
277	41	16	36	1	371	262	244	-	506	472	32	2	15.83
528	59	66	75	4	732	676	629	-	1,305	1,094	170	41	17.25
119	17	9	10	2	157	141	129	-	270	237	28	5	16.34
115	15	7	15	-	152	153	169	-	322	292	30	-	15.84
268	23	30	27	2	350	295	266	-	561	493	58	10	16.70
192	2	7	4	1	206	191	216	-	407	386	18	3	16.83
264	24	37	42	1	368	347	326	-	673	518	150	5	14.99
325	117	67	36	1	546	573	585	-	1,158	996	157	5	17.85
4,479	672	514	560	39	6,264	5,835	5,545	1	11,381	9,670	1,538	173	16.48

Digitized by Google

TABLE No. 9.

Births and Birth-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,473	21.89	13,895	20.10	14,095	20.30	14,021	20.19	14,508	20.89	14,453	20.81	14,673	21.13	15,294	21.40
Androscoggin	1,151	23.51	1,116	20.78	1,099	20.26	1,060	19.54	1,117	20.59	1,050	19.36	1,059	19.52	1,164	20.47
Aroostook	1,802	37.06	1,822	31.23	1,843	32.77	1,845	32.62	2,090	35.12	2,095	35.45	2,223	37.27	2,241	34.60
Cumberland	1,983	21.91	1,974	19.79	2,074	20.60	1,877	18.64	1,951	19.37	2,029	20.15	2,011	19.97	2,066	19.03
Franklin	398	23.65	381	21.04	392	21.63	406	22.32	416	23.19	383	21.20	376	20.60	432	23.60
Hancock	741	20.04	720	19.41	689	18.62	666	18.01	700	18.92	676	18.27	695	18.76	733	19.05
Kennebec	1,135	19.91	1,036	17.59	1,166	19.72	1,123	19.00	1,227	20.76	1,084	18.34	1,174	19.86	1,177	19.14
Knox	513	16.31	510	16.74	448	14.79	498	16.41	437	14.42	450	14.86	452	14.92	465	15.32
Lincoln	348	15.89	334	16.78	339	17.24	335	17.03	307	15.61	303	15.40	288	14.64	345	17.42
Oxford	650	21.36	561	17.59	555	17.26	627	19.45	689	21.44	729	22.85	730	22.88	792	23.36
Penobscot	1,521	21.08	1,413	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,598	21.09	1,541	20.34	1,578	20.04
Piscataquis	336	21.32	310	18.83	323	19.49	289	17.28	347	21.11	351	21.30	343	20.64	353	20.29
Sagadahoc	380	19.54	381	18.82	422	20.76	420	20.66	382	18.79	352	17.31	399	19.63	344	15.95
Somerset	624	19.28	580	17.37	603	17.99	600	17.90	583	17.34	591	17.60	634	18.88	698	19.95
Waldo	402	14.48	335	13.65	348	14.38	364	15.05	282	11.66	272	11.25	319	13.19	392	14.52
Washington	1,146	26.32	1,062	23.75	1,059	23.53	975	21.67	991	22.10	1,031	22.99	988	22.03	1,013	21.87
York	1,333	21.22	1,360	21.03	1,421	21.90	1,431	22.05	1,412	21.76	1,459	22.49	1,441	22.21	1,541	23.03

Digitized by Google

TABLE NO. 10.

Births by Counties, Showing Proportion of Males to Females, 1905.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	606	557	1	1,164	49	-	108.8
Aroostook	1,113	1,125	3	2,241	-	12	98.9
Cumberland	1,058	1,006	2	2,066	52	-	105.2
Franklin	213	218	1	432	-	5	97.7
Hancock	388	343	2	733	45	-	113.1
Kennebec	629	546	2	1,177	83	-	115.2
Knox	243	222	-	465	21	-	109.5
Lincoln	177	167	1	345	10	-	105.6
Oxford	394	397	1	792	-	3	99.2
Penobscot	790	787	1	1,578	3	-	100.4
Piscataquis	166	186	1	353	-	20	89.2
Sagadahoc	185	159	-	344	26	-	116.4
Somerset	387	310	1	698	77	-	124.8
Waldo	171	181	-	352	-	10	94.5
Washington	495	518	-	1,013	-	23	95.6
York	779	761	1	1,541	18	-	102.4
Total	7,794	7,483	17	15,294	384	73	104.1

Digitized by Google

TABLE No. 11.

Number of Births in Each Month of 1898-1905, with a Monthly Ratio Compared with a Standard of 100.

Months.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,148	93.4	1,093	92.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6	1,219	97.8	1,178	90.8
February	1,176	103.4	1,104	103.7	1,083	100.2	1,128	104.8	1,111	99.8	1,151	103.9	1,207	107.2	1,180	100.6
March	1,323	107.6	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7
April	1,269	106.7	1,295	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6
May	1,322	107.6	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,376	107.2	1,365	105.2
June	1,299	103.3	1,201	105.3	1,146	108.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4
July	1,226	99.8	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0	1,297	104.1	1,439	110.9
August	1,219	99.2	1,197	101.3	1,255	104.1	1,199	100.6	1,252	101.6	1,223	99.7	1,216	97.6	1,328	102.3
September	1,182	99.4	1,163	101.8	1,213	104.7	1,252	108.7	1,207	101.2	1,205	101.5	1,203	99.8	1,259	100.2
October	1,196	97.3	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4	1,217	97.7	1,163	89.6
November	1,028	86.5	979	85.8	1,055	89.1	983	85.3	1,064	89.2	1,026	86.4	1,037	85.9	1,057	84.1
December	1,149	93.5	1,098	93.0	1,035	86.5	1,048	88.0	1,119	90.8	990	80.6	1,057	84.8	1,143	88.1
Unknown	6	-	7	-	6	-	6	-	10	-	9	-	6	-	4	-

* In this column the inaccuracies due to the unequal length of the months are eliminated.

Digitized by Google

TABLE No. 12.

Births, by Sex and Months, by Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	44	41	61	45	56	57	42	57	50	56	41	54	2	606	-
females...	38	45	51	56	50	51	53	48	29	50	42	44	-	557	-
not stated	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1164
Aroostook, males ...	71	89	112	109	122	88	112	95	94	63	61	96	1	1113	-
females...	89	98	107	120	97	96	117	86	99	62	69	84	1	1125	-
not stated	-	-	2	-	-	-	-	-	-	-	1	-	-	3	2241
Cumberland, males..	79	79	102	87	95	95	86	90	92	83	83	84	-	1058	-
females...	81	93	96	78	82	87	96	90	81	63	75	82	-	1006	-
not stated	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2066
Franklin, males	16	10	15	16	26	27	23	18	14	15	11	22	-	213	-
females...	25	13	21	21	17	16	26	17	16	14	16	16	-	218	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	432
Hancock, males.....	30	26	37	23	28	45	42	47	31	33	25	21	-	388	-
females...	28	31	28	28	33	27	33	23	37	30	22	23	-	343	-
not stated	-	-	-	1	-	-	-	-	-	1	-	-	-	2	733
Kennebec, males	61	54	54	62	57	50	53	44	48	55	60	31	-	629	-
females...	50	43	45	47	49	43	45	44	47	55	36	42	-	546	-
not stated	1	-	-	1	-	-	-	-	-	-	-	-	-	2	1177
Knox, males	24	21	20	16	12	21	21	27	24	21	16	20	-	243	-
females...	21	22	18	23	15	18	23	13	19	19	17	14	-	222	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	465
Lincoln, males.....	12	15	12	11	15	22	12	23	25	7	8	15	-	177	-
females...	12	11	21	23	11	7	19	14	7	14	14	14	-	167	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	345
Oxford, males.....	26	31	40	25	37	28	43	47	41	20	27	29	-	394	-
females...	26	34	38	36	41	36	33	35	36	25	29	28	-	397	-
not stated	-	-	-	-	-	-	-	-	-	-	1	-	-	1	792
Penobscot, males....	50	52	80	58	82	78	98	88	56	57	42	49	-	790	-
females...	60	50	74	70	68	84	78	48	55	72	61	67	-	787	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1578
Piscataquis, males ..	17	16	21	9	7	18	16	10	12	14	13	13	-	166	-
females...	11	14	21	17	8	19	19	15	21	16	7	18	-	186	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	353
Sagadahoc, males ...	19	17	18	22	10	17	18	12	13	19	10	10	-	185	-
females...	12	11	19	15	16	15	18	14	11	10	8	10	-	159	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	344
Somerset, males.....	28	34	30	38	39	38	39	31	31	31	20	28	-	387	-
females...	21	20	38	36	29	28	20	24	22	27	23	22	-	310	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	698
Waldo, males	9	16	19	10	17	14	13	19	15	17	14	8	-	171	-
females...	14	12	19	28	13	10	18	11	14	14	10	18	-	181	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352
Washington, males..	45	35	40	45	39	38	45	48	37	38	40	45	-	495	-
females...	41	36	55	46	45	40	35	51	41	45	43	40	-	518	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1013
York, males.....	65	58	67	59	90	79	64	65	75	66	56	35	-	779	-
females...	51	53	82	59	59	78	76	71	66	50	56	60	-	761	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1541
Total, males	596	594	728	635	732	718	727	721	658	595	527	560	3	7794	-
females...	580	586	733	705	633	655	711	604	601	566	528	582	1	7483	-
not stated	2	-	2	2	-	2	1	3	-	2	2	1	-	17	-
Grand total	1178	1180	1463	1340	1365	1375	1439	1328	1259	1163	1057	1143	4	15294	15294

Digitized by Google

TABLE No. 13.

Births in Cities for 1905, with Rate per 1,000 of Population.

Cities.	Estimated population for 1905.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	13,802	109	99	-	208	15.07	110.1
Augusta	12,261	137	113	1	251	20.47	121.2
Bangor	23,224	156	154	1	311	13.39	101.3
Bath	11,354	108	96	-	204	17.97	112.5
Belfast	4,615	29	24	-	53	11.48	120.0
Biddeford	16,986	271	260	-	531	31.24	104.2
Brewer	5,156	73	75	-	148	28.70	97.3
Calais	7,838	78	86	-	164	20.92	90.7
Eastport	5,513	65	60	-	125	22.67	108.3
Ellsworth	4,297	33	32	-	65	15.13	103.1
Gardiner	5,506	55	51	-	106	19.25	107.8
Hallowell	2,714	24	20	-	44	16.21	120.0
Lewiston	24,791	322	299	-	621	25.05	107.7
Old Town	5,989	92	95	-	187	31.22	96.8
Portland	57,005	521	528	2	1,051	18.44	98.7
Rockland	8,150	72	69	-	141	17.30	104.3
Saco	6,146	70	56	-	126	20.50	125.0
South Portland	6,287	73	53	-	126	20.04	137.7
Waterville	10,662	145	145	-	290	27.20	100.0
Westbrook	7,609	102	83	-	185	24.31	122.9
Total	239,915	2,535	2,368	4	4,907	20.58	105.7

Digitized by Google

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1905.

Counties.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	38.49	39.60	20.88	1.03
Aroostook	55.42	14.59	28.34	1.65
Cumberland	53.52	28.22	17.14	1.12
Franklin	69.91	15.74	13.66	0.69
Hancock	87.04	5.68	7.64	1.64
Kennebec	58.41	22.85	17.97	0.77
Knox	76.99	10.97	10.75	1.29
Lincoln	91.01	0.58	8.12	0.29
Oxford	63.76	22.10	13.38	0.76
Penobscot	58.49	20.92	19.96	0.63
Piscataquis	71.10	13.88	14.46	0.57
Sagadahoc	63.96	20.64	14.53	0.87
Somerset	73.92	11.46	13.04	1.58
Waldo	89.49	2.56	6.81	1.14
Washington	64.96	9.18	23.30	2.56
York	45.75	37.90	15.70	0.65
State	60.08	20.79	17.99	1.14

Digitized by Google

TABLE No. 15.

Percentage of American and Foreign Births by Cities, 1905.

Cities.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	39.60	37.50	22.12	0.48
Augusta	53.39	30.28	15.14	1.19
Bangor	46.95	25.08	27.01	0.96
Bath	57.84	24.51	16.67	0.98
Belfast	88.66	1.89	5.67	3.78
Biddeford	14.31	68.36	17.33	-
Brewer	54.05	31.08	13.51	1.36
Calais	26.22	20.12	49.39	4.27
Eastport	45.60	11 20	42.40	0.80
Ellsworth	95.38	-	4.62	-
Gardiner	68.87	14.15	16.98	-
Hallowell	65.90	13.64	20.46	-
Lewiston	22.38	52.50	23.83	1.29
Old Town	42.25	32.62	25.13	-
Portland	42.91	35.97	19.79	1.33
Rockland	72.84	11.25	15.60	0.71
Saco	50.79	26.98	21.44	0.79
South Portland	70.63	15.08	12.70	1.59
Waterville	35.17	31.38	32.75	1.05
Westbrook	36.75	37.30	24.87	1.08
Collectively	41.56	35.53	22.07	1.06

Digitized by Google

TABLE No. 16.

Twin Births by Months and Counties, 1905.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	-	-	2	1	2	-	-	-	2	1	1	9
Aroostook	4	1	4	5	-	4	-	2	2	1	1	3	27
Cumberland	3	1	1	2	5	1	1	1	-	1	1	1	18
Franklin	-	1	-	-	3	2	-	-	-	-	-	1	7
Hancock	-	1	-	-	2	-	2	-	-	1	-	1	7
Kennebec	-	1	3	2	3	1	2	3	2	-	1	-	18
Knox	1	1	1	-	-	1	-	2	-	-	-	-	6
Lincoln	-	-	-	-	-	-	-	-	1	-	1	-	2
Oxford	-	-	1	1	-	-	-	1	-	1	-	1	5
Penobscot	1	-	2	1	2	1	3	3	3	1	2	2	21
Piscataquis	-	-	-	-	-	-	1	-	1	-	-	2	4
Sagadahoc	-	1	-	-	-	-	-	-	-	-	-	-	1
Somerset	3	-	2	1	-	1	1	1	-	1	-	-	10
Waldo	-	-	1	1	1	-	-	-	-	-	-	1	4
Washington	-	-	2	-	2	-	-	2	-	-	2	1	9
York	-	2	4	1	1	2	2	-	2	2	2	2	20
Total	12	9	21	16	20	15	12	15	11	10	11	16	168

Digitized by Google

TABLE No. 17.

Twin Births by Sex and Parentage, by Counties, 1905.

Counties.	Sex.				Parentage.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	4	3	2	-	1	8	-	-	-	9	16	2	18
Aroostook	12	10	5	-	15	5	3	3	1	27	53	1	54
Cumberland	6	7	5	-	10	4	-	4	-	18	35	1	36
Franklin	2	2	3	-	5	1	1	-	-	7	12	2	14
Hancock	-	2	5	-	6	-	-	1	-	7	7	7	14
Kennebec	5	5	8	-	10	4	1	3	-	18	34	2	36
Knox	3	1	2	-	6	-	-	-	-	6	11	1	12
Lincoln	1	-	1	-	2	-	-	-	-	2	4	-	4
Oxford	2	2	1	-	2	2	-	1	-	5	10	-	10
Penobscot	7	5	9	-	12	5	2	2	-	21	38	4	42
Piscataquis	-	2	2	-	2	1	1	-	-	4	8	-	8
Sagadahoc	1	-	-	-	1	-	-	-	-	1	2	-	2
Somerset	4	3	3	-	8	2	-	-	-	10	20	-	20
Waldo	-	3	1	-	4	-	-	-	-	4	8	-	8
Washington	3	3	3	-	8	-	-	-	1	9	16	2	18
York	10	6	4	-	8	10	-	2	-	20	35	5	40
Total	60	54	54	-	100	42	8	16	2	168	309	27	336

Digitized by Google

TABLE No. 18.

Still-Births by Sex and Parentage, by Counties, 1905.

Counties.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	16	19	-	35	19	16	-
Aroostook	65	39	1	105	64	41	-
Cumberland	55	49	1	105	62	43	-
Franklin	13	12	1	26	21	5	-
Hancock	22	19	2	43	42	1	-
Kennebec	25	16	1	42	29	13	-
Knox	16	8	-	24	20	4	-
Lincoln	5	4	-	9	9	-	-
Oxford	14	18	1	33	27	5	1
Penobscot	43	25	4	72	52	17	3
Piscataquis	11	4	-	15	10	4	1
Sagadahoc	8	8	-	16	14	2	-
Somerset	16	13	3	32	27	5	-
Waldo	7	4	2	13	13	-	-
Washington	29	24	-	53	46	3	4
York	53	32	3	88	49	39	-
Total	398	294	19	711	504	198	9

Digitized by Google

TABLE No. 19.

Still-Births by Seasons, 1905.

MONTHS.			
January	58		
February	66		
March	52	Total for first quarter	176
April	60		
May	67		
June	66	Total for second quarter	193
July	50		
August	55		
September	61	Total for third quarter	166
October	77		
November	53		
December	51	Total for fourth quarter	181
Total	711		711

Digitized by Google

NOTES ON BIRTHS.

In the year 1905, 16,005 births were registered in the State, including still-births (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, and 15,405 in 1904).

The number of living children born was 15,294, and the number of still-births was 711.

Of the whole number of living children of which the sex was certified 7,794 were males and 7,483 were females. In 17 births the sex was not stated. For each 100 girls born there were 104.1 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105.0 in 1902, 105.3 in 1903, and 104.2 in 1904).

Birth-rate. The birth-rate of living children for the State was 21.40 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.58 as compared with 21.82, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.60, and the lowest in Waldo, 14.52. In five counties, Aroostook, Franklin, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.08 per cent. were of native parents; 20.79 per cent. were of foreign parentage; 17.99 per cent. were of parents one of whom was foreign; while of 1.14 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 91.01 per cent., and only 0.58 per cent. in which both parents were foreign-born. Waldo followed with 89.49

Digitized by Google

per cent. of native parentage, and only 2.56 per cent. in which both parents were foreign-born.

In Hancock county in 87.04 per cent. of the births the parents were native-born and in 3.68 per cent. foreign-born.

In Knox, the percentage of native-born parents was 76.99; in Somerset, 73.92; in Piscataquis, 71.10, and in Franklin, 69.91.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 39.60; in York, 37.90; in Cumberland, 28.22; in Kennebec, 22.85; in Oxford, 22.10; and in Penobscot, 20.92 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 41.36 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 69.01.

The largest percentage of foreign-born parents was in Biddeford, 68.36; and in Lewiston, 52.50.

In Ellsworth there were no foreign births, and in Belfast only 1.89 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1905 was 1,463 in March; the smallest was 1,057 in November; the largest quarterly total was 4,080 in the second quarter; the smallest, 3,363 in the last quarter. The three consecutive months in which the largest number of births occurred were May, June, and July, 4,179.

The following is a tabular statement of the number of births in each month of the fourteen years 1892-1905:

Digitized by Google

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,118	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,121	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,062	1,329	1,297	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,633
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,036	7	13,895
1900	1,167	1,063	1,260	1,245	1,276	1,146	1,234	1,255	1,213	1,070	1,055	1,065	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,358	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,458
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294

Twin-births.—In 1905, 168 twin-births occurred; in 60 instances the twins were both boys; in 54, both girls; in 54, a boy and a girl. In 100 cases the parentage was American; in 42, foreign; in 24 instances the parentage was mixed; and in 2 it was not stated. Of the 336 children, 309 were born alive, and 27 were still-born.

Triplets.—In Monticello a triple birth occurred, in which all the children were living. There were also triplets in Bath and York; in each of these only one was living.

Still-births.—Of the 711 still-born children, 398 were males and 294 were females. In 19 the sex was not stated. With the exception of nine still-births, as to which the nativity of the mother was not stated, 504 were of American mothers, and 198 were of foreign mothers.

The largest number of still-births occurred in Cumberland and Aroostook counties, 105 in each; while the minimum number, 9, was reported in Lincoln county.

The largest number of still-births, 77, was returned in October; the smallest number was 50 in July. See Tables No. 18 and 19 for other details.

Digitized by Google

TABLE No. 20.

Marriages and Marriage-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,144	7.78	5,329	7.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.93	6,208	8.94	6,264	8.76
Androscoggin	376	7.68	398	7.41	463	8.54	492	9.07	462	8.52	485	8.94	465	8.57	500	8.79
Aroostook	487	9.82	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16	623	10.26	564	8.70
Cumberland	657	7.22	722	7.24	731	7.26	791	7.86	846	8.40	903	8.97	848	8.42	876	8.07
Franklin	158	9.26	191	10.43	149	8.08	189	10.25	162	8.78	172	9.33	167	9.05	177	9.31
Hancock	264	7.08	300	8.05	269	7.22	332	8.92	322	8.65	323	8.67	333	8.94	337	8.75
Kennebec	469	8.23	479	8.13	477	8.07	456	7.71	504	8.53	508	8.59	554	9.37	529	8.70
Knox	247	7.85	198	6.49	255	8.38	276	9.08	273	8.98	280	9.21	261	8.58	282	9.29
Lincoln	148	6.73	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71	166	8.44	117	5.91
Oxford	236	7.72	243	7.58	241	7.48	285	8.84	319	9.90	345	10.70	317	9.83	371	10.94
Penobscot	602	8.28	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25	754	9.89	732	9.29
Piscataquis	145	8.99	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74	171	10.09	157	9.03
Sagadahoc	156	8.02	155	7.65	145	7.13	144	7.08	158	7.77	152	7.48	183	9.00	152	7.05
Somerset	275	8.43	288	8.54	328	9.69	333	9.83	308	9.10	349	10 31	337	9.96	350	10.00
Waldo	200	6.13	173	7.05	167	6.91	177	7.32	161	6.66	182	7.53	154	6.37	206	8.50
Washington	341	7.67	398	8.81	359	7.94	327	7.23	344	7.61	360	7.96	332	7.34	368	7.95
York	383	6.10	424	6.55	448	6.90	445	6.87	480	7.40	522	8.05	543	8.37	546	8.16

Digitized by Google

TABLE No. 21.

Marriages by Counties and Nativity, 1905.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	278	119	45	55	3	500
Aroostook	320	47	75	119	3	564
Cumberland	590	120	79	77	10	876
Franklin	153	12	4	8	-	177
Hancock	308	1	12	16	-	337
Kennebec	394	53	46	27	9	529
Knox	237	22	11	12	-	282
Lincoln	111	-	3	1	2	117
Oxford	277	41	16	36	1	371
Penobscot	528	59	66	75	4	732
Piscataquis	119	17	9	10	2	157
Sagadahoc	115	15	7	15	-	152
Somerset	268	23	30	27	2	350
Waldo	192	2	7	4	1	206
Washington	264	24	37	42	1	368
York	325	117	67	36	1	546
Total	4,479	672	514	560	39	6,264

TABLE No. 22.

Marriages by Months and Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	50	20	22	18	41	59	37	39	64	57	53	40	-	500
Aroostook	42	43	33	35	34	74	57	44	54	60	58	30	-	564
Cumberland	44	44	45	62	64	125	49	69	97	107	107	63	-	876
Franklin	9	11	15	6	14	21	7	14	24	17	16	23	-	177
Hancock	20	14	25	15	10	27	26	23	33	47	45	52	-	337
Kennebec	34	27	32	27	38	78	38	38	67	49	56	45	-	529
Knox	20	11	16	18	13	29	19	18	36	33	42	27	-	282
Lincoln	7	11	2	3	10	7	6	15	8	14	14	20	-	117
Oxford	26	24	25	28	24	34	33	33	37	39	36	32	-	371
Penobscot	51	40	33	38	46	124	56	69	80	69	64	61	1	732
Piscataquis	11	11	12	15	19	14	15	13	10	15	11	11	-	157
Sagadahoc	6	8	15	13	10	22	7	14	11	12	25	9	-	152
Somerset	23	11	19	24	26	52	24	33	42	37	32	27	-	350
Waldo	10	7	7	9	9	25	8	14	31	31	29	26	-	206
Washington	21	13	24	13	27	41	20	30	46	46	39	47	1	368
York	49	30	22	33	42	64	47	34	56	65	50	54	-	546
Total	423	325	347	357	427	796	449	500	696	698	677	567	2	6,264

Digitized by Google

TABLE No. 23.

Number of Marriages in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

Months.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	438	100.3	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4	439	83.3	423	79.5
February	273	69.2	286	70.0	313	74.4	288	65.5	351	77.5	331	69.7	352	73.9	325	67.7
March	300	68.7	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2	331	62.5	347	65.2
April	393	93.7	446	101.8	382	84.7	409	86.8	442	91.1	437	85.9	463	90.8	357	69.5
May	386	88.3	346	76.5	373	82.8	371	76.2	380	75.6	401	76.2	404	76.7	427	80.3
June	571	135.1	628	143.4	674	149.6	745	158.1	707	145.8	813	159.7	829	162.5	796	154.9
July	356	81.5	362	80.1	415	89.1	409	84.0	394	78.5	408	77.6	380	74.0	449	84.4
August	350	80.2	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1	449	85.2	500	94.0
September	447	105.7	521	115.3	543	120.5	606	128.6	585	122.7	630	123.8	644	126.2	696	135.4
October	528	120.9	561	128.5	615	132.1	694	142.5	649	129.3	670	127.4	675	128.1	698	131.2
November	551	130.3	567	129.2	562	124.7	652	138.3	682	140.6	690	135.6	663	130.0	677	131.7
December	547	125.2	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2	568	107.8	567	106.6
Unknown	1	-	3	-	1	-	3	-	1	-	1	-	1	-	2	-

* In this column the inaccuracies due to the unequal length of the months are eliminated.

Digitized by Google

TABLE No. 24.

Marriages by Ages and Counties, 1905.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin...	males..	-	19	186	150	63	34	10	13	7	5	11	2	-	-	500
	females	-	110	214	86	36	23	16	7	2	4	2	-	-	-	500
Aroostook.....	males..	-	23	243	166	62	26	17	5	8	5	9	-	-	-	564
	females	-	232	206	61	28	16	8	4	-	7	2	-	-	-	564
Cumberland.....	males..	-	25	299	264	127	77	27	23	11	12	8	3	-	-	876
	females	2	175	326	211	77	38	12	20	6	5	4	-	-	-	876
Franklin.....	males..	-	6	67	48	19	9	11	6	3	3	4	1	-	-	177
	females	-	69	49	28	7	10	5	3	2	2	2	-	-	-	177
Hancock.....	males..	-	14	122	77	50	27	16	7	7	7	7	3	-	-	337
	females	-	99	118	62	19	13	5	7	3	5	4	1	-	1	337
Kennebec	males..	-	16	208	135	63	28	26	16	11	8	13	5	-	-	529
	females	2	131	185	111	32	25	13	8	7	6	7	1	-	1	529
Knox.....	males..	-	15	99	74	27	25	8	12	11	2	5	3	1	-	282
	females	-	80	88	46	24	11	11	7	3	5	6	-	1	-	282
Lincoln	males..	-	5	38	24	19	7	6	9	1	6	1	1	-	-	117
	females	1	23	49	15	9	5	4	5	2	3	-	1	-	-	117
Oxford.....	males..	-	14	148	106	40	24	7	11	7	7	4	3	-	-	371
	females	2	117	131	59	24	13	7	4	5	5	3	-	-	1	371
Penobscot	males..	-	20	251	209	111	39	31	30	12	12	11	5	-	1	732
	females	-	205	256	120	64	35	17	12	11	9	1	-	-	2	732
Piscataquis	males..	-	13	43	53	18	11	5	4	3	3	2	2	-	-	157
	females	-	45	48	28	11	9	6	3	1	1	2	-	-	-	157
Sagadahoc.....	males..	-	7	45	43	24	8	11	3	5	3	3	-	-	-	152
	females	-	42	52	28	9	7	8	4	1	-	1	-	-	-	152
Somerset	males..	-	19	117	89	45	22	17	16	9	7	7	2	-	-	350
	females	1	101	124	47	24	19	12	8	4	2	6	1	-	1	350
Waldo	males..	-	9	69	45	23	18	13	7	10	2	8	1	-	1	206
	females	-	56	71	27	14	9	9	7	7	4	-	1	-	1	206
Washington	males..	-	26	128	109	49	26	5	9	10	5	-	1	-	-	368
	females	-	135	131	47	36	5	6	5	2	-	1	-	-	-	368
York	males..	-	21	218	141	64	35	19	12	16	6	10	3	-	1	546
	females	-	135	221	88	31	27	21	9	5	4	4	-	-	1	546
Total.....	males..	-	252	2,281	1,733	804	416	229	183	131	93	103	35	1	3	6,264
	females	8	1,758	2,269	1,064	445	265	160	113	61	62	45	5	1	8	6,264
Grand total		8	2,010	4,550	2,797	1,249	681	389	296	192	155	148	40	2	11	12,528

Digitized by Google

TABLE

Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	71	54	47	16	17	430	436	64	53	5	9
Aroostook	56	61	41	9	16	492	505	67	54	3	3
Cumberland	157	99	70	23	38	751	764	114	104	8	4
Franklin	31	22	14	18	21	137	142	38	27	1	7
Hancock	60	46	40	15	20	276	277	53	56	5	4
Kennebec	80	75	55	29	33	422	437	92	74	11	12
Knox	48	36	33	21	26	225	223	50	49	7	10
Lincoln	17	19	17	4	6	94	94	21	21	2	2
Oxford	60	43	43	19	20	309	308	58	58	4	5
Penobscot	111	86	68	48	47	597	614	120	108	14	6
Piscataquis	26	18	12	8	23	131	122	22	30	4	5
Sagadahoc	23	17	11	9	9	126	132	21	18	4	2
Somerset	54	61	52	26	34	262	262	75	77	10	8
Waldo	30	41	24	8	17	157	165	40	36	9	4
Washington	42	30	25	8	12	329	330	33	36	5	1
York	79	65	47	26	17	454	480	82	59	9	5
Total	945	773	599	287	356	5,192	5,291	950	860	101	87

Digitized by Google

No. 25.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
-	2	1	-	-	-	1,000	74	62	18	15	74	61	19	15
-	-	-	-	2	2	1,128	66	64	17	15	66	64	17	15
-	-	-	-	3	4	1,752	71	68	16	14	71	68	16	15
-	1	1	-	-	-	354	72	66	18	15	72	65	19	16
3	-	-	-	-	-	674	79	70	17	15	79	70	17	17
-	1	1	1	3	4	1,058	75	71	18	14	74	66	19	15
-	-	-	-	-	-	564	80	81	18	15	74	69	18	16
-	-	-	-	-	-	234	74	71	18	13	74	71	19	17
-	-	-	-	-	-	742	76	67	17	14	76	67	17	17
-	1	-	-	1	3	1,464	77	68	18	15	72	68	18	18
-	-	-	-	-	-	314	77	67	18	15	73	67	18	15
1	-	-	-	-	-	304	65	60	17	15	56	60	17	18
2	1	-	-	1	2	700	72	72	16	14	72	72	16	17
-	1	-	-	-	-	412	74	72	18	15	74	72	18	17
-	-	-	-	1	1	736	70	62	16	15	70	62	16	16
-	-	-	-	1	2	1,092	74	64	17	15	68	64	18	15
6	7	3	1	12	18	12,528								

Digitized by Google

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1905 was 6,264 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, and 6,208 in 1904). We have, therefore, for the year 1905, a marriage-rate of 17.52 (persons married) to every 1,000 of population, or at the rate of 8.76 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 10.94 per 1,000. The lowest marriage-rate, that of 5.91 per 1,000 was in Lincoln county. See Table No. 4.

Nativity.—Of the 6,225 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 796, was solemnized in June, while the smallest number in any one month, 325, occurred in February. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 8 brides were married; in the age-period 15-20 years there were 252 grooms and 1,758 brides; in the period 20-25 years 2,281 men and 2,269 women were married; from 25-30, 1,733 men and 1,064 women; from 30-35, 804 men and 445 women; from 35-40, 416 men and 265 women; from 40-45, 229 men and 160 women; from 45-50, 183 men and 113 women; from 50-55, 131 men and 61 women; from 55-60, 93 men and 62 women; from 60-70, 103 men and 45 women; from 70-80, 35 men and 5 women; over 80, one man and one woman.

Digitized by Google

The age of 3 grooms and 8 brides was not stated. See Table No. 24.

In 5,319 marriages, the groom was older than the bride; while in 945, the bride was the elder; 773 widowers and 599 widows were remarried; 287 men and 356 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,192 men and 5,291 women were married for the first time; that 950 men and 860 women were married the second time; that 101 men and 87 women were united in the third marriage; that 6 men and 7 women contracted marriage a fourth time; and 3 men and 1 woman were married a fifth time. The oldest groom was 80 years of age, and the oldest bride was 81. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years, 3 grooms were married; at 17 years, 13; at 18 years, 65; and at 19 years, 170. At the age of 13 years, 1 bride was married; at 14 years, 7; at 15, 74; at 16, 175, at 17, 324; and at 18, 598.

One man was married for the first time at the age of 69 years, one at 65, one at 62, and one at 61. Four brides were married a second time at the age of 17 years, one at the age of 16, and one at 18. In one instance the bride was married a fourth time when 29 years of age, while in another case the bride was married a fifth time when but 25 years old. One woman contracted marriage for the first time at the age of 81 years, while the groom was but 21.

Digitized by Google

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Cruelty.	Extreme cruelty.	Extreme cruelty and abusive treatment.	Extreme cruelty and adultery.	Desertion.	Desertion and adultery.	Intoxication.
Androscoggin	49	18	11	-	-	-	-	17	-	6
Aroostook	27	15	3	-	1	-	-	8	-	4
Cumberland	92	18	4	-	-	-	-	35	-	24
Franklin	30	12	6	-	1	-	-	9	-	3
Hancock	19	15	8	-	-	3	-	16	-	-
Kennebec	68	31	14	32	-	-	-	20	-	23
Knox	38	12	1	-	-	-	-	4	-	9
Lincoln	11	3	-	-	-	-	-	6	-	-
Oxford	40	18	7	-	-	-	-	10	-	5
Penobscot	92	28	14	-	-	-	-	42	-	19
Piscataquis	18	6	1	-	-	-	-	6	-	-
Sagadahoc	14	8	3	-	2	-	-	5	-	1
Somerset	41	14	8	-	1	-	-	7	1	7
Waldo	15	8	5	-	-	-	1	4	-	1
Washington	23	11	1	-	2	-	-	17	-	1
York	33	21	8	-	2	-	-	18	1	6
Total	610	238	94	32	9	3	1	224	2	109

Digitized by Google

No. 26.

Year, 1905, as returned by Clerks of the Several Counties.

Intoxication and extreme cruelty.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty, and non-support.	Failure to support.	Impotence.	Neglecting to provide suitable maintenance.	Marriage annulled.	Total.
1	-	25	1	8	2	1	-	-	-	-	-	67
-	-	24	-	1	-	-	-	-	-	1	-	42
-	-	41	-	2	-	1	-	3	-	-	-	110
-	-	12	-	1	2	4	-	3	1	-	-	42
-	-	7	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	10	-	-	-	99
-	-	32	-	-	1	-	-	2	1	-	-	50
-	-	7	-	-	1	-	-	-	-	-	-	14
-	-	33	-	-	2	-	-	1	-	-	-	58
-	-	36	-	1	3	-	-	4	-	-	1	120
-	-	13	-	1	3	-	-	-	-	-	-	24
1	-	9	-	-	-	-	-	1	-	-	-	22
-	1	19	-	4	-	2	2	3	-	-	-	55
-	-	12	-	-	-	-	-	-	-	-	-	23
-	-	13	-	-	-	-	-	-	-	-	-	34
-	-	17	1	-	-	1	-	-	-	-	-	54
2	1	300	2	13	14	9	2	27	2	1	1	848

Digitized by Google

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1905.

Causes.	Libellants.			Number of Years Married.							
	Number.	Sex.		Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	94	Males	61	-	1	24	15	17	3	1	-
		Females	33	-	-	9	10	10	2	2	-
Cruelty	32	Males	9	1	-	5	1	1	-	1	-
		Females	23	-	-	8	4	10	1	-	-
Extreme cruelty	9	Males	-	-	-	-	-	-	-	-	-
		Females	9	-	-	2	2	4	1	-	-
Extreme cruelty and abusive treatment	3	Males	1	-	-	1	-	-	-	-	-
		Females	2	-	-	1	1	-	-	-	-
Extreme cruelty and adultery	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	1	-	-	-	-	-
Desertion	224	Males	92	-	-	14	31	26	14	7	-
		Females	132	1	-	18	44	38	26	4	1
Desertion and adultery	2	Males	1	-	-	1	-	-	-	-	-
		Females	1	-	-	1	-	-	-	-	-
Intoxication	109	Males	2	-	-	-	1	1	-	-	-
		Females	107	1	1	29	34	33	9	-	-
Intoxication and extreme cruelty	2	Males	-	-	-	-	-	-	-	-	-
		Females	2	-	-	-	1	-	1	-	-
Intoxication and failure to support	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	-	1	-	-	-
Cruel and abusive treatment	300	Males	68	-	1	18	22	19	5	2	1
		Females	232	-	3	81	56	62	27	3	-
Cruel and abusive treatment and adultery	2	Males	-	-	-	-	-	-	-	-	-
		Females	2	-	-	-	-	1	-	1	-
Cruel and abusive treatment and failure to support	13	Males	-	-	-	-	-	-	-	-	-
		Females	13	-	-	8	1	3	1	-	-
Cruel and abusive treatment and intoxication	14	Males	-	-	-	-	-	-	-	-	-
		Females	14	-	-	5	4	3	2	-	-
Cruel and abusive treatment and extreme cruelty	9	Males	2	-	1	1	-	-	-	-	-
		Females	7	-	-	1	4	2	-	-	-
Cruel and abusive treatment, extreme cruelty and non-support	2	Males	-	-	-	-	-	-	-	-	-
		Females	2	-	-	1	-	-	1	-	-
Failure to support	27	Males	-	-	-	-	-	-	-	-	-
		Females	27	-	1	12	4	9	1	-	-
Neglecting to provide suitable maintenance	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	1	-	-	-	-
Impotence	2	Males	1	-	-	1	-	-	-	-	-
		Females	1	-	-	-	-	-	-	-	-
Marriage annulled	1	Males	1	-	-	-	1	-	-	-	-
		Females	-	-	-	-	-	-	-	-	-
Total	848	Males	238	1	3	65	71	64	23	11	1
		Females	610	3	5	177	166	176	72	10	1

Digitized by Google

NOTES ON DIVORCES.

Eight hundred and forty-eight divorces were decreed in the year 1905 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, and 906 in 1904). In 1905, there was decreed in Maine one divorce for every 7.4 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 94, or 11.1 per cent. of the whole number; cruelty, 32, or 3.8 per cent.; desertion, 224, or 26.4 per cent.; intoxication, 109, or 12.9 per cent.; cruel and abusive treatment, 300, or 35.4 per cent.; failure to support, 27, or 3.2 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 610 divorces, and the husband in 238.

In the divorces granted for adultery, the husband was the libellant 61 times, and the wife 33 times.

On account of cruelty, the wife was the libellant in 23 cases, and the husband in 9 cases.

For desertion, the husband was the libellant 92 times, and the wife 132.

For intoxication, the husband was the libellant in 2 cases, and the wife in 107.

For cruel and abusive treatment, the husband was the libellant in 68 instances, and the wife in 232.

For failure to support, the wife was the libellant in the 27 divorces decreed for that cause.

Four divorces were granted before the marriage life had lasted six months; 8 before 1 year's marriage; 242 after from 1 to 5 years' marriage; 237 after 5 to 10 years; 240 after 10 to 20 years; 94 after 20 to 30 years; 21 after more than 30 years of married life; while in 2 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

Digitized by Google

TABLE No. 28.

Deaths and Death-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	10,956	16.57	11,370	16.45	11,389	16.40	11,133	16.03	10,673	15.37	11,009	15.85	11,346	16.34	11,381	15.92
Androscoggin	957	19.54	1,034	19.62	963	17.75	848	15.63	806	14.86	745	13.73	833	15.36	906	15.83
Aroostook	765	15.43	766	13.13	763	12.74	804	13.48	736	12.37	773	13.08	805	13.50	802	12.38
Cumberland	1,705	18.75	1,778	17.83	1,828	18.15	1,746	17.34	1,682	16.70	1,712	17.00	1,810	17.98	1,788	16.47
Franklin	276	16.18	310	17.12	311	17.16	275	15.12	258	14.38	277	15.33	306	16.77	283	14.80
Hancock	550	14.74	572	15.42	511	13.81	511	13.72	468	12.66	531	14.35	492	13.28	511	14.14
Kennebec	989	17.35	1,063	18.05	1,073	18.15	1,070	18.10	1,020	17.25	1,092	18.47	1,086	18.37	1,115	18.13
Knox	497	15.78	468	15.36	519	17.14	491	16.18	445	14.69	483	15.95	487	16.08	478	15.75
Lincoln	322	14.61	316	15.88	298	14.88	322	16.37	253	12.86	327	16.63	319	16.22	269	13.58
Oxford	488	15.96	478	14.89	545	16.95	537	16.70	557	17.33	541	16.99	572	17.93	506	14.92
Penobscot	1,185	16.26	1,184	15.70	1,127	14.91	1,257	16.58	1,224	16.14	1,282	16.93	1,381	17.96	1,305	16.57
Piscataquis	232	14.38	277	16.83	244	14.73	254	15.19	217	13.20	214	12.99	252	15.17	270	15.52
Sagadahoc	307	15.78	299	14.77	335	16.48	293	14.41	310	15.25	339	16.67	312	15.35	322	14.93
Somerset	503	15.42	548	16.42	478	14.26	495	14.76	534	15.88	547	16.29	560	16.68	561	16.03
Waldo	432	15.56	432	17.60	417	17.24	399	16.50	368	15.22	358	14.80	394	16.29	407	16.79
Washington	625	14.05	618	13.82	700	15.55	648	14.40	579	12.91	611	13.63	581	12.96	673	14.53
York	1,123	17.87	1,207	18.66	1,282	17.26	1,183	18.23	1,216	18.74	1,177	18.14	1,176	18.12	1,158	17.30

Digitized by Google

TABLE No. 29.

Number of Deaths in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

Months.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	887	95.3	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6	985	102.2	981	101.4
February	818	97.1	1,049	130.5	881	100.8	1,091	85.4	900	110.0	944	111.8	1,035	118.9	1,009	115.6
March	863	92.7	935	96.9	1,095	110.1	1,132	119.7	929	102.5	996	106.5	1,030	117.8	1,197	123.8
April	915	101.6	965	103.3	1,196	127.7	955	104.4	939	107.1	989	109.3	1,116	119.7	1,023	109.4
May	935	100.0	899	93.2	1,068	107.3	944	99.9	919	101.4	930	99.5	1,038	107.7	957	99.0
June	791	87.8	768	82.2	793	84.3	789	86.2	805	91.8	786	86.9	807	86.5	830	88.8
July	814	87.5	783	81.1	839	84.4	836	88.4	837	92.4	901	96.4	800	83.0	768	79.4
August	1,003	107.7	1,031	106.8	1,033	103.8	831	87.9	861	95.0	865	92.4	896	93.0	1,006	104.0
September	1,143	127.3	953	102.0	1,037	110.8	970	105.6	911	103.9	957	105.7	907	97.2	1,012	108.2
October	1,034	111.1	882	91.4	911	91.6	882	93.3	854	94.3	865	92.5	909	94.3	958	99.1
November	837	92.9	781	83.6	769	82.1	831	90.8	820	93.5	831	91.8	817	87.6	824	88.1
December	911	97.9	881	91.3	856	86.1	897	94.9	998	110.1	919	98.3	944	97.9	799	82.6
Unknown	2	-	11	-	8	-	20	-	24	-	20	-	12	-	17	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

Digitized by Google

TABLE

Showing the Number of Deaths in the State, and in

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature births)	11,607	913	881	1,811
I. General diseases	2,799	215	170	457
II. Diseases of nervous system and organs of special sense	1,648	122	71	270
III. Diseases of circulatory system	1,328	86	49	247
IV. Diseases of respiratory system	1,391	134	90	167
V. Diseases of digestive system	1,303	149	175	164
VI. Diseases of genito-urinary system and its adnexa	773	54	36	152
VII. The puerperal state	84	3	9	13
VIII. Diseases of skin and cellular tissue	85	8	2	11
IX. Diseases of organs of locomotion	12	2	2	2
X. Malformations	75	8	3	8
XI. Early infancy	488	32	61	65
XII. Old age	724	36	44	126
XIII. Deaths from external causes	518	44	39	92
XIV. Deaths from ill-defined causes	379	20	80	37

Digitized by Google

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
291	554	1,139	486	270	514	1,336	277	326	577	412	684	1,186
62	110	254	130	54	117	382	73	92	131	95	183	274
40	69	234	61	39	70	165	37	50	86	60	82	192
30	66	130	74	38	67	129	23	48	63	62	91	125
33	86	139	32	23	58	175	36	55	62	49	99	153
35	66	103	44	25	53	155	27	15	71	35	70	116
26	34	68	27	26	38	79	15	27	31	27	41	92
2	8	5	2	2	3	8	1	4	9	2	7	6
3	5	8	1	5	3	14	5	2	4	3	5	6
-	-	-	1	-	-	-	1	2	1	-	-	1
1	1	11	9	1	3	6	4	1	4	3	1	11
13	20	45	20	5	24	47	12	9	25	13	21	76
14	45	54	50	28	39	82	20	10	42	41	39	54
21	18	51	25	10	21	65	17	8	32	9	20	46
11	26	37	10	14	18	29	6	3	16	13	25	34

Digitized by Google

TABLE No. 30—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,799	215	170	457	62	110	254	130	54	117	382	73	92	131	95	183	274
Typhoid fever	156	13	12	22	1	5	14	3	1	4	30	3	4	3	4	6	31
Intermittent fever and malarial cachexia	11	1	-	-	-	-	2	-	-	-	4	-	1	-	-	2	1
Measles	32	2	-	1	2	3	2	9	-	-	3	-	1	4	1	1	3
Scarlatina	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Whooping cough	38	2	2	10	1	-	2	1	-	-	8	1	1	2	1	4	3
Diphtheria and croup	110	7	15	16	-	2	9	1	2	5	16	-	6	9	1	5	16
Influenza	243	15	18	36	10	11	25	9	5	12	33	5	6	16	4	21	17
Cholera nostras	12	1	2	2	-	-	2	2	-	-	-	1	-	-	-	1	1
Dysentery	35	-	7	3	-	-	3	1	-	2	5	2	1	1	1	4	5
Erysipelas	27	2	1	6	-	2	2	2	1	3	-	1	2	-	-	2	3
Purulent septicemia and infection	50	7	2	7	3	-	1	3	2	4	10	1	1	1	4	-	4
Glanders and farcy	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Actinomycosis, trichinosis, etc	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of larynx	16	3	-	3	-	-	-	-	1	4	1	-	-	-	-	-	4
Tuberculosis of lungs	894	61	60	129	18	40	85	47	13	28	132	20	27	43	43	71	77
Tuberculosis of meninges	71	3	5	21	-	5	5	2	1	5	14	-	1	-	2	3	4
Tuberculosis of the peritoneum	59	8	2	7	1	4	2	2	-	2	16	-	1	2	1	6	5
Pott's disease	8	-	-	1	-	-	1	-	2	1	-	-	-	2	-	-	1
White swelling	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	16	1	-	5	-	-	-	1	-	1	2	-	-	-	-	3	3
General tuberculosis	44	5	1	7	1	3	1	3	2	3	7	3	-	2	1	1	4
Scrofula	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis	8	-	1	1	-	-	-	-	1	-	2	-	1	-	-	-	2
Cancer of mouth	25	1	2	6	1	-	1	1	-	2	3	-	1	3	-	4	-
Cancer of stomach and liver	273	19	12	53	10	10	25	15	7	10	28	9	14	6	9	21	25
Cancer of peritoneum, intestines and rectum	76	5	3	13	2	4	6	5	1	3	11	1	3	5	3	1	10
Cancer of female genital organs	100	10	2	16	-	4	8	3	1	5	9	4	3	9	5	12	9
Cancer of breast	51	8	2	12	2	1	10	-	-	1	-	3	4	2	-	2	4
Cancer of skin	24	1	1	6	1	-	3	1	2	3	1	1	-	2	-	-	2
Cancer of other organs and of organs not specified	113	8	2	17	2	6	15	6	6	2	18	4	3	4	7	2	11
Other tumors	12	1	2	3	-	-	3	-	-	1	1	1	-	-	-	-	-
Acute articular rheumatism	39	1	1	9	1	1	6	-	-	2	4	3	1	2	1	2	5
Chronic rheumatism and gout	21	2	3	1	-	-	1	2	1	-	2	1	1	3	1	-	3
Diabetes	115	15	8	18	5	5	13	3	3	5	12	8	5	4	2	4	5
Exophthalmic goiter	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Addison's disease	5	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1
Leukemia	9	-	-	1	-	2	-	1	1	-	-	1	-	-	1	1	1
Anemia, chlorosis	63	8	1	20	1	1	2	4	1	5	5	-	3	4	2	2	4
Other general diseases	5	-	-	1	-	-	2	-	-	-	1	-	-	-	-	1	-
Alcoholism, acute and chronic	20	3	1	1	-	-	1	2	-	3	2	-	-	1	1	-	5
Other chronic poisonings	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2

Digitized by Google

TABLE No. 30—Continued.

Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense	1,648	122	71	270	40	69	234	61	39	70	165	37	50	86	60	82	192
Encephalitis	13	-	-	1	1	1	1	1	-	-	1	-	-	1	1	3	2
Simple meningitis	216	22	13	45	7	8	28	3	5	9	19	9	1	10	4	8	25
Progressive locomotor ataxia	20	1	-	5	-	1	3	1	-	3	3	-	1	-	-	1	1
Other diseases of the spinal cord	45	5	1	7	1	2	6	1	-	4	2	1	1	2	3	2	7
Congestion and hemorrhage of the brain	751	46	21	144	14	33	83	33	17	33	79	12	36	45	26	32	97
Softening of the brain	29	2	-	3	2	1	3	-	1	2	6	-	-	1	2	2	4
Paralysis without specified cause	235	13	11	18	6	10	43	7	6	5	22	9	4	15	14	15	37
General paralysis	37	3	1	4	2	2	8	-	1	1	3	1	2	1	2	4	2
Other forms of mental alienation	63	2	1	11	-	1	37	2	2	2	1	-	1	-	1	-	2
Epilepsy	37	3	3	5	-	1	9	4	-	1	3	1	1	-	2	3	1
Eclampsia (non-puerperal)	7	1	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1
Convulsions of children	95	7	10	11	2	6	6	6	2	6	12	1	1	5	2	9	9
Tetanus	7	2	-	3	-	-	-	-	1	-	-	-	-	1	-	-	-
Other diseases of the nervous system	92	15	9	13	5	3	7	2	3	4	13	2	2	4	3	3	4
Diseases of the ear	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
III.—Diseases of the circulatory system	1,328	86	49	247	30	66	130	74	38	67	129	23	48	63	62	91	125
Pericarditis	9	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	1
Acute endocarditis	57	3	3	17	2	2	9	-	-	2	5	-	5	-	-	5	4
Organic diseases of the heart	1,068	70	42	190	22	52	99	55	32	55	100	21	38	57	53	72	110
Angina pectoris	88	5	3	18	3	7	6	9	3	4	13	-	1	1	3	8	4
Affections of the arteries (atheroma, aneurism, etc.)	40	2	-	4	1	3	6	1	1	2	2	-	2	3	5	5	3
Embolism and thrombosis	44	2	-	12	2	-	5	6	2	2	6	-	2	1	1	1	2
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	7	-	-	2	-	-	1	1	-	1	2	-	-	-	-	-	-
Hemorrhages	14	1	1	3	-	1	-	2	-	1	1	2	-	1	-	-	1
Other diseases of the circulatory system	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system	1,391	134	90	167	33	86	139	82	23	58	175	36	55	62	49	99	153
Diseases of the nasal fossæ	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Affections of the larynx	9	1	-	2	-	-	1	-	-	-	1	-	1	1	-	1	1
Affections of the thyroid body	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis	102	6	11	10	1	3	11	3	3	8	16	5	2	1	3	4	15
Chronic bronchitis	116	11	9	22	2	12	10	2	2	4	8	3	4	3	5	6	13
Broncho-pneumonia	170	18	9	21	11	11	20	1	5	7	29	3	5	4	2	12	12
Pneumonia	883	86	58	97	18	56	85	24	10	32	104	19	41	52	33	70	98
Pleurisy	21	2	1	3	-	-	1	-	-	2	4	2	-	-	1	-	5
Congestion of the lungs, pulmonary apoplexy	43	6	1	6	-	3	8	2	-	1	6	2	-	-	2	2	4
Gangrene of the lungs	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Asthma	12	3	1	-	-	-	2	-	-	1	1	-	-	1	2	1	-
Pulmonary emphysema	4	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted)	26	-	-	3	-	-	1	-	3	3	4	2	2	-	1	3	4

Digitized by Google

TABLE No. 30—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
V.—Diseases of digestive system	1,303	149	175	164	35	66	103	44	25	53	155	27	15	71	35	70	116
Affections of the mouth and its adnexa	6	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	1
Affections of the pharynx	11	2	2	3	-	-	1	-	-	-	3	-	-	-	-	-	-
Diseases of the esophagus	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ulcer of the stomach	22	2	4	3	1	1	3	-	-	-	4	1	-	2	-	-	1
Other diseases of the stomach (cancer excepted)	170	14	7	20	5	11	13	6	7	7	17	2	1	12	6	15	27
Infantile diarrhea (under 2 years)	561	73	116	64	11	23	39	14	3	18	76	9	7	21	5	26	56
Diarrhea and enteritis (2 years and over)	111	9	13	11	2	6	7	7	5	8	14	-	3	10	2	7	7
Intestinal parasites	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hernias and other intestinal obstructions	94	10	6	15	7	5	9	3	1	3	11	1	2	6	6	4	5
Other affections of the intestines	24	2	3	4	-	2	1	2	-	2	-	2	-	1	-	3	2
Acute yellow atrophy of liver	5	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-
Hydatid tumors of the liver	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cirrhosis of liver	44	-	-	5	1	4	4	3	3	4	1	3	-	4	6	1	5
Biliary calculi	23	4	1	4	-	1	3	1	-	2	2	-	-	1	4	-	-
Other affections of the liver	65	10	5	10	4	4	8	-	3	4	5	2	-	1	2	2	5
Affections of the spleen	5	1	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-
Inflammatory peritonitis (puerperal excepted)	80	7	9	11	1	8	11	2	1	3	11	4	-	7	3	8	4
Appendicitis and abscess of the iliac fossa	68	15	8	11	1	1	2	6	-	2	7	3	2	3	1	3	3
VI.—Diseases of the genito-urinary system and its adnexa	773	54	36	152	26	34	68	27	26	38	79	15	27	31	27	41	92
Acute nephritis	47	4	1	10	3	2	4	1	2	6	4	2	-	-	1	3	4
Bright's disease	599	39	29	125	20	28	50	18	20	24	58	10	24	27	23	30	74
Other diseases of the kidneys and their adnexa	26	4	3	4	-	-	1	3	1	1	4	1	1	-	1	-	2
Calculi of the urinary tract	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the bladder	42	2	-	6	1	2	5	1	1	3	6	-	1	1	2	3	5
Diseases of the urethra, urinary abscess, etc.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the prostate	25	2	1	4	-	1	2	1	2	1	4	1	-	2	-	1	3
Nonvenereal diseases of the male genital organs	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Uterine hemorrhage, (non-puerperal)	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Uterine tumor (non-cancerous)	5	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-
Other diseases of the uterus	7	1	-	3	1	-	-	-	-	1	-	-	-	1	-	-	-
Cysts and other tumors of the ovary	6	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	2
Other diseases of the female genital organs	7	1	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-

Digitized by Google

TABLE No. 30—Concluded.

Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—The puerperal state	83	3	9	13	2	8	4	2	2	3	8	1	4	9	2	7	6
Accidents of pregnancy..	15	1	1	1	-	2	-	1	-	1	4	1	1	2	-	-	-
Puerperal hemorrhage..	6	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	1
Other accidents of labor.	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal septicemia ...	32	1	4	7	2	2	3	1	2	1	-	-	2	3	1	1	2
Puerperal albuminuria and eclampsia.....	10	1	1	3	-	1	-	-	-	-	1	-	1	-	-	1	1
Other puerperal accidents, sudden death ...	17	-	2	1	-	2	1	-	-	1	1	-	-	3	1	3	2
VIII.—Diseases of the skin and cellular tissue	85	8	2	11	3	5	8	1	5	3	14	5	2	4	3	5	6
Gangrene	70	7	2	7	3	5	8	1	5	3	12	3	1	2	3	4	4
Furuncle, boil, carbuncle	4	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1
Phlegmon, acute abscess	6	1	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-
Other diseases of the skin and its adnexa ...	5	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1
IX.—Diseases of the organs of locomotion	12	2	2	2	-	-	-	1	-	-	-	1	2	1	-	-	1
Non-tuberculous diseases of the bones	11	2	2	1	-	-	-	1	-	-	-	1	2	1	-	-	1
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.																	
Malformations, congenital (still-births excepted)	75	8	3	8	1	1	11	9	1	3	6	4	1	4	3	1	11
XI.—Early infancy	489	32	61	65	13	20	46	20	5	24	47	12	9	25	13	21	76
Congenital icterus, debility, and sclerema	398	27	56	42	9	19	39	12	3	19	38	11	8	20	13	17	65
Other diseases of early infancy	29	2	2	5	1	-	1	1	-	3	5	-	1	1	-	2	5
Lack of care...	62	3	3	18	3	1	6	7	2	2	4	1	-	4	-	2	6
XII.—Old age.																	
Senile debility.....	724	36	44	126	14	45	54	50	28	39	82	20	10	42	41	39	54
XIII.—Deaths from external causes	518	44	39	92	21	18	51	25	10	21	65	17	8	32	9	20	46
Suicide by poison.....	11	1	-	5	1	-	2	1	-	-	-	-	-	-	-	-	1
Suicide by asphyxia	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suicide by hanging or strangulation.....	23	2	-	3	3	1	2	2	1	-	1	1	2	1	1	1	2
Suicide by drowning	13	1	-	-	-	2	1	1	1	2	-	-	-	1	-	1	3
Suicide by firearms.....	25	2	3	4	1	-	1	2	-	3	3	2	1	1	-	-	2
Suicide by cutting instruments	9	-	-	3	-	-	-	1	-	1	2	-	-	1	-	-	1
Other suicides	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Fractures	68	4	6	17	5	1	8	6	2	2	7	-	-	3	2	3	2
Other accidental injuries	142	11	6	28	1	3	11	4	4	7	27	7	1	11	4	5	12
Burns and scalds.....	39	3	5	6	1	2	4	1	1	-	3	-	1	5	-	1	6
Sunstroke.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Freezing	4	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-
Accidental drowning....	87	7	5	13	6	4	6	3	1	3	12	5	1	5	1	6	9
Inanition (starvation) ...	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Absorption of deleterious gases (non-suicidal)	17	1	6	1	-	1	4	2	-	-	-	1	-	-	-	-	1
Other acute poisonings..	24	1	2	4	1	1	3	-	-	-	6	-	1	-	-	2	3
Other external violence.	50	11	4	6	2	3	8	2	-	3	3	-	-	3	-	1	4
XIV.—Deaths from ill-defined causes....	379	20	80	37	11	26	37	10	14	18	29	6	3	16	13	25	34
Dropsy	23	-	4	1	-	1	3	-	3	2	4	1	-	2	-	1	1
Sudden death.....	20	1	1	2	-	2	1	3	2	-	2	-	-	1	1	1	3
Unspecified or ill-defined causes of death..... ..	336	19	75	34	11	23	33	7	9	16	23	5	3	13	12	23	30

Digitized by Google

TABLE No. 31.

Deaths from All Causes by Months—1905.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including premature births)	11,607	992	1031	1230	1037	983	851	786	1027	1030	972	839	814	15
I.—General diseases	2,799	238	246	312	268	229	226	196	224	227	216	202	213	2
II.—Diseases of nervous system and organs of special sense	1,648	145	150	154	134	159	127	108	126	136	139	149	120	1
III.—Diseases of circulatory system	1,328	113	105	134	99	108	119	93	114	103	117	115	107	1
IV.—Diseases of respiratory system	1,391	169	215	262	178	126	66	32	26	55	77	78	104	3
V.—Diseases of digestive system	1,308	54	69	64	66	75	62	112	259	240	160	81	59	2
VI.—Diseases of genito-urinary system and its adnexa	773	72	53	73	87	75	66	58	69	54	61	54	50	1
VII.—The puerperal state	83	9	5	9	6	7	7	8	5	4	5	8	10	-
VIII.—Diseases of skin and cellular tissue	85	12	6	6	10	6	4	8	7	7	6	7	6	-
IX.—Diseases of organs of locomotion	12	-	3	1	1	2	-	1	1	-	1	1	1	-
X.—Malformations	75	8	3	5	9	6	6	7	6	7	8	3	7	-
XI.—Early infancy	489	33	36	47	38	58	37	41	45	52	36	34	31	1
XII.—Old age	724	78	71	85	68	63	60	44	53	50	64	40	48	-
XIII.—Deaths from external causes	518	30	33	45	36	50	49	51	61	47	47	36	30	3
XIV.—Deaths from ill-defined causes	379	31	36	33	37	19	22	27	31	48	35	31	28	1

Digitized by Google

TABLE No. 31—Continued.

Deaths from All Causes by Months—1905.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,799	238	246	312	268	229	226	196	224	227	216	202	213	2
Typhoid fever	156	13	10	12	12	7	10	6	12	27	22	14	11	-
Intermittent fever and malarial cachexia	11	-	-	2	1	1	1	4	1	1	-	-	-	-
Measles	32	3	3	2	4	4	2	4	3	2	1	3	1	-
Scarlatina	7	-	1	2	-	1	1	-	-	1	1	-	-	-
Whooping cough	38	4	3	2	2	1	3	6	5	2	3	1	6	-
Diphtheria and croup	110	11	20	7	5	5	7	7	8	6	6	12	16	-
Influenza	243	21	48	81	48	16	7	4	1	2	4	6	4	1
Cholera nostras	12	-	-	1	-	-	-	2	2	4	3	-	-	-
Dysentery	35	2	2	-	1	1	-	1	5	15	7	1	-	-
Erysipelas	27	2	4	6	3	1	3	1	1	2	2	1	1	-
Purulent septicemia and infection	50	8	4	1	5	7	6	3	4	2	-	8	2	-
Glanders and farcy	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Actinomycosis, trichinosis, etc	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of larynx	16	1	2	2	1	1	1	2	2	1	-	1	2	-
Tuberculosis of lungs	894	80	68	105	88	86	80	73	76	65	60	53	59	1
Tuberculosis of meninges	71	6	3	8	9	2	9	6	9	7	3	5	4	-
Tuberculosis of the peritoneum	59	9	6	4	8	1	4	7	3	6	3	4	4	-
Pott's disease	8	1	-	3	-	1	-	1	-	-	1	1	-	-
White swelling	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of other organs	16	2	1	2	1	3	-	1	1	2	2	-	1	-
General tuberculosis	44	5	4	3	4	5	3	3	4	5	1	4	3	-
Scrofula	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis	8	2	-	2	-	-	1	1	-	1	-	1	-	-
Cancer of mouth	25	3	4	2	-	1	3	-	2	3	5	-	2	-
Cancer of stomach and liver	273	18	15	17	20	27	25	15	20	23	33	32	28	-
Cancer of peritoneum, intestines and rectum	76	3	6	4	5	9	7	9	9	5	8	6	5	-
Cancer of female genital organs	100	10	5	8	8	8	11	8	7	8	8	11	8	-
Cancer of breast	51	9	4	2	4	1	4	6	1	3	5	5	7	-
Cancer of skin	24	-	2	4	1	2	1	3	2	-	2	-	7	-
Cancer of other organs and of organs not specified	113	10	8	10	11	6	10	6	11	8	10	13	10	-
Other tumors	12	-	-	-	1	1	1	2	1	1	2	1	2	-
Acute articular rheumatism	39	3	6	3	1	6	2	3	5	3	1	4	2	-
Chronic rheumatism and gout	21	1	3	1	1	1	2	3	2	1	2	1	3	-
Diabetes	115	5	5	9	15	9	6	5	16	14	10	7	14	-
Exophthalmic goiter	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Addison's disease	5	-	2	-	-	-	-	-	-	-	2	-	1	-
Leukemia	9	-	-	-	1	1	3	-	-	-	2	1	1	-
Anemia, chlorosis	63	2	3	7	5	9	9	2	7	4	6	3	6	-
Other general diseases	5	-	-	-	1	1	1	1	1	-	-	-	-	-
Alcoholism, acute and chronic	20	3	3	-	2	1	1	1	1	3	-	2	3	-
Other chronic poisonings	5	-	1	-	-	2	-	-	2	-	-	-	-	-
II.—Diseases of the nervous system and of the organs of special sense	1,648	145	150	154	134	159	127	108	126	136	139	149	120	1
Encephalitis	13	2	-	-	2	1	-	1	2	1	2	1	1	-
Simple meningitis	216	20	21	17	14	19	18	9	25	19	23	15	16	-
Progressive locomotor ataxia	20	2	3	1	2	-	2	-	5	2	2	-	1	-
Other diseases of the spinal cord	45	2	5	6	3	3	4	3	3	6	3	3	4	-
Congestion and hemorrhage of the brain	751	60	67	71	59	74	65	53	52	47	62	75	65	1
Softening of the brain	29	2	1	5	4	5	2	1	1	1	2	4	1	-
Paralysis without specified cause	235	26	14	20	19	26	9	21	13	30	18	25	14	-
General paralysis	37	5	5	3	5	3	2	1	3	3	2	5	-	-
Other forms of mental alienation	63	6	6	4	5	9	5	3	4	9	7	4	1	-
Epilepsy	37	3	4	5	3	1	5	1	3	3	1	5	3	-
Eclampsia (non-puerperal)	7	1	-	-	-	2	1	-	-	1	-	1	1	-
Convulsions of children	95	4	12	15	12	7	5	6	5	3	11	8	7	-
Tetanus	7	1	-	-	-	-	1	3	1	1	-	-	-	-
Other diseases of the nervous system	92	11	12	7	6	9	8	6	9	9	6	3	6	-
Diseases of the ear	1	-	-	-	-	-	-	-	-	1	-	-	-	-

Digitized by Google

TABLE No. 31—Continued.

Deaths from All Causes by Months—1905.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
III.—Diseases of the circulatory system	1,328	113	105	134	99	108	119	93	114	103	117	115	107	1
Pericarditis	9	-	-	1	1	-	1	3	-	-	1	-	2	-
Acute endocarditis	57	1	12	3	3	5	5	4	4	6	7	2	5	-
Organic diseases of the heart	1,068	95	81	113	80	91	99	74	86	80	90	89	90	-
Angina pectoris	88	9	6	10	4	5	4	7	10	8	7	13	5	-
Affections of the arteries (atheroma, aneurism, etc.)	40	3	2	1	5	2	4	4	7	2	3	3	4	-
Embolism and thrombosis	44	3	1	2	3	4	4	1	4	6	7	7	1	1
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	7	1	2	1	-	-	-	-	1	-	2	-	-	-
Hemorrhages	14	1	1	3	2	1	2	-	2	1	-	1	-	-
Other diseases of the circulatory system	1	-	-	-	1	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system	1,391	169	215	262	178	126	66	32	6 2	55	77	78	104	3
Diseases of the nasal fossae.	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Affections of the larynx.	9	-	-	2	2	-	1	-	1	-	2	-	1	-
Affections of the thyroid body.	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Acute bronchitis	102	17	15	22	12	5	3	4	2	3	4	7	8	-
Chronic bronchitis	116	15	12	20	12	10	9	4	2	9	7	4	11	1
Broncho-pneumonia	170	21	23	33	26	14	10	5	2	6	9	14	7	-
Pneumonia	883	104	153	170	109	88	38	14	14	32	44	46	69	2
Pleurisy	21	-	2	3	4	2	-	2	2	1	1	3	1	-
Congestion of the lungs, pulmonary apoplexy	43	5	5	8	8	4	1	2	1 1	1	5	2	1	-
Gangrene of the lungs	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Asthma	12	3	1	-	3	-	1	-	-	1	2	-	1	-
Pulmonary emphysema	4	1	-	1	-	-	-	-	-	-	-	2	-	-
Other diseases of respiratory system (phthisis excepted)	26	2	3	2	2	3	2	1	2	1	3	-	5	-
V.—Diseases of digestive system	1,305	54	69	64	66	75	62	112	259	240	160	81	59	2
Affections of the mouth and its adnexa	6	-	-	-	-	1	-	-	1	1	-	1	1	1
Affections of the pharynx	11	-	1	1	1	-	1	2	-	1	1	1	2	-
Diseases of the esophagus	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Ulcer of the stomach	22	1	3	1	1	2	4	1	1	1	3	2	2	-
Other diseases of the stomach (cancer excepted)	170	12	15	11	12	18	11	18	19	14	15	11	13	1
Infantile diarrhea (under 2 years)	561	9	11	15	12	8	8	59	168	164	79	19	9	-
Diarrhea and enteritis (2 years and over)	111	1	3	2	4	3	5	6	24	31	19	8	5	-
Intestinal parasites	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Hernias and other intestinal obstructions	94	7	6	8	5	11	8	2	9	8	12	8	10	-
Other affections of the intestines	24	6	4	1	2	2	1	1	2	-	-	4	1	-
Acute yellow atrophy of liver	5	-	-	-	1	1	1	1	1	-	-	-	-	-
Hydatid tumors of the liver	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cirrhosis of liver	44	4	3	2	5	4	1	8	6	3	2	4	2	-
Biliary calculi	23	1	5	-	1	5	1	-	2	1	-	3	4	-
Other affections of the liver	65	1	9	8	9	3	6	2	7	3	6	6	5	-
Affections of the spleen	5	1	1	-	-	1	-	-	-	1	1	-	-	-
Inflammatory peritonitis (puerperal excepted)	90	6	5	6	7	6	11	8	11	4	15	8	3	-
Appendicitis and abscess of the iliac fossae	68	5	3	9	6	9	4	4	8	6	6	6	2	-
VI.—Diseases of the genito-urinary system and its adnexa	773	72	53	73	87	75	66	58	69	54	61	54	50	1
Acute nephritis	47	4	4	5	2	11	6	4	2	2	2	3	2	-
Bright's disease	599	62	38	55	69	54	47	47	45	46	56	41	38	1
Other diseases of the kidneys and their adnexa	26	3	2	1	3	3	3	-	5	-	1	1	4	-
Calculi of the urinary tract	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the bladder	42	2	3	7	4	3	5	2	6	4	-	3	3	-
Diseases of the urethra, urinary abscess, etc	1	-	-	1	-	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE No. 31—Concluded.

Deaths from All Causes by Months—1905.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diseases of the prostate	25	1	2	1	4	2	1	3	6	-	1	2	2	-
Nonvenereal diseases of the male genital organs	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	6	-	1	1	-	1	1	-	1	-	-	1	-	-
Uterine tumor (non-cancerous)	5	-	-	2	1	-	-	1	-	-	-	1	-	-
Other diseases of the uterus	7	-	1	-	1	-	2	-	1	1	-	1	-	-
Cysts and other tumors of the ovary	6	-	2	-	-	-	-	1	2	-	-	1	-	-
Other diseases of the female genital organs	7	-	-	-	2	1	-	-	1	1	1	-	1	-
VII.—The puerperal state	83	9	5	9	6	7	7	8	5	4	5	8	10	-
Accidents of pregnancy	15	1	2	3	1	-	-	3	1	-	1	-	3	-
Puerperal hemorrhage	6	1	1	-	-	-	1	-	1	-	-	-	2	-
Other accidents of labor	3	-	1	1	-	-	-	-	-	-	-	1	-	-
Puerperal septicemia	32	6	-	1	3	4	4	2	-	3	1	4	4	-
Puerperal albuminuria and eclampsia	10	-	-	2	1	1	1	1	2	-	-	2	-	-
Other puerperal accidents, sudden death	17	1	1	2	1	2	1	2	1	1	3	1	1	-
VIII.—Diseases of the skin and cellular tissue	85	12	6	6	10	6	4	8	7	7	6	7	6	-
Gangrene	70	9	5	5	9	6	3	6	6	6	6	6	3	-
Furuncle, boil, carbuncle	4	-	-	1	-	-	-	-	1	-	-	1	1	-
Phlegmon, acute abscess	6	2	-	-	1	-	1	1	-	-	-	-	1	-
Other diseases of the skin and its adnexa	5	1	1	-	-	-	-	1	-	1	-	-	1	-
IX.—Diseases of the organs of locomotion	12	-	3	1	1	2	-	1	1	-	1	1	1	-
Non-tuberculous diseases of the bones	11	-	3	1	-	2	-	1	1	-	1	1	1	-
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
X.—Malformations.														
Malformations, congenital (stillbirths excepted)	75	8	3	5	9	6	6	7	6	7	8	3	7	-
XI.—Early infancy	489	33	36	47	38	58	37	41	45	52	36	34	31	1
Congenital icterus, debility, and sclerema	338	29	33	38	27	47	33	36	34	37	27	30	26	1
Other diseases of early infancy	29	1	1	6	4	5	1	3	2	3	1	-	2	-
Lack of care	62	3	2	3	7	6	3	2	9	12	8	4	3	-
XII.—Old age.														
Senile debility	724	78	71	85	68	63	60	44	53	50	64	40	48	-
XIII.—Deaths from external causes	518	30	33	44	38	49	49	51	61	47	47	36	30	3
Suicide by poison	11	1	1	3	1	2	-	-	1	1	-	-	1	-
Suicide by asphyxia	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Suicide by hanging or strangulation	23	-	1	3	-	4	1	2	2	6	1	2	1	-
Suicide by drowning	13	-	-	-	2	2	1	-	1	3	3	1	-	-
Suicide by firearms	25	2	-	3	6	-	5	3	2	1	1	2	-	-
Suicide by cutting instruments	9	-	2	-	1	-	1	1	-	1	1	-	2	-
Other suicides	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Fractures	68	5	5	6	2	9	4	6	8	11	6	1	4	1
Other accidental injuries	142	8	11	16	4	11	14	11	16	10	19	12	9	1
Burns and scalds	39	2	2	3	2	4	3	6	3	2	3	7	2	-
Sunstroke	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Freezing	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning	87	-	-	2	8	15	15	16	14	6	3	3	4	1
Inanition (starvation)	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Absorption of deleterious gases, (non-suicidal)	17	3	5	-	-	-	-	-	4	1	1	1	2	-
Other acute poisonings	24	5	2	2	1	-	-	2	3	3	2	4	2	-
Other external violence	50	3	3	5	11	2	5	2	6	2	6	3	2	-
XIV.—Deaths from ill-defined causes	379	31	36	33	37	19	22	27	31	48	35	31	28	1
Dropsy	23	2	2	2	2	1	-	1	3	3	2	2	3	-
Sudden death	20	1	-	3	3	-	2	-	1	4	3	-	3	-
Unspecified or ill-defined causes of death	336	28	34	28	32	18	20	26	27	41	30	29	22	1

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Total.	0.	1.	2.	3.	4.	0-4.
All causes	Totals	56,616	8532	1439	684	416	353	11,424
	Males	28,984	4772	744	361	223	179	6,279
	Females	27,585	3729	695	323	193	174	5,114
	Not stated	47	31	-	-	-	-	31
Typhoid fever	Totals	1,009	4	3	9	4	10	30
	Males	586	-	1	5	1	5	12
	Females	423	4	2	4	3	5	18
Typhus fever	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Intermittent fever and malarial cachexia	Totals	64	-	-	1	-	-	1
	Males	62	-	-	1	-	-	1
	Females	2	-	-	-	-	-	-
Smallpox	Totals	22	4	-	1	-	-	5
	Males	14	4	-	-	-	-	4
	Females	8	-	-	1	-	-	1
Measles	Totals	144	34	27	9	5	2	77
	Males	59	20	11	3	4	1	39
	Females	85	14	16	6	1	1	38
Scarlatina	Totals	66	4	5	8	5	13	35
	Males	28	1	3	5	1	6	16
	Females	38	3	2	3	4	7	19
Whooping cough	Totals	281	178	54	18	11	6	267
	Males	136	82	30	8	5	2	127
	Females	145	96	24	10	6	4	140
Diphtheria and croup	Totals	629	75	64	79	62	68	348
	Males	342	46	38	48	34	39	205
	Females	287	29	26	31	28	29	143
Influenza	Totals	993	118	24	10	6	8	166
	Males	445	71	13	5	3	3	95
	Females	548	47	11	5	3	5	71
Cholera nostras	Totals	75	2	1	8	3	4	18
	Males	36	2	-	3	1	2	8
	Females	39	-	1	5	2	2	10
Dysentery	Totals	160	31	10	7	11	9	68
	Males	74	16	5	3	8	6	38
	Females	86	15	5	4	3	3	30
Erysipelas	Totals	117	14	-	1	-	-	15
	Males	57	6	-	-	-	-	6
	Females	60	8	-	1	-	-	9
Other epidemic affections	Totals	2	-	1	-	1	-	2
	Males	1	-	1	-	-	-	1
	Females	1	-	-	-	1	-	1
Purulent and septicemic affections	Totals	238	17	1	1	1	2	22
	Males	132	6	-	-	1	-	7
	Females	106	11	1	1	-	2	15
Glanders and farcy	Totals	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Malignant pustule and anthrax	Totals	4	1	-	-	-	-	1
	Males	3	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Actinomycosis, trichinosis, etc.	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Tuberculosis of larynx	Totals	57	-	1	1	-	-	2
	Males	37	-	1	-	-	-	1
	Females	20	-	-	1	-	-	1
Tuberculosis of lungs	Totals	4,814	66	28	18	16	8	136
	Males	2,148	43	15	6	8	4	76
	Females	2,666	23	13	12	8	4	60
Tuberculosis of meninges	Totals	307	59	44	28	16	21	168
	Males	150	29	23	13	8	10	83
	Females	157	30	21	15	8	11	85

Digitized by Google

No. 32.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
1083	831	1530	2026	1983	1778	1720	1731	1995	2332	2748	3399	4396	4756	4877	3946	2397	915	231	29	489
571	399	731	970	891	821	815	850	1010	1221	1407	1805	2282	2498	2566	1990	1117	369	76	9	307
512	432	799	1056	1092	957	905	881	985	1111	1341	1594	2114	2258	2311	1955	1280	546	155	20	167
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	15
66	67	159	182	130	91	69	47	55	26	27	18	14	10	9	1	-	-	-	-	8
29	26	79	113	88	58	46	30	38	16	14	11	8	6	5	-	-	-	-	-	7
37	41	80	69	42	33	23	17	17	10	13	7	6	4	4	1	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	3	1	1	-	-	1	1	5	21	13	8	4	4	1	-	-	-	-
-	-	-	3	1	-	-	-	1	1	5	21	13	8	4	3	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	-	-	1	1	3	-	1	5	1	1	1	-	-	-	-	-	-	-	-	1
2	-	-	-	-	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	1	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
11	6	6	6	3	8	7	1	4	2	3	-	2	3	1	1	1	-	-	-	2
5	2	2	1	-	2	2	-	2	2	-	-	-	1	-	-	-	-	-	-	1
6	4	4	5	3	6	5	1	2	-	3	-	2	2	1	1	1	-	-	-	1
16	10	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	7	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
9	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
161	62	21	10	10	2	6	3	-	1	1	1	1	-	-	-	-	-	-	-	2
81	29	9	5	6	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	2
80	33	12	5	4	2	2	3	-	-	1	1	1	-	-	-	-	-	-	-	-
20	10	8	10	14	12	10	13	26	16	32	46	68	114	150	160	80	29	5	1	3
11	2	3	4	5	4	4	7	13	9	12	17	31	47	67	71	34	7	-	-	2
9	8	5	6	9	8	6	6	13	7	20	29	37	67	83	89	46	22	5		1
7	3	-	-	1	-	-	-	2	2	1	2	6	7	15	4	4	-	1	-	2
4	2	-	-	1	-	-	-	2	2	1	1	-	1	7	2	3	-	-	-	2
3	1	-	-	-	-	-	-	-	-	-	1	6	6	8	2	1	-	1	-	-
5	1	1	1	2	3	1	-	4	2	5	4	7	19	16	8	7	6	-	-	-
1	1	-	-	1	1	-	-	1	-	-	3	2	12	8	3	2	1	-	-	-
4	-	1	1	1	2	1	-	3	2	5	1	5	7	8	5	5	5	-	-	-
-	1	2	3	1	5	3	2	8	10	10	5	9	12	14	8	5	3	1	-	-
-	-	1	1	-	5	2	1	1	4	5	1	8	4	10	6	2	-	-	-	-
-	1	1	2	1	-	1	1	7	6	5	4	1	8	4	2	3	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	4	9	9	17	18	12	13	18	17	16	18	21	21	9	8	2	1	-	-	1
2	2	6	3	5	9	7	8	11	12	9	11	12	13	8	4	1	1	-	-	1
-	2	3	6	12	9	5	5	7	5	7	7	9	8	1	4	1	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	3	9	8	7	9	3	2	2	2	4	2	2	1	-	-	-	-	-	-
-	-	2	5	5	5	7	1	1	2	2	3	2	-	1	-	-	-	-	-	-
-	1	1	4	3	2	2	2	1	-	-	1	-	2	-	-	-	-	-	-	-
46	86	465	730	693	508	383	321	278	230	219	196	197	154	98	42	10	2	-	-	20
19	24	170	299	286	221	160	153	139	127	121	104	100	61	51	20	5	1	-	-	11
27	62	295	431	407	287	223	168	139	103	98	92	97	93	47	22	5	1	-	-	9
57	20	14	15	9	6	4	2	2	1	-	2	4	-	-	-	-	-	-	-	3
29	10	7	5	4	3	3	2	-	1	-	-	1	-	-	-	-	-	-	-	2
28	10	7	10	5	3	1	-	2	-	-	2	3	-	-	-	-	-	-	-	1

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Total.	0.	1.	2.	3.	4.	0-4.
Tuberculosis of peritoneum	Totals	292	14	8	2	-	2	26
	Males	118	10	3	-	-	1	14
	Females	174	4	5	2	-	1	12
Pott's disease	Totals	44	3	2	1	-	-	6
	Males	20	1	1	-	-	-	2
	Females	24	2	1	1	-	-	4
Cold abscess	Totals	12	2	-	1	-	-	3
	Males	5	1	-	1	-	-	2
	Females	7	1	-	-	-	-	1
White swelling	Totals	20	-	-	-	-	-	-
	Males	13	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Tuberculosis of other organs	Totals	61	4	3	-	-	-	7
	Males	32	3	2	-	-	-	5
	Females	29	1	1	-	-	-	2
General tuberculosis	Totals	210	11	1	6	1	-	19
	Males	106	8	1	5	1	-	15
	Females	104	3	-	1	-	-	4
Scrofula	Totals	29	13	4	-	1	-	18
	Males	16	10	1	-	-	-	11
	Females	13	3	3	-	1	-	7
Syphilis	Totals	34	9	-	-	-	-	9
	Males	21	5	-	-	-	-	5
	Females	13	4	-	-	-	-	4
Gonorrhea	Totals	2	1	-	-	-	-	1
	Males	1	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1
Cancer of mouth	Totals	112	-	-	-	-	-	-
	Males	90	-	-	-	-	-	-
	Females	22	-	-	-	-	-	-
Cancer of stomach and liver	Totals	1,186	2	-	-	-	-	2
	Males	560	-	-	-	-	-	-
	Females	626	2	-	-	-	-	2
Cancer of peritoneum, intestines and rectum	Totals	352	1	-	-	-	-	1
	Males	131	1	-	-	-	-	1
	Females	221	-	-	-	-	-	-
Cancer of female genital organs	Totals	458	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	458	-	-	-	-	-	-
Cancer of breast	Totals	274	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	273	-	-	-	-	-	-
Cancer of skin	Totals	134	-	-	-	-	-	-
	Males	90	-	-	-	-	-	-
	Females	44	-	-	-	-	-	-
Cancer of other organs and organs not specified	Totals	540	1	2	-	2	-	5
	Males	243	-	1	-	2	-	3
	Females	297	1	1	-	-	-	2
Other tumors	Totals	51	-	-	-	-	-	-
	Males	14	-	-	-	-	-	-
	Females	37	-	-	-	-	-	-
Acute articular rheumatism	Totals	170	-	-	-	5	-	5
	Males	94	-	-	-	2	-	2
	Females	76	-	-	-	3	-	3
Chronic rheumatism and gout	Totals	106	-	-	-	-	-	-
	Males	55	-	-	-	-	-	-
	Females	51	-	-	-	-	-	-
Scurvy	Totals	1	1	-	-	-	-	1
	Males	-	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1
Diabetes	Totals	468	-	2	3	2	3	10
	Males	223	-	1	2	1	2	6
	Females	245	-	1	1	1	1	4

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
13	10	28	38	38	18	18	13	17	12	8	17	16	8	4	4	2	-	1	-	1
8	1	10	13	12	5	9	3	8	5	3	13	5	3	3	2	1	-	-	-	-
5	9	18	25	26	13	9	10	9	7	5	4	11	5	1	2	1	-	1	-	1
3	6	3	2	4	2	4	2	2	-	1	4	4	-	-	1	-	-	-	-	-
2	3	3	1	2	1	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-
1	3	-	1	2	1	4	1	1	-	1	1	3	-	-	1	-	-	-	-	-
-	1	-	-	1	3	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	2	4	1	3	3	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-
1	1	2	1	1	2	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-
1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	6	5	-	3	4	4	2	5	4	2	4	6	3	2	-	-	-	-	-
1	-	3	2	-	-	3	3	1	2	2	-	2	5	2	1	-	-	-	-	-
1	2	3	3	-	3	1	1	1	3	2	2	2	1	1	1	-	-	-	-	-
8	12	20	31	25	16	19	11	12	10	5	5	8	5	-	3	-	-	-	-	1
4	3	12	16	6	4	11	6	4	9	3	2	4	5	-	1	-	-	-	-	1
4	9	8	15	19	12	8	5	8	1	2	3	4	-	-	2	-	-	-	-	-
-	2	-	2	-	2	1	-	-	1	-	-	1	-	1	-	-	-	-	-	1
-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
-	1	-	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	3	1	4	1	3	3	4	4	-	1	-	-	1	-	-	-	-	-
-	-	-	1	-	2	1	3	2	3	3	-	-	-	-	1	-	-	-	-	-
-	-	-	2	1	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	2	-	1	2	8	10	15	24	15	19	6	6	1	-	-	-
1	-	-	1	1	1	-	-	2	7	8	12	18	13	16	5	4	1	-	-	-
-	-	-	-	-	1	-	1	-	1	2	3	6	2	3	1	2	-	-	-	-
-	1	1	3	5	18	27	47	66	109	122	159	181	206	135	78	17	3	1	-	5
-	-	-	2	1	8	12	23	26	49	52	72	90	106	71	37	6	1	-	-	4
-	1	1	1	4	10	15	24	40	60	70	87	91	100	64	41	11	2	1	-	1
1	-	1	-	2	8	10	16	29	31	42	49	48	43	50	14	3	1	1	-	2
1	-	1	-	2	2	4	4	10	10	14	15	19	18	21	7	1	-	-	-	1
-	-	-	-	-	6	6	12	19	21	28	34	29	25	29	7	2	1	1	-	1
-	-	-	1	12	21	38	37	57	72	54	57	44	35	18	7	2	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	12	21	38	37	57	72	54	57	44	35	18	7	2	1	-	-	2
-	-	-	-	1	6	11	15	28	33	28	42	34	27	29	9	5	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	6	11	15	28	33	28	42	34	27	28	9	5	6	-	-	-
-	1	-	-	-	-	2	5	2	10	10	9	15	18	21	21	13	5	2	-	-
-	-	-	-	-	-	-	4	2	9	7	7	11	12	15	15	7	1	-	-	-
-	1	-	-	-	-	2	1	-	1	3	2	4	6	6	6	6	4	2	-	-
2	2	5	6	13	9	24	29	39	35	63	66	58	65	55	34	16	7	-	-	7
1	-	2	4	6	5	8	9	10	6	27	36	27	33	32	16	11	2	-	-	5
1	2	3	2	7	4	16	20	29	29	36	30	31	32	23	18	5	5	-	-	2
-	-	-	-	-	-	1	-	10	5	7	6	10	4	5	1	1	-	-	-	1
-	-	-	-	-	-	-	-	3	2	2	3	1	1	2	-	-	-	-	-	-
-	-	-	-	-	-	1	-	7	3	5	3	9	3	3	1	1	-	-	-	1
13	7	16	9	6	7	6	5	6	7	12	10	20	22	12	5	1	-	1	-	-
7	3	6	4	5	5	3	2	3	4	5	5	14	16	8	1	1	-	-	-	-
6	4	10	5	1	2	3	3	3	3	7	5	6	6	4	4	-	-	1	-	-
-	1	-	1	4	2	3	3	4	6	8	10	18	18	17	6	3	1	-	-	1
-	1	-	1	1	1	2	1	3	2	2	7	10	9	10	4	-	-	-	-	1
-	-	-	-	3	1	1	2	1	4	6	3	8	9	7	2	3	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	19	18	10	18	17	13	22	20	45	42	67	64	43	26	19	6	-	-	-	-
4	12	12	1	11	10	7	17	12	22	17	28	18	18	14	9	5	-	-	-	-
5	7	6	9	7	7	6	5	8	23	25	39	46	25	12	10	1	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Total.	0.	1.	2.	3.	4.	0–4.
Exophthalmic goiter	Totals	11	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Addison's disease	Totals	21	-	-	1	-	-	1
	Males	13	-	-	1	-	-	1
	Females	8	-	-	-	-	-	-
Leukemia	Totals	38	1	1	3	1	-	6
	Males	22	-	1	1	-	-	2
	Females	16	1	-	2	1	-	4
Anemia, chlorosis	Totals	257	28	8	2	1	2	41
	Males	96	13	2	1	-	1	17
	Females	161	15	6	1	1	1	24
Other general diseases	Totals	11	4	-	-	1	-	5
	Males	5	1	-	-	1	-	2
	Females	6	3	-	-	-	-	3
Alcoholism, acute or chronic	Totals	101	-	-	-	-	-	-
	Males	89	-	-	-	-	-	-
	Females	12	-	-	-	-	-	-
Chronic lead poisoning	Totals	3	-	-	-	2	-	2
	Males	2	-	-	-	1	-	1
	Females	1	-	-	-	1	-	1
Other chronic poisonings	Totals	17	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
	Females	11	-	-	-	-	-	-
Encephalitis	Totals	76	21	4	3	-	-	28
	Males	42	16	2	2	-	-	20
	Females	34	5	2	1	-	-	8
Simple meningitis	Totals	1,146	438	142	58	41	32	711
	Males	598	237	74	26	22	16	378
	Females	547	200	68	30	18	16	332
	Not stated	1	1	-	-	-	-	1
Epidemic cerebro-spinal meningitis	Totals	77	24	9	7	2	4	46
	Males	37	14	2	4	1	2	23
	Females	40	10	7	3	1	2	23
Progressive locomotor ataxia	Totals	99	1	-	-	-	-	1
	Males	66	1	-	-	-	-	1
	Females	33	-	-	-	-	-	-
Other diseases of the spinal cord	Totals	245	8	3	-	1	-	12
	Males	134	3	-	-	1	-	4
	Females	111	5	3	-	-	-	8
Congestion and hemorrhage of brain	Totals	3,446	49	12	4	-	1	66
	Males	1,722	28	7	1	-	-	36
	Females	1,724	21	5	3	-	1	30
Softening of the brain	Totals	195	-	-	-	-	-	-
	Males	109	-	-	-	-	-	-
	Females	86	-	-	-	-	-	-
Paralysis without specified cause	Totals	1,150	8	4	-	-	-	12
	Males	556	5	1	-	-	-	6
	Females	624	3	3	-	-	-	6
General paralysis	Totals	126	-	-	-	-	-	-
	Males	73	-	-	-	-	-	-
	Females	53	-	-	-	-	-	-
Other forms of mental alienation	Totals	344	-	-	-	-	-	-
	Males	136	-	-	-	-	-	-
	Females	208	-	-	-	-	-	-
Epilepsy	Totals	158	10	1	1	1	2	15
	Males	92	4	1	1	1	2	9
	Females	67	6	-	-	-	-	6
Eclampsia (non-puerperal)	Totals	51	-	-	-	-	-	-
	Males	12	-	-	-	-	-	-
	Females	39	-	-	-	-	-	-

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
-	-	1	-	2	3	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	2	-	3	2	4	1	4	2	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	3	2	1	-	4	1	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-	-
1	1	-	1	5	2	2	-	2	4	4	3	4	3	-	-	-	-	-	-	-
1	-	-	-	1	1	1	-	2	3	3	3	2	3	-	-	-	-	-	-	-
-	1	-	1	4	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-
3	8	6	13	17	19	7	22	11	23	23	15	16	12	16	2	5	-	-	-	-
2	-	2	3	1	4	2	3	4	11	8	8	12	8	7	1	3	-	-	-	-
1	8	4	10	16	15	5	19	7	12	15	7	4	4	9	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	1	8	9	21	16	13	10	6	8	3	1	1	2	-	-	-	-	1
-	-	1	1	7	8	17	14	11	10	5	8	2	1	1	2	-	-	-	-	1
-	-	-	-	1	1	4	2	2	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	3	1	2	1	3	2	1	1	1	1	-	-	-	-	-
-	-	-	1	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-
-	-	-	-	-	-	3	-	1	1	3	2	1	-	-	-	-	-	-	-	-
4	4	4	1	1	2	-	3	4	4	-	4	2	5	5	4	-	-	-	-	1
1	3	1	-	-	-	-	1	1	3	-	2	2	4	3	1	-	-	-	-	-
3	1	3	1	1	2	-	2	3	1	-	2	-	1	2	3	-	-	-	-	1
30	64	39	25	26	26	18	20	26	25	19	18	15	11	9	9	2	1	-	-	2
34	25	20	15	17	12	11	12	9	13	13	16	10	5	5	4	1	-	-	-	-
46	39	19	12	9	14	7	8	17	12	6	2	5	6	4	5	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	6	2	2	2	3	-	-	-	1	-	1	-	1	1	-	-	-	-	1
3	1	4	-	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
4	3	2	2	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	1	-	2	2	2	6	9	14	14	16	20	6	3	1	-	-	-	2
-	-	-	1	-	1	1	2	5	5	12	12	8	12	4	-	-	-	-	-	2
-	-	-	-	-	1	1	-	1	4	2	2	8	8	2	3	1	-	-	-	-
5	3	2	-	6	5	6	8	16	9	24	25	45	39	27	10	2	-	-	-	1
2	2	2	-	3	3	2	3	7	4	14	16	23	25	14	7	2	-	-	-	1
3	1	-	-	3	2	4	5	9	5	10	9	22	14	13	3	-	-	-	-	-
5	-	17	14	18	30	39	76	98	192	240	324	500	569	585	415	188	46	6	-	18
3	-	7	7	10	16	20	46	50	93	125	162	256	289	294	191	90	17	1	-	9
2	-	10	7	8	14	19	30	48	99	115	162	244	280	291	224	98	29	5	-	9
1	-	-	1	-	-	-	3	5	8	11	17	27	32	46	31	9	2	1	-	1
1	-	-	1	-	-	-	-	5	3	6	11	13	19	30	15	3	2	1	-	-
-	-	-	-	-	-	-	3	-	5	5	6	14	14	16	16	6	-	-	-	1
1	4	4	-	8	13	13	21	40	59	67	120	157	190	218	161	63	24	1	-	4
1	3	2	-	4	5	11	11	22	29	25	54	76	80	109	80	24	13	-	-	1
-	1	2	-	4	8	2	10	18	30	42	66	81	110	109	81	39	11	1	-	3
-	-	-	-	1	2	5	3	8	6	11	12	19	17	16	16	7	1	1	-	1
-	-	-	-	1	2	3	2	7	4	6	7	8	9	8	10	5	-	-	-	1
-	-	-	-	-	-	2	1	1	2	5	5	11	8	8	6	2	1	1	-	-
-	1	3	9	8	26	23	38	27	32	31	30	43	30	23	10	6	1	1	-	2
-	-	2	4	4	10	13	14	7	8	13	12	15	11	11	6	4	1	-	-	1
-	1	1	5	4	16	10	24	20	24	18	18	28	19	12	4	2	-	1	-	1
3	4	15	19	9	14	10	11	6	8	7	9	7	9	3	6	1	-	-	-	3
3	3	6	11	5	7	7	6	6	3	4	4	5	5	1	3	1	-	-	-	3
-	1	9	8	4	7	3	5	-	5	3	5	2	4	2	3	-	-	-	-	-
13	2	5	4	11	3	2	2	2	2	3	1	-	-	-	-	-	-	-	-	1
5	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	1
8	2	5	3	11	3	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Convulsions of children	Totals	457	328	72	35	12	9	456
	Males	256	187	41	21	2	5	256
	Females	201	141	31	14	10	4	200
Tetanus	Totals	44	4	-	-	-	2	6
	Males	28	4	-	-	-	2	6
	Females	16	-	-	-	-	-	-
Chorea	Totals	4	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Other diseases of nervous system	Totals	422	31	7	3	3	1	45
	Males	204	14	5	-	1	-	20
	Females	217	16	2	3	2	1	24
	Not stated	1	1	-	-	-	-	1
Diseases of the eye and its adnexa	Totals	3	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Diseases of the ear	Totals	8	5	-	1	-	-	6
	Males	7	5	-	-	-	-	5
	Females	1	-	-	1	-	-	1
Pericarditis	Totals	49	-	-	-	-	1	1
	Males	26	-	-	-	-	-	-
	Females	23	-	-	-	-	1	1
Acute endocarditis	Totals	206	3	-	-	1	1	5
	Males	107	3	-	-	1	-	4
	Females	99	-	-	-	-	1	1
Organic diseases of heart	Totals	5,069	83	9	2	3	4	101
	Males	2,870	54	3	1	3	1	62
	Females	2,199	29	6	1	-	3	39
Angina pectoris	Totals	415	-	-	-	-	-	-
	Males	245	-	-	-	-	-	-
	Females	170	-	-	-	-	-	-
Affections of the arteries (atheroma, aneurism, etc.)	Totals	178	-	1	-	-	-	1
	Males	121	-	-	-	-	-	-
	Females	57	-	1	-	-	-	1
Embolism and thrombosis	Totals	201	3	-	-	-	-	3
	Males	89	2	-	-	-	-	2
	Females	112	1	-	-	-	-	1
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	Totals	17	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	10	-	-	-	-	-	-
Affections of the lymphatic system	Totals	2	1	-	-	-	-	1
	Males	2	1	-	-	-	-	1
	Females	-	-	-	-	-	-	-
Hemorrhages	Totals	80	16	3	1	-	-	20
	Males	34	9	1	-	-	-	10
	Females	46	7	2	1	-	-	10
Other affections of the circulatory system	Totals	3	3	-	-	-	-	3
	Males	-	-	-	-	-	-	-
	Females	3	3	-	-	-	-	3
Diseases of the nasal fossae	Totals	4	1	1	-	-	-	2
	Males	3	1	-	-	-	-	1
	Females	1	-	1	-	-	-	1
Affections of the larynx	Totals	79	15	19	9	4	3	50
	Males	43	8	14	3	2	-	27
	Females	36	7	5	6	2	3	23
Affections of the thyroid body	Totals	13	-	-	-	1	-	1
	Males	-	-	-	-	-	-	-
	Females	13	-	-	-	1	-	1
Acute bronchitis	Totals	623	309	74	23	11	4	421
	Males	298	176	35	10	6	1	228
	Females	325	133	39	13	5	3	193

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100+.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
4	6	4	1	6	3	2	4	2	1	-	1	-	2	1	-	1	-	-	-	-
3	5	4	-	2	-	1	2	1	1	-	1	-	1	1	-	-	-	-	-	-
1	1	-	1	4	3	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-
-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10	7	12	11	11	16	19	16	23	40	35	37	47	34	39	14	5	-	-	-	1
8	3	7	4	3	8	8	10	13	18	17	21	23	15	18	7	1	-	-	-	-
2	4	5	7	8	8	11	6	10	22	18	16	24	19	21	7	4	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	3	2	2	2	1	-	1	3	2	4	6	8	5	3	-	-	-	-	-
2	1	2	-	2	2	-	-	-	3	2	2	3	4	3	-	-	-	-	-	-
1	2	1	2	-	-	1	-	1	-	-	2	3	4	2	3	-	-	-	-	-
7	3	6	5	6	4	6	8	7	10	15	22	26	27	30	11	7	1	-	-	-
3	3	3	1	4	2	2	5	6	5	7	14	9	13	14	6	5	1	-	-	-
4	-	3	4	2	2	4	3	1	5	8	8	17	14	16	5	2	-	-	-	-
20	33	46	50	80	86	106	125	180	243	392	528	780	771	746	520	231	51	6	-	24
5	13	24	19	34	33	56	58	93	139	227	324	443	460	435	300	110	18	2	-	15
15	20	22	31	46	53	50	67	87	104	165	204	287	311	311	220	121	33	4	-	9
1	-	2	7	6	4	2	9	27	27	33	49	63	61	59	41	17	4	1	-	2
-	-	1	2	1	2	1	6	20	19	22	36	33	38	27	22	11	2	-	-	2
1	-	1	5	5	2	1	3	7	8	11	13	30	23	32	19	6	2	1	-	-
-	-	-	-	-	-	8	3	2	7	5	20	24	33	27	25	14	8	-	-	1
-	-	-	-	-	-	4	2	1	4	3	17	16	19	25	15	8	7	-	-	-
-	-	-	-	-	-	4	1	1	3	2	3	8	14	2	10	6	1	-	-	1
-	3	7	7	8	5	5	14	10	11	18	17	28	14	34	8	5	2	1	-	1
-	-	-	2	2	2	-	3	5	7	8	10	14	11	18	4	1	-	-	-	-
-	3	7	5	6	3	5	11	5	4	10	7	14	3	16	4	4	2	1	-	1
-	-	-	-	-	1	-	1	-	1	1	3	4	4	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	2	2	3	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	-	4	3	3	11	1	3	3	4	5	7	7	1	1	2	1	-	-	-
2	-	-	2	-	1	5	1	1	2	2	2	3	1	-	-	1	1	-	-	-
1	1	-	2	3	2	6	-	2	1	2	3	4	6	1	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	1	2	1	1	2	1	-	1	1	1	-	2	-	1	-	-	-	-	-	-
10	-	1	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
5	1	1	-	-	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	2	1	1	1	4	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	2	1	1	1	4	-	1	-	-	-	-	-	-	-
4	3	3	4	2	2	-	2	1	5	3	12	19	26	36	37	32	7	3	-	1
-	1	-	3	1	1	-	-	-	1	-	3	9	18	9	11	14	3	1	-	-
4	2	3	1	1	1	-	2	1	4	3	9	10	13	27	26	18	4	2	-	1

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	0.	1.	2.	3.	4.	5.
Chronic bronchitis	Totals	490	8	4	-	1	-	13
	Males	206	4	-	-	1	-	5
	Females	284	4	4	-	-	-	8
Broncho pneumonia	Totals	721	185	84	36	10	9	324
	Males	330	91	42	18	5	5	161
	Females	390	93	42	18	5	4	162
	Not stated	1	1	-	-	-	-	1
Pneumonia	Totals	4,362	564	197	88	47	28	924
	Males	2,174	313	103	42	24	17	499
	Females	2,185	250	94	46	23	11	424
	Not stated	3	1	-	-	-	-	1
Pleurisy	Totals	102	5	2	-	1	-	8
	Males	64	2	1	-	-	-	3
	Females	38	3	1	-	1	-	5
Congestion of the lungs, pulmonary apoplexy	Totals	278	59	12	1	4	-	76
	Males	138	35	6	1	2	-	44
	Females	140	24	6	-	2	-	32
Gangrene of the lungs	Totals	18	-	-	-	-	-	-
	Males	15	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Asthma	Totals	110	7	4	1	-	-	12
	Males	59	3	2	-	-	-	5
	Females	51	4	2	1	-	-	7
Emphysema of the lungs	Totals	16	-	-	-	-	-	-
	Males	10	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted)	Totals	136	15	2	-	-	1	18
	Males	71	6	-	-	-	1	7
	Females	65	9	2	-	-	-	11
Affections of the mouth and its adnexa	Totals	19	13	-	1	-	-	14
	Males	12	6	-	1	-	-	7
	Females	7	7	-	-	-	-	7
Affections of the pharynx	Totals	81	9	3	1	6	5	24
	Males	44	4	1	-	3	3	11
	Females	37	5	2	1	3	2	13
Affections of the esophagus	Totals	6	-	1	-	-	-	1
	Males	2	-	-	-	-	-	-
	Females	4	-	1	-	-	-	1
Ulcer of the stomach	Totals	92	-	1	-	-	-	1
	Males	39	-	1	-	-	-	1
	Females	53	-	-	-	-	-	-
Other affections of the stomach (cancer excepted)	Totals	736	146	24	8	4	4	186
	Males	359	89	13	7	3	2	114
	Females	377	57	11	1	1	2	72
Infantile diarrhea (under two years)	Totals	2,260	1960	293	-	-	-	2253
	Males	1,264	1111	150	-	-	-	1261
	Females	995	849	143	-	-	-	992
	Not stated	1	-	-	-	-	-	-
Diarrhea and enteritis (two years and over)	Totals	525	-	1	83	35	12	131
	Males	263	-	-	45	27	5	77
	Females	262	-	1	38	8	7	54
Intestinal parasites	Totals	10	1	4	1	1	-	7
	Males	8	1	4	1	-	-	6
	Females	2	-	-	-	1	-	1
Hernias and other intestinal obstructions	Totals	370	43	10	4	4	2	63
	Males	186	29	7	4	1	-	41
	Females	184	14	3	-	3	2	22
Other affections of the intestines	Totals	136	26	1	-	1	5	33
	Males	67	13	1	-	1	-	15
	Females	69	13	-	-	-	5	18
Acute yellow atrophy of liver	Totals	22	3	-	-	-	-	3
	Males	9	2	-	-	-	-	2
	Females	13	1	-	-	-	-	1

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

0-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
3	3	5	1	4	7	8	3	5	10	29	32	49	79	87	77	41	23	7	1	3
3	-	3	-	3	2	3	1	3	6	12	17	19	24	42	34	16	9	2	-	2
-	3	2	1	1	5	5	2	2	4	17	15	30	55	45	43	25	14	5	1	1
22	8	3	8	5	4	6	8	16	12	22	26	35	54	60	45	48	15	3	-	2
11	1	1	5	1	2	5	4	10	7	6	14	11	21	24	20	19	3	2	-	2
11	2	2	3	4	2	1	4	6	5	16	12	24	33	36	25	29	12	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	51	97	132	113	121	152	147	175	225	214	265	363	348	400	301	162	52	15	-	20
49	22	43	81	60	68	86	85	104	117	110	116	165	151	185	124	73	20	5	-	11
36	29	54	51	53	53	66	62	71	108	104	149	198	197	215	177	89	32	10	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
4	1	6	10	4	6	5	6	6	6	6	1	4	10	8	7	3	1	-	-	-
3	1	4	8	8	3	4	4	4	3	4	-	3	5	5	4	2	1	-	-	-
1	-	2	2	1	3	1	2	2	3	2	1	1	5	3	3	1	-	-	-	-
4	-	5	6	5	11	9	6	10	5	17	9	17	31	29	11	15	6	1	1	-
3	-	2	3	1	6	2	2	7	3	8	5	9	15	13	4	7	3	1	-	-
5	-	3	3	4	5	7	4	3	2	9	4	8	16	16	7	8	3	-	1	-
-	1	1	1	-	1	1	-	-	-	5	2	2	2	1	1	-	-	-	-	-
-	-	1	1	-	1	1	-	-	-	3	2	2	2	1	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	2	7	3	6	6	10	15	20	18	6	-	-	1	-	2
-	-	-	1	1	-	-	4	1	4	2	4	7	15	10	3	-	-	1	-	1
-	-	-	-	-	-	2	3	2	2	4	6	8	5	8	3	-	-	-	-	1
-	-	-	-	1	-	-	-	1	2	-	4	1	2	3	-	1	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	2	-	2	2	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-
2	1	6	9	7	5	7	5	8	7	13	11	16	8	5	3	3	2	-	-	-
-	-	3	3	3	2	4	4	6	6	7	8	9	3	-	2	2	2	-	-	-
2	1	3	6	4	3	3	1	2	1	6	3	7	5	5	1	1	-	-	-	-
-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	3	4	2	2	5	4	2	1	3	4	1	3	5	2	2	-	1	-	-	-
7	2	4	2	2	5	2	2	1	-	2	1	-	2	-	-	-	1	-	-	-
6	1	-	-	-	-	2	-	-	3	2	-	3	3	2	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
1	-	2	5	5	5	4	6	2	4	11	10	11	9	4	8	3	-	-	-	1
-	-	1	1	1	1	2	-	2	2	5	4	4	7	-	5	3	-	-	-	-
1	-	1	4	4	4	2	6	-	2	6	6	7	2	4	3	-	-	-	-	1
10	4	7	11	14	25	17	18	20	26	47	51	68	61	75	56	28	8	-	-	4
5	1	3	1	6	8	7	9	7	12	25	22	28	36	37	23	9	4	-	-	2
5	3	4	10	8	17	10	9	13	14	22	29	40	25	38	33	19	4	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
22	10	3	8	17	2	11	14	16	22	34	33	38	40	51	39	27	3	2	-	2
10	7	2	4	6	-	4	7	5	11	17	19	18	21	25	18	9	2	-	-	1
12	3	1	4	11	2	7	7	11	11	17	14	20	19	26	21	18	1	2	-	1
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9	5	7	11	8	6	13	16	16	20	30	36	37	33	24	12	4	1	-	6
6	6	3	5	6	4	2	3	6	7	7	11	18	17	19	12	6	3	1	-	3
7	3	2	2	5	4	4	10	10	9	13	19	18	20	14	12	6	1	-	-	3
3	2	5	3	10	6	2	5	1	5	7	10	9	13	12	4	6	-	-	-	-
4	2	2	-	5	3	1	2	-	3	2	6	4	5	8	3	5	-	-	-	-
2	-	3	3	5	3	1	3	1	2	5	4	5	8	4	1	1	-	-	-	-
1	-	1	1	4	-	-	-	2	2	1	4	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	1	1	-	-	2	-	-	-	-	-	-
1	-	1	1	4	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	0.	1.	2.	3	4.	0-4.
Hydatid tumors of the liver	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Cirrhosis of the liver	Totals	242	2	-	-	-	-	2
	Males	153	1	-	-	-	-	1
	Females	89	1	-	-	-	-	1
Biliary calculi	Totals	72	-	-	-	-	-	-
	Males	23	-	-	-	-	-	-
	Females	49	-	-	-	-	-	-
Other affections of the liver	Totals	336	19	3	-	-	-	22
	Males	190	13	1	-	-	-	14
	Females	146	6	2	-	-	-	8
Affections of the spleen	Totals	13	-	-	-	-	-	-
	Males	10	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Inflammatory peritonitis (puerperal excepted)	Totals	388	27	8	5	4	4	48
	Males	164	15	4	3	3	1	26
	Females	224	12	4	2	1	3	22
Other affections of the digestive system (cancer and tuberculosis excepted)	Totals	3	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	Totals	329	2	2	5	2	5	16
	Males	192	-	2	3	1	4	10
	Females	137	2	-	2	1	1	6
Acute nephritis	Totals	272	11	6	5	2	1	25
	Males	141	4	5	5	1	1	16
	Females	131	7	1	-	1	-	9
Bright's disease	Totals	2,741	15	2	1	5	5	28
	Males	1,597	7	1	-	1	3	12
	Females	1,144	8	1	1	4	2	16
Other diseases of the kidneys and their adnexa	Totals	117	6	2	-	-	-	8
	Males	76	5	1	-	-	-	6
	Females	41	1	1	-	-	-	2
Calculi of the urinary tract	Totals	10	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Diseases of the bladder	Totals	256	6	-	-	-	-	6
	Males	230	5	-	-	-	-	5
	Females	26	1	-	-	-	-	1
Diseases of the urethra, urinary abscess etc.	Totals	9	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Disease of the prostate	Totals	102	-	-	-	-	-	-
	Males	102	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Non-venereal diseases of the male genital organs	Totals	5	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	Totals	16	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	16	-	-	-	-	-	-
Uterine tumor (non-cancerous)	Totals	27	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	27	-	-	-	-	-	-
Other diseases of the uterus	Totals	57	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	57	-	-	-	-	-	-
Cysts and other tumors of ovary	Totals	53	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	53	-	-	-	-	-	-
Other diseases of female genital organs	Totals	36	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	36	-	-	-	-	-	-

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	4	2	2	9	15	13	15	21	39	42	31	26	16	3	-	-	-	1
-	1	-	2	1	2	6	10	9	10	16	25	26	16	15	12	1	-	-	-	-
-	-	-	2	1	-	3	5	4	5	5	14	16	15	11	4	2	-	-	-	1
-	-	1	1	2	5	4	3	3	4	11	11	13	8	5	1	-	-	-	-	-
-	-	-	-	2	-	2	-	1	1	2	5	6	3	1	-	-	-	-	-	-
-	-	1	1	-	5	2	3	2	3	9	6	7	5	4	1	-	-	-	-	-
5	4	3	6	5	11	11	16	19	21	32	32	41	40	28	27	11	1	-	-	1
3	1	2	4	2	6	5	9	9	18	15	19	25	21	16	13	7	-	-	-	1
2	3	1	2	3	5	6	7	10	3	17	13	16	19	12	14	4	1	-	-	-
-	-	1	-	1	1	-	1	3	3	-	-	1	2	-	-	-	-	-	-	-
-	-	-	-	1	1	-	1	3	2	-	-	1	1	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
21	25	35	31	32	24	28	16	15	26	18	17	18	14	10	6	4	-	-	-	-
11	11	14	12	11	7	6	6	4	7	12	10	8	9	4	4	-	-	-	-	-
20	14	21	19	21	17	20	10	11	19	6	7	10	5	6	2	4	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
37	47	42	40	22	26	12	19	17	13	6	10	8	7	2	2	3	-	-	-	-
16	24	27	30	14	16	6	14	10	7	4	5	5	3	-	-	1	-	-	-	-
21	23	15	10	8	10	6	5	7	6	2	5	3	4	2	2	2	-	-	-	-
13	5	16	13	19	18	11	18	15	15	14	17	18	24	20	7	1	2	-	-	1
9	2	8	4	8	4	3	9	7	10	5	7	9	17	15	4	1	2	-	-	1
4	3	8	9	11	14	8	9	8	5	9	10	9	7	5	3	-	-	-	-	-
10	17	32	45	65	62	84	128	151	188	242	286	401	404	297	190	77	16	3	1	14
5	8	10	16	24	28	30	56	84	112	136	165	242	269	198	134	50	9	-	-	9
5	9	22	29	41	34	54	72	67	76	106	121	159	135	99	56	27	7	3	1	5
-	-	3	2	3	9	5	2	5	7	6	10	18	8	12	11	5	3	-	-	-
-	-	2	1	1	6	2	1	3	2	4	8	12	5	9	9	3	2	-	-	-
-	-	1	1	2	3	3	1	2	5	2	2	6	3	3	2	2	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1	2	1	2	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-
1	-	-	-	2	1	2	3	5	5	6	16	40	47	53	33	27	5	1	-	3
1	-	-	-	2	1	1	3	1	5	4	16	39	44	43	33	24	4	1	-	3
-	-	-	-	-	-	1	-	4	-	2	-	1	3	10	-	3	1	-	-	-
-	-	-	-	1	-	3	-	1	-	-	2	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	5	5	14	21	24	20	9	2	1	-	-
-	-	-	-	-	-	1	-	-	-	5	5	14	21	24	20	9	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	3	4	-	5	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	3	4	-	5	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	3	-	7	3	5	2	2	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	3	-	7	3	5	2	2	2	-	-	-	-	-	-	-
-	-	4	5	7	4	6	14	7	3	2	1	-	2	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	4	5	7	4	6	14	7	3	2	1	-	2	-	2	-	-	-	-	-
-	-	-	1	2	5	3	6	3	5	6	2	5	8	5	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	5	3	6	3	5	6	2	5	8	5	2	-	-	-	-	-
-	-	1	6	11	3	5	3	4	-	1	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	6	11	3	5	3	4	-	1	-	1	1	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Total.	0.	1.	2.	3.	4.	0–4.
Non-puerperal diseases of the breast (cancer excepted)	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Accidents of pregnancy	Totals	91	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	91	-	-	-	-	-	-
Puerperal hemorrhage	Totals	30	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	30	-	-	-	-	-	-
Other accidents of labor	Totals	41	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	41	-	-	-	-	-	-
Puerperal septicemia	Totals	159	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	159	-	-	-	-	-	-
Puerperal albuminuria and eclampsia	Totals	70	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	70	-	-	-	-	-	-
Other puerperal accidents sudden death	Totals	83	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	83	-	-	-	-	-	-
Gangrene	Totals	326	7	-	-	-	-	7
	Males	187	5	-	-	-	-	5
	Females	139	2	-	-	-	-	2
Furuncle (boil, carbuncle)	Totals	16	-	-	-	-	-	-
	Males	13	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Phlegmon, acute abscess	Totals	38	6	2	-	1	-	9
	Males	22	4	2	-	-	-	6
	Females	16	2	-	-	1	-	3
Other diseases of the skin and its adnexa	Totals	21	6	1	-	1	-	8
	Males	8	2	1	-	-	-	3
	Females	13	4	-	-	1	-	5
Affections of the bones (non-tuberculous)	Totals	55	4	5	1	-	-	10
	Males	32	3	2	1	-	-	6
	Females	23	1	3	-	-	-	4
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Totals	3	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Amputation	Totals	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Other affections of the organs of locomotion	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Malformations, congenital (still births excepted)	Totals	312	286	10	-	2	1	299
	Males	167	155	4	-	-	-	159
	Females	143	129	6	-	2	1	138
	Not stated	2	2	-	-	-	-	2
Congenital icterus, debility and sclerema	Totals	1,824	1670	-	-	-	-	1670
	Males	1,030	937	-	-	-	-	937
	Females	767	714	-	-	-	-	714
	Not stated	27	19	-	-	-	-	19
Other diseases of early infancy	Totals	128	126	-	-	-	-	126
	Males	68	67	-	-	-	-	67
	Females	59	58	-	-	-	-	58
	Not stated	1	1	-	-	-	-	1
Lack of care	Totals	252	252	-	-	-	-	252
	Males	144	144	-	-	-	-	144
	Females	106	106	-	-	-	-	106
	Not stated	2	2	-	-	-	-	2

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100+.	Unknown.
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	6	20	24	22	12	5	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	6	20	24	22	12	5	-	-	-	-	-	-	-	-	-	-	-	-	2
-	1	-	6	6	8	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	6	6	8	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	5	7	9	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	5	7	9	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	14	50	35	36	15	7	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	14	50	35	36	15	7	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	12	19	14	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	12	19	14	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	14	25	16	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	14	25	16	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	2	4	6	12	24	34	51	63	59	39	13	4	1	2
-	-	-	-	-	-	-	2	3	3	6	9	10	26	47	40	25	6	2	1	2
1	-	-	-	-	1	3	-	1	3	6	15	24	25	16	19	14	7	2	-	-
-	-	-	-	-	-	-	-	1	1	1	4	3	3	1	1	1	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	3	2	3	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
2	1	2	2	1	2	4	1	1	2	3	-	2	2	2	1	-	1	-	-	-
1	1	2	2	-	1	4	-	-	1	1	-	-	1	1	-	-	1	-	-	-
1	-	-	-	1	1	-	1	1	1	2	-	2	1	1	1	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	1	-	1	1	4	1	1	-	-	1	-
-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	1	-
2	4	1	1	2	2	2	1	2	5	4	7	2	3	4	2	-	-	-	-	1
1	3	-	1	1	2	1	1	-	2	2	4	2	1	2	2	-	-	-	-	1
1	1	1	-	1	-	1	-	2	3	2	3	-	2	2	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Old age	Totals	3,544	-	-	-	-	-	-
	Males	1,574	-	-	-	-	-	-
	Females	1,970	-	-	-	-	-	-
Suicide by poison	Totals	60	-	-	-	-	-	-
	Males	41	-	-	-	-	-	-
	Females	19	-	-	-	-	-	-
Suicide by asphyxia	Totals	2	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals	129	-	-	-	-	-	-
	Males	107	-	-	-	-	-	-
	Females	22	-	-	-	-	-	-
Suicide by drowning	Totals	57	-	-	-	-	-	-
	Males	30	-	-	-	-	-	-
	Females	27	-	-	-	-	-	-
Suicide by firearms	Totals	124	-	-	-	-	-	-
	Males	118	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Suicide by cutting instruments	Totals	34	-	-	-	-	-	-
	Males	26	-	-	-	-	-	-
	Females	8	-	-	-	-	-	-
Suicide by jumping from high places	Totals	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Other suicides	Totals	14	-	-	-	-	-	-
	Males	10	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Fractures	Totals	267	3	1	-	2	-	6
	Males	169	2	-	-	2	-	4
	Females	98	1	1	-	-	-	2
Dislocations and sprains	Totals	4	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Other accidental injuries	Totals	764	13	4	16	7	6	46
	Males	655	10	3	12	4	2	31
	Females	109	3	1	4	3	4	15
Burns and scalds	Totals	202	5	14	23	15	8	65
	Males	78	2	4	17	9	2	34
	Females	124	3	10	6	6	6	31
Sunstroke	Totals	18	2	-	1	-	-	3
	Males	13	-	-	-	-	-	-
	Females	5	2	-	1	-	-	3
Freezing	Totals	19	-	-	-	-	-	-
	Males	17	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Electric shock	Totals	15	-	-	-	-	-	-
	Males	14	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Accidental drowning	Totals	574	4	8	3	4	18	37
	Males	524	3	6	2	4	16	31
	Females	48	1	2	1	-	2	6
	Not stated	2	-	-	-	-	-	-
Inanition	Totals	5	1	-	-	-	-	1
	Males	4	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted)	Totals	65	3	-	-	2	1	6
	Males	45	3	-	-	1	1	5
	Females	20	-	-	-	1	-	1
Other acute poisonings	Totals	112	14	13	13	8	5	53
	Males	65	9	6	6	4	1	26
	Females	47	5	7	7	4	4	27

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	6	46	267	580	1012	953	485	143	23	19
-	-	-	-	-	-	-	-	-	-	-	4	18	121	267	483	420	192	51	8	10
-	-	-	-	-	-	-	-	-	-	-	2	28	146	323	529	533	293	92	15	9
-	1	4	6	4	5	8	5	6	6	5	2	5	1	-	-	1	-	-	-	1
-	-	1	5	3	3	6	5	3	6	3	1	4	-	-	-	1	-	-	-	-
-	1	3	1	1	2	2	-	3	-	2	1	1	1	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	3	-	7	4	12	15	16	12	19	8	10	9	2	6	1	-	-	2
-	1	2	3	-	6	3	9	11	15	12	16	6	7	6	2	5	1	-	-	2
-	-	-	-	-	1	1	3	4	1	-	3	2	3	3	-	1	-	-	-	-
-	-	2	4	6	3	7	2	5	5	10	4	2	3	1	1	-	-	-	-	2
-	-	-	-	4	1	6	-	3	4	5	1	-	2	1	1	-	-	-	-	2
-	-	2	4	2	2	1	2	2	1	5	3	2	1	-	-	-	-	-	-	-
-	-	1	17	10	16	12	11	14	11	4	6	7	7	3	1	-	1	-	-	3
-	-	1	15	9	14	12	11	13	11	4	6	7	7	3	1	-	1	-	-	3
-	-	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	3	4	4	3	4	4	2	4	-	1	-	1	-	-	-	1
-	-	-	-	1	3	4	3	2	3	3	2	3	-	1	-	-	-	-	-	1
-	-	-	1	1	-	-	1	1	1	1	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	1	2	3	-	2	2	-	1	-	-	-	-	-	1
-	-	-	-	1	-	1	1	1	2	-	1	1	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
5	2	11	17	19	13	12	7	9	10	12	10	14	14	25	33	27	15	4	-	2
3	2	11	16	19	12	11	7	9	8	11	9	10	7	8	10	5	5	1	-	1
2	-	-	1	-	1	1	-	-	2	1	1	4	7	17	23	22	10	3	-	1
-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	35	54	74	62	50	46	43	43	38	31	32	41	43	33	21	14	7	7	-	14
21	31	52	74	60	48	45	41	42	36	27	26	31	34	22	10	3	4	3	-	14
9	4	2	-	2	2	1	2	1	2	4	6	10	9	11	11	11	3	4	-	-
17	5	11	11	7	15	7	8	5	6	6	4	7	9	7	8	3	1	-	-	-
4	1	3	5	5	8	2	3	1	2	1	1	2	3	-	3	-	-	-	-	-
13	4	8	6	2	7	5	5	4	4	5	3	5	6	7	5	3	1	-	-	-
-	1	-	-	2	-	1	-	-	-	1	1	-	6	1	1	1	-	-	-	-
-	1	-	-	2	-	1	-	-	-	1	1	-	5	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	1	-	1	-	1	2	3	3	1	2	2	-	2	-	-	-	-	-	1
-	-	1	-	1	-	1	2	3	2	1	1	2	-	2	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	3	1	4	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
-	-	3	1	4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
62	69	83	86	41	30	40	16	18	17	16	10	12	1	4	2	-	-	-	-	30
56	65	78	77	35	28	38	14	16	16	16	9	12	1	3	1	-	-	-	-	28
6	4	5	9	6	2	2	2	2	1	-	1	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
7	2	5	1	6	4	4	2	7	3	2	-	5	3	3	1	3	-	1	-	-
5	2	2	-	3	3	3	2	6	3	1	-	3	3	1	-	3	-	-	-	-
2	-	3	1	3	1	1	-	1	-	1	-	2	-	2	1	-	-	1	-	-
5	2	2	5	3	6	5	6	5	10	2	3	1	3	-	-	-	-	-	-	1
3	1	1	1	3	5	2	4	4	8	1	2	-	3	-	-	-	-	-	-	1
2	1	1	4	-	1	3	2	1	2	1	1	1	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Other external violence..	Totals.....	184	98	3	4	2	1	108
	Males.....	116	61	1	1	-	1	64
	Females...	68	37	2	3	2	-	44
Dropsy.....	Totals.....	175	1	2	-	-	1	4
	Males.....	85	-	1	-	-	-	1
	Females...	90	1	1	-	-	1	3
Sudden death.....	Totals.....	140	20	-	-	1	1	22
	Males.....	91	8	-	-	-	-	8
	Females...	48	12	-	-	1	1	14
	Not stated.	1	-	-	-	-	-	-
Unspecified or ill-defined causes of death.	Totals.....	2,056	816	55	18	7	8	904
	Males.....	1,003	445	29	9	3	4	490
	Females...	1,048	368	26	9	4	4	411
	Not stated.	5	3	-	-	-	-	3

Digitized by Google

No. 32—Concluded.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100+.	Unknown.
2	6	5	6	8	7	3	2	5	5	2	6	4	1	4	3	-	-	-	-	7
1	3	3	3	7	5	3	-	5	4	1	4	3	1	4	1	-	-	-	-	4
1	3	2	3	1	2	-	2	-	1	1	2	1	-	-	2	-	-	-	-	3
2	3	2	1	3	3	5	-	6	8	9	13	22	29	38	16	4	5	1	-	1
2	-	2	-	-	2	2	-	3	4	5	7	10	14	22	5	2	3	-	-	1
-	3	-	1	3	1	3	-	3	4	4	6	12	15	16	11	2	2	1	-	-
-	-	3	5	3	5	1	6	3	8	7	18	13	19	9	3	6	1	-	-	8
-	-	2	3	1	5	-	2	3	4	5	15	11	14	7	2	5	-	-	-	4
-	-	1	2	2	-	1	4	-	4	2	3	2	5	2	1	1	1	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
21	12	20	29	27	25	46	46	42	49	63	124	154	138	142	93	66	24	2	-	29
9	5	10	11	10	12	12	19	10	22	36	58	67	68	65	47	32	8	-	-	17
12	7	10	18	17	13	34	27	32	27	27	66	87	75	77	45	34	16	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Special

The State and Counties.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE	694,466	32	7	110
Androscoggin	54,242	2	1	7
Aroostook	60,744	-	2	15
Cumberland	100,689	1	1	16
Franklin	18,444	2	-	-
Hancock	37,241	3	-	2
Kennebec	59,117	2	-	9
Knox	30,406	9	-	1
Lincoln	19,669	-	-	2
Oxford	32,238	-	-	5
Penobscot	76,246	3	-	16
Piscataquis	16,949	-	-	-
Sagadahoc	20,330	1	-	6
Somerset	33,849	4	-	9
Waldo	24,165	1	-	1
Washington	45,232	1	-	5
York	64,885	3	3	16
ANDROSCOGGIN COUNTY	53,806	2	1	7
Auburn	12,951	-	-	1
Durham	1,230	-	-	1
East Livermore	2,129	1	-	-
Greene	826	-	-	-
Leeds	1,065	-	-	-
Lewiston	23,761	1	1	2
Lisbon	3,603	-	-	-
Livermore	1,125	-	-	-
Mechanic Falls	1,687	-	-	-
Minot	808	-	-	-
Poland	1,648	-	-	-
Turner	1,842	-	-	-
Webster	1,131	-	-	3
AROOSTOOK COUNTY	54,493	-	2	15
Ashland	1,080	-	-	-
Bancroft	318	-		-
Benedicta	350	-	-	-
Blaine	954	-	-	-
Bridgewater	1,179	-	-	-
Caribou	4,758	-	-	-
Castle Hill	567	-	-	-
Dyer Brook	280	-	-	-
Easton	1,215	-	-	-
Fort Fairfield	4,181	-	-	-
Fort Kent	2,528	-	-	-
Frenchville	1,316	-	-	4
Grand Isle	1,104	-	-	-
Haynesville	316	-	-	-
Hersey	199	-	-	-
Hodgdon	1,130	-	-	-
Houlton	4,686	-	-	1
Island Falls	1,063	-	-	2
Limestone	1,131	-	-	-

Digitized by Google

No. 33.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
38	156	27	32	50	243	35	111	12	561	894	215	11
2	13	2	1	7	15	-	9	1	73	61	20	1
2	12	1	4	2	18	7	13	2	116	60	8	-
10	22	6	7	7	36	3	11	2	64	129	45	-
1	1	-	2	3	10	-	2	-	11	18	2	-
-	5	2	2	-	11	-	6	-	23	40	12	-
2	14	2	3	1	25	3	7	2	39	85	9	2
1	3	2	1	3	9	1	7	2	14	47	8	-
-	1	1	2	2	5	-	5	-	3	13	6	-
-	4	3	1	4	12	2	8	-	18	28	16	-
8	30	-	-	10	33	5	14	-	76	132	40	4
1	3	1	-	1	5	2	-	1	9	20	3	-
1	4	2	2	1	6	1	3	-	7	27	2	1
2	3	-	3	1	16	1	10	-	21	43	6	-
1	4	-	1	4	4	1	2	-	5	43	4	-
4	6	2	1	-	21	4	7	1	26	71	13	2
3	31	3	2	4	17	5	7	1	56	77	21	1
2	13	2	1	7	15	-	9	1	73	61	20	1
-	2	-	1	1	6	-	1	-	8	12	5	1
-	2	-	-	1	-	-	-	-	3	2	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-
1	8	1	-	5	5	-	5	1	55	31	11	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	1	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	4	-	-
-	-	-	-	-	1	-	1	-	-	3	1	-
-	1	-	-	-	-	-	-	-	1	-	1	-
2	12	1	4	2	18	7	13	2	116	60	8	-
-	1	-	-	-	1	-	1	-	2	1	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-
-	1	-	-	-	2	1	1	-	14	5	2	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	1	-	-	-	1	2	-	-
-	-	1	-	-	-	-	-	-	4	1	1	-
-	1	-	-	-	-	-	1	-	13	9	-	-
-	-	-	-	-	2	-	-	-	6	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-
-	1	-	-	-	-	-	1	1	1	3	-	-
1	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	1	-	1	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

ARCOOSTOOK

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Linneus	834	-	-	-
Littleton	956	-	-	-
Ludlow	394	-	-	-
Madawaska	1,688	-	-	3
Mars Hill	1,183	-	-	-
Masardis	438	-	-	-
Monticello	1,332	-	-	-
New Limerick	600	-	-	-
New Sweden	867	-	-	-
Oakfield	860	-	-	-
Perham	580	-	-	-
Presque Isle	3,804	-	-	-
St. Agatha	1,396	-	1	-
Sherman	980	-	-	-
Van Buren	1,878	-	-	-
Washburn	1,225	-	-	1
Westfield	259	-	1	-
Weston	367	-	-	-
Woodland	1,096	-	-	-
Caswell Pl	368	-	-	-
Connor Pl	453	-	-	2
Cyr Pl	502	-	-	-
Eagle Lake Pl	406	-	-	-
Hamlin Pl	574	-	-	-
Hill Pl	124	-	-	-
Merrill Pl	298	-	-	-
New Canada Pl	419	-	-	-
Oxbow Pl	153	-	-	-
St. Francis Pl	568	-	-	2
St. John Pl	371	-	-	-
Wade Pl	271	-	-	-
Wallagrass Pl	784	-	-	-
Westmanland Pl	100	-	-	-
CUMBERLAND COUNTY	98,389	1	1	16
Bridgton	2,868	-	-	-
Brunswick	6,806	-	-	2
Casco	783	-	-	-
Cumberland	1,404	-	-	-
Falmouth	1,511	-	-	-
Freeport	2,339	-	-	1
Gorham	2,540	-	-	-
Gray	1,388	-	-	-
Harpswell	1,750	-	-	-
Harrison	969	-	-	-
Naples	813	-	-	-
New Gloucester	1,162	-	1	-
North Yarmouth	642	-	-	-
Otisfield	728	-	-	-
Portland	50,145	-	-	10
Raymond	823	-	-	-
Scarboro	1,865	1	-	-
Sebago	576	-	-	-
South Portland	6,287	-	-	1
Standish	1,504	-	-	-
Westbrook	7,283	-	-	2
Windham	1,929	-	-	-
Yarmouth	2,274	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	1	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	2	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	1	-	3	1	1	7	1	2	-
-	-	-	-	1	-	2	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	1	-	-	-	-	-	-	-	22	4	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	1	-	-	-	-	12	-	-	-
-	-	-	-	-	1	-	1	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	1	-	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	2	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	2	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
10	22	6	7	7	36	3	11	2	64	129	45	-
-	1	-	-	-	3	2	1	-	-	4	1	-
2	1	-	-	1	2	-	-	-	8	8	4	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	3	-
-	-	-	-	-	2	-	-	-	-	2	1	-
-	-	-	-	-	3	-	-	-	-	2	2	-
2	-	-	-	-	-	-	-	-	-	5	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	3	-	-	1	-	4	-	-
-	-	1	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	3	-	-
4	14	4	4	5	15	1	3	1	37	77	23	-
1	-	-	1	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	1	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	2	-	6	2	7	-
-	-	-	-	-	-	-	1	-	-	1	1	-
1	2	-	-	-	1	-	3	-	10	8	2	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	1	-	-	1	-	-	-	-	-	4	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

FRANKLIN

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	14,443	2	-	-
Carthage	334	-	-	-
Chesterville	709	-	-	-
Farmington	3,288	2	-	-
Freeman	397	-	-	-
Industry	553	-	-	-
Jay	2,758	-	-	-
Kingfield	693	-	-	-
Madrid	326	-	-	-
New Sharon	946	-	-	-
New Vineyard	584	-	-	-
Phillips	1,399	-	-	-
Strong	687	-	-	-
Wilton	1,647	-	-	-
Dallas Pl	172	-	-	-
HANCOCK COUNTY	34,228	3	-	2
Aurora	152	-	-	-
Bluehill	1,528	-	-	-
Brooklin	936	-	-	-
Brooksville	1,171	-	-	-
Bucksport	2,339	-	-	1
Castine	925	-	-	-
Deer Isle	2,047	-	-	-
Eden	4,379	-	-	-
Ellsworth	4,297	-	-	-
Franklin	1,201	-	-	-
Gouldsboro	1,259	-	-	-
Hancock	900	-	-	-
Isle au Haut	182	-	-	-
Lamoine	594	-	-	-
Mariaville	218	-	-	-
Mount Desert	1,600	-	-	-
Orland	1,251	-	-	-
Penobscot	1,156	-	-	-
Sedgwick	902	-	-	-
South West Harbor	-	-	-	-
Stonington	1,648	3	-	-
Sullivan	1,034	-	-	-
Surry	900	-	-	1
Swan's Island	758	-	-	-
Tremont	2,010	-	-	-
Trenton	459	-	-	-
No. 33 Pl	82	-	-	-
KENNEBEC COUNTY	58,647	2	-	9
Albion	878	-	-	-
Augusta	11,683	-	-	3
Belgrade	1,058	-	-	-
Benton	1,097	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	1	-	2	3	10	-	2	-	11	18	2	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	1	-	-	-	1	-	1	1	-	-
-	-	-	-	-	4	-	-	-	-	2	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	2	-	-	-	8	3	1	-
-	-	-	-	1	-	-	-	-	-	2	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	1	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	5	2	2	-	11	-	6	-	23	40	12	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	2	-	-	-	-	3	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-
-	1	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	1	-	1	-	2	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	6	-	-
-	1	-	-	-	2	-	1	-	4	1	1	-
-	-	-	-	-	-	-	1	-	1	4	1	-
-	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	3	-	1	-
-	-	1	1	-	-	-	1	-	1	2	1	-
-	1	-	-	-	-	-	-	-	-	4	2	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	1	-	1	-	-	-	3	4	-	-
-	-	-	-	-	2	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
2	14	2	3	1	25	3	7	2	39	85	9	2
-	-	-	-	-	1	-	-	-	-	1	-	-
-	6	1	2	-	3	-	1	-	19	21	1	1
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

KENNEBEC

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.	
Chelsea	3,092	-	-	-	
China	1,380	-	-	-	
Clinton	1,398	-	-	-	
Farmingdale	848	-	-	-	
Fayette	560	-	-	-	
Gardiner	5,501	-	-	-	
Hallowell	2,714	-	-	-	
Litchfield	1,057	-	-	-	
Manchester	518	-	-	-	
Monmouth	1,236	-	-	-	
Mount Vernon	906	-	-	-	
Oakland	1,913	-	-	-	
Pittston	1,177	-	-	-	
Randolph	1,077	-	-	-	
Readfield	994	-	-	-	
Sidney	1,068	1	-	-	
Vassalboro	2,062	-	-	-	
Vienna	406	-	-	-	
Waterville	9,477	1	-		5
Wayne	707	-	-	-	
West Gardiner	693	-	-	-	
Windsor	782	-	-	-	
Winslow	2,277	-	-		1
Winthrop	2,088	-	-	-	
KNOX COUNTY	29,084	9	-		1
Appleton	975	-	-	-	
Camden	2,825	1	-	-	
Friendship	814	-	-	-	
Hurricane Isle	257	-	-	-	
North Haven	551	1	-	-	
Rockland	8,150	4	-	-	
Rockport	2,314	-	-	-	
St. George	2,206	-	-		1
South Thomaston	1,426	-	-	-	
Thomaston	2,688	-	-	-	
Union	1,248	-	-	-	
Vinalhaven	2,358	-	-	-	
Warren	2,089	3	-	-	
Washington	1,019	-	-	-	
Matinicus Isle Pl	184	-	-	-	
LINCOLN COUNTY	17,010	-	-		2
Boothbay	1,766	-	-	-	
Boothbay Harbor	1,926	-	-	-	
Bristol	2,572	-	-	-	
Damariscotta	876	-	-	-	
Dresden	882	-	-	-	
Jefferson	1,155	-	-	-	
Newcastle	1,075	-	-	-	
Nobleboro	810	-	-	-	
Somerville	374	-	-	-	
Waldoboro	3,145	-	-	-	
Whitefield	1,156	-	-	-	
Wiscasset	1,273	-	-		2

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	1	2	-	-
-	2	-	-	-	2	-	-	-	-	2	-	-
-	1	-	-	1	1	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	2	-	3	-	1	7	-	-
-	-	-	-	-	-	-	-	-	1	8	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
-	-	1	-	-	1	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	1	-	6	-	-
-	-	-	-	-	1	-	-	-	-	3	-	1
-	-	-	-	-	-	-	1	-	1	5	-	-
-	-	-	-	-	2	1	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	2	1	-	-
-	1	-	-	-	1	-	1	-	-	1	2	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	2	-	1	-	-	2	-	-	9	14	2	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	1	-	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	1	-	-	-	1	-	-	-	1	1	-	-
1	3	2	1	3	9	1	7	2	14	47	8	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	3	1	-
-	-	-	-	-	-	1	-	-	-	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	2	-	1	5	-	2	2	9	18	-	-
-	-	-	-	-	1	-	-	-	2	3	1	-
-	-	-	-	1	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	1	-	-	4	4	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	1	-	-	2	-	1	8	-	-
-	-	-	-	-	1	-	-	-	-	3	1	-
-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	1	2	2	5	-	5	-	3	13	6	-
-	-	-	-	-	1	-	-	-	-	2	3	-
-	-	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	2	-	-	2	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	1	2	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	1	2	1	-

Digitized by Google

TABLE

Deaths in Each Town from Special

OXFORD

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY	28,846	-	-	5
Albany	538	-	-	-
Bethel	1,835	-	-	-
Brownfield	1,019	-	-	-
Buckfield	1,139	-	-	-
Canton	946	-	-	-
Denmark	634	-	-	-
Dixfield	1,052	-	-	-
Fryeburg	1,376	-	-	-
Gilead	340	-	-	-
Grafton	81	-	-	-
Greenwood	741	-	-	-
Hartford	660	-	-	-
Hebron	494	-	-	-
Hiram	1,015	-	-	-
Lovell	693	-	-	-
Mason	67	-	-	-
Mexico	816	-	-	2
Norway	2,902	-	-	-
Oxford	1,331	-	-	-
Paris	3,225	-	-	-
Peru	773	-	-	-
Porter	886	-	-	1
Rumford	3,770	-	-	1
Stow	270	-	-	-
Sumner	802	-	-	1
Sweden	282	-	-	-
Upton	242	-	-	-
Waterford	917	-	-	-
PENOBSCOT COUNTY	69,704	3	-	16
Alton	314	-	-	-
Argyle	320	-	-	-
Bangor	21,850	2	-	-
Bradford	954	-	-	-
Bradley	682	-	-	-
Brewer	4,835	-	-	-
Burlington	394	-	-	-
Carmel	932	-	-	1
Carroll	487	-	-	-
Charleston	842	-	-	-
Clifton	236	-	-	-
Corinna	1,170	-	-	1
Corinth	1,042	1	-	1
Dexter	2,941	-	-	4
Dixmont	843	-	-	-
Eddington	663	-	-	-
Etna	527	-	-	-
Garland	857	-	-	-
Glenburn	461	-	-	-
Greenbush	586	-	-	2
Hampden	2,182	-	-	-
Hermon	1,183	-	-	-
Holden	602	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	4	3	1	4	12	2	8	-	18	28	16	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	3	-	1	-	-	2	2	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	1	1	-	1	-	-	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	1	-
-	-	-	-	-	-	-	-	-	4	3	-	-
-	1	-	-	-	-	-	1	-	-	-	1	-
-	2	-	-	-	1	-	1	-	1	3	4	-
-	-	-	-	-	2	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	2	-	-	1	-	-	-	6	3	2	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	2	-	-	1	-	1	-
8	30	-	-	10	33	5	14	-	76	132	40	4
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	17	-	-	-	9	2	4	-	12	39	12	2
-	1	-	-	1	-	-	1	-	-	2	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	1	-	-	1	-	13	16	5	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	3	-	-	-	-	1	-	-
1	-	-	-	-	1	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	2	-	-	-	-	-	-	-	-	3	2	-
-	-	-	-	-	1	-	-	-	-	4	-	-
-	1	-	-	2	1	-	-	-	5	5	2	-
-	-	-	-	1	-	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	1	-	1
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	1	-	-	-	-	2	1	1	-
-	-	-	-	-	2	-	1	-	-	5	2	-
-	1	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

PENOBSCOT

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.	
Howland	519	-	-	-	
Kenduskeag	423	-	-	-	
Kingman	936	-	-	-	
Lagrange	574	-	-	-	
Lee	801	-	-	-	
Levant	789	-	-	-	
Lincoln	1,731	-	-	-	
Medway	297	-	-	-	
Milford	838	-	-	-	
Millinocket	1,144	-	-	-	
Mt. Chase	299	-	-	-	
Newburg	734	-	-	-	
Newport	1,533	-	-	-	
Old Town	5,763	-	-		4
Orono	3,257	-	-		1
Orrington	1,266	-	-	-	
Passadumkeag	409	-	-	-	
Plymouth	658	-	-		2
Prentiss	502	-	-	-	
Springfield	532	-	-	-	
Stetson	503	-	-	-	
Veazie	555	-	-	-	
Lakeville Pl	129	-	-	-	
Seboeis Pl	96	-	-	-	
Stacyville Pl	347	-	-	-	
Webster Pl	124	-	-	-	
No. 1 R. 7	42	-	-	-	
Indian Township	-	-	-	-	
PISCATAQUIS COUNTY	13,909	-	-	-	
Abbot	716	-	-	-	
Atkinson	495	-	-	-	
Brownville	1,570	-	-	-	
Dover	1,889	-	-	-	
Foxcroft	1,629	-	-	-	
Greenville	1,117	-	-	-	
Guilford	1,544	-	-	-	
Milo	1,150	-	-	-	
Monson	1,116	-	-	-	
Orneville	325	-	-	-	
Parkman	718	-	-	-	
Sangerville	1,294	-	-	-	
Shirley	248	-	-	-	
Barnard Pl	98	-	-	-	
SAGADAHOC COUNTY	20,089	1	-		6
Bath	10,477	1	-		4
Bowdoin	937	-	-	-	
Bowdoinham	1,805	-	-	-	
Georgetown	799	-	-		1
Phippsburg	1,254	-	-	-	
Richmond	2,049	-	-	-	
Topsham	2,097	-	-		1
West Bath	291	-	-	-	
Woolwich	880	-	-	-	

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
2	-	-	-	1	-	-	2	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	2	1	1	-
2	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	2	-	-	-	-	3	1	-
-	-	-	-	1	-	-	1	-	-	-	2	-
-	5	-	-	1	3	2	1	-	20	18	1	-
-	-	-	-	-	1	1	-	-	5	3	5	1
-	-	-	-	-	2	-	-	-	1	2	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	3	1	-	1	5	2	-	1	9	20	3	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	1	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	1	-	-	3	1	1	-
-	-	-	-	1	1	-	-	-	-	4	-	-
-	1	-	-	-	1	-	-	-	1	3	-	-
-	2	-	-	-	-	1	-	-	-	-	2	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	4	2	2	1	6	1	3	-	7	27	2	1
-	1	1	1	1	1	1	3	-	4	19	1	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	2	-	-	-	1	-	-	-	-	-	1	1
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	2	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

SOMERSET

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	31,244	4	-	9
Anson	1,830	-	-	-
Athens	896	1	-	-
Bingham	841	-	-	-
Cambridge	364	-	-	-
Canaan	977	-	-	-
Concord	291	-	-	-
Cornville	689	-	-	-
Embden	569	-	-	-
Fairfield	3,878	1	-	1
Harmony	571	-	-	-
Hartland	1,115	-	-	-
Madison	2,764	-	-	-
Mercer	493	-	-	-
Moscow	378	-	-	-
New Portland	913	-	-	-
Norridgewock	1,495	-	-	-
Palmyra	915	-	-	-
Pittsfield	2,891	2	-	3
Ripley	449		-	-
St. Albans	1,037	-	-	3
Skowhegan	5,180	-	-	1
Smithfield	449	-	-	-
Solon	896	-	-	1
Starks	636	-	-	-
Bigelow Pl	57	-	-	-
Caratunk Pl	218	-	-	-
Jackman Pl	352	-	-	-
WALDO COUNTY	33,548	1	-	1
Belfast	4,615	-	-	-
Brooks	669	-	-	-
Burnham	766	1	-	-
Frankfort	1,211	-	-	-
Freedom	479	-	-	-
Islesboro	923	-	-	-
Knox	558	-	-	-
Liberty	737	-	-	-
Lincolnville	1,223	-	-	-
Montville	982	-	-	-
Northport	545	-	-	-
Palermo	757	-	-	-
Prospect	648	-	-	-
Searsmont	949	-	-	-
Searsport	1,349	-	-	-
Stockton Springs	872	-	-	-
Swanville	502	-	-	1
Thorndike	497	-	-	-
Troy	766	-	-	-
Unity	877	-	-	-
Winterport	1,623	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
2	3	-	3	1	16	1	10	-	21	43	6	-
-	-	-	-	-	-	-	1	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	4	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-
1	-	-	-	-	-	1	-	-	2	6	1	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	-	-	-	1	-	-	-	-	1	2	2	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	2	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	1	-	1	-	-	-	-	-
-	-	-	-	-	2	-	1	-	-	3	-	-
-	1	-	-	-	3	-	2	-	1	5	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	1	-	3	-	1	-	4	5	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
1	4	-	1	4	4	1	2	-	5	43	4	-
1	1	-	-	-	-	1	-	-	1	8	-	-
-	1	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	2	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	2	-
-	-	-	1	-	1	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	4	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

WASHINGTON

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY	42,594	1	-	5
Addison	1,059	-	-	-
Alexander	333	-	-	-
Baileyville	215	-	-	-
Baring	231	-	-	-
Brookton	285	-	-	-
Calais	7,655	-	-	-
Cherryfield	1,859	-	-	1
Columbia	516	-	-	-
Columbia Falls	569	-	-	-
Cutler	565	-	-	-
Danforth	1,092	-	-	-
Dennysville	482	-	-	-
East Machias	1,521	-	-	-
Eastport	5,811	-	-	-
Edmunds	492	-	-	-
Harrington	1,165	-	-	2
Jonesboro	606	-	-	-
Jonesport	2,124	-	-	1
Lubec	3,005	-	-	1
Machias	2,082	-	-	-
Machiasport	1,218	-	-	-
Marshfield	227	-	-	-
Meddybemps	154	-	-	-
Milbridge	1,921	-	-	-
Northfield	126	-	-	-
Pembroke	1,652	-	-	-
Perry	1,245	-	-	-
Princeton	1,094	-	-	-
Roque Bluffs	168	-	-	-
Steuben	901	-	-	-
Talmage	93	-	-	-
Topsfield	282	-	-	-
Trescott	463	-	-	-
Vanceboro	550	-	-	-
Waite	135	-	-	-
Whiting	399	-	-	-
Whitneyville	424	-	-	-
Codyville Pl	68	1	-	-
Grand Lake Stream Pl	221	-	-	-
No. 21 Pl	86	-	-	-
YORK COUNTY	64,198	3	3	16
Acton	778	-	-	-
Alfred	937	-	-	-
Berwick	2,280	-	-	1
Biddeford	16,145	-	-	9
Buxton	1,838	1	-	-
Cornish	984	-	-	-
Dayton	473	-	1	-
Eliot	1,458	-	-	-
Hollis	1,274	-	-	-

Digitized by Google

No. 33.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
4	6	2	1	-	21	4	7	1	26	71	13	2
-	-	-	-	-	3	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	3	-	-	-	-	-	-
-	3	1	-	-	2	-	4	-	9	16	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	12	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	2	1	-	-
-	1	1	-	-	-	-	-	-	-	7	1	-
1	2	-	-	-	1	-	-	1	1	9	2	-
-	-	-	-	-	-	-	-	-	2	3	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-
1	-	-	-	-	5	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	2	-	-	-	-	3	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
3	31	3	2	4	17	5	7	1	56	77	21	1
-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	1	-	-	-	-	2	1	-
1	13	1	-	-	1	1	3	-	19	20	9	-
-	-	-	-	-	1	-	1	1	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	1	-	-	1	-	4	3	-	1
-	-	-	-	-	2	-	-	-	1	1	-	-

TABLE

Deaths in Each Town from Special

YORK

County and Towns.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.	
Kennebunk	3,228	-	-		1
Kennebunkport	2,123	-	-		2
Kittery	2,872	-	-	-	
Lebanon	1,335	-	-	-	
Limerick	874	-	-	-	
Limington	1,001	-	-	-	
Newfield	676	-	-	-	
North Berwick	1,748	-	-	-	
Old Orchard	964	-	-	-	
Parsonsfield	1,131	-	-	-	
Saco	6,122	-	2		1
Sanford	6,078	2	-		2
Shapleigh	847	-	-	-	
South Berwick	3,188	-	-	-	
Waterboro	1,169	-	-	-	
Wells	2,007	-	-	-	
York	2,668	-	-	-	

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	1	-	-	1	-	-	-	-	4	-	-
-	1	-	-	-	1	-	-	-	-	3	-	-
-	1	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	1	-	-	1	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	2	-	-	-	1	-	-	-	4	12	1	-
1	9	-	1	1	1	-	1	-	14	7	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	1	-	-	-	2	-	-	-	2	3	3	-
-	-	-	-	-	1	-	-	-	-	1	2	-
-	-	-	.	-	2	1	-	-	1	2	-	-
-	3	-	-	2	1	2	-	-	3	3	1	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

The State and Counties.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE	694,466	20	60	662	115	489	724
Androscoggin	54,242	3	3	52	15	32	36
Aroostook	60,744	1	4	24	8	61	44
Cumberland	100,689	1	10	123	18	65	126
Franklin	18,444	-	1	18	5	13	14
Hancock	37,241	-	1	25	5	20	45
Kennebec	59,117	1	7	68	13	46	54
Knox	30,400	2	2	31	3	20	50
Lincoln	19,669	-	1	17	3	5	28
Oxford	32,238	3	2	26	5	24	39
Penobscot	76,246	2	6	70	12	47	82
Piscataquis	16,949	-	4	22	8	12	20
Sagadahoc	20,330	-	2	28	5	9	10
Somerset	33,849	1	5	31	4	25	42
Waldo	24,185	1	2	24	2	13	41
Washington	45,232	-	2	42	4	21	39
York	64,885	5	8	61	5	76	54
ANDROSCOGGIN COUNTY	54,242	3	3	52	15	32	36
Auburn	12,951	1	-	14	5	9	10
Durham	1,230	-	-	-	-	1	-
East Livermore	2,129	-	-	-	1	-	1
Greene	826	-	-	4	-	-	5
Leeds	1,065	-	-	-	1	-	-
Lewiston	23,761	2	1	23	4	18	13
Lisbon	3,603	-	1	4	-	3	1
Livermore	1,125	-	1	-	-	-	-
Mechanic Falls	1,687	-	-	1	2	-	-
Minot	808	-	-	1	-	-	-
Poland	1,648	-	-	3	-	-	1
Turner	1,842	-	-	1	-	-	5
Wales	436	-	-	-	-	1	-
Webster	1,131	-	-	1	2	-	-
AROOSTOOK COUNTY	57,952	1	4	24	8	61	44
Amity	404	-	-	1	-	1	1
Ashland	1,080	-	-	-	-	-	-
Bancroft	318	-	-	-	-	-	-
Benedicta	350	-	-	-	-	-	-
Blaine	954	-	-	1	1	1	1
Bridgewater	1,179	-	-	-	-	1	-
Caribou	4,758	-	-	4	1	8	7
Castle Hill	567	-	-	-	-	-	-
Crystal	370	-	-	1	1	-	-
Dyer Brook	280	-	-	-	-	-	-
Easton	1,215	-	-	1	-	2	-
Fort Fairfield	4,181	-	-	-	-	-	-
Fort Kent	2,528	-	-	-	-	3	4
Frenchville	1,316	-	-	-	-	-	1
Grand Isle	1,104	-	-	-	-	-	2
Haynesville	316	-	-	-	-	1	-
Hersey	199	-	1	-	-	-	-

Digitized by Google

No. 34.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
229	751	667	1,222	1,053	218	120	631	47	599	51	84	434
22	46	54	80	104	17	13	67	4	39	2	6	38
13	21	37	48	67	20	3	46	1	29	5	3	36
46	144	80	226	118	32	17	89	10	125	6	16	76
8	14	18	27	29	3	1	22	3	20	-	5	16
9	33	27	62	67	15	4	57	2	28	6	3	15
29	83	122	118	105	21	13	57	4	50	1	6	45
4	33	24	64	25	5	2	23	1	18	1	7	18
5	17	17	35	15	5	3	17	2	20	-	2	8
9	33	28	61	39	12	7	27	6	24	2	6	15
20	79	66	118	133	24	18	65	4	58	8	7	58
9	12	16	21	22	8	6	18	2	10	1	3	14
1	36	13	44	46	6	3	5	-	24	2	3	5
11	45	29	58	56	4	2	40	-	27	6	4	28
5	26	29	56	35	8	6	28	1	23	1	2	7
11	32	39	85	82	10	7	37	3	30	6	2	18
27	97	68	119	110	28	15	53	4	74	4	9	37
22	46	54	80	104	17	13	67	4	39	2	6	38
6	13	9	17	22	2	2	7	-	6	-	2	5
-	2	3	3	5	-	1	-	1	2	-	-	1
1	-	-	8	7	-	1	2	-	1	-	-	1
-	1	1	1	-	1	-	-	-	-	-	1	1
-	2	-	-	4	-	-	3	-	1	-	-	1
13	14	35	34	49	9	9	44	3	20	1	2	19
-	3	8	5	3	1	-	1	-	1	-	-	3
-	1	-	2	3	1	-	-	-	1	-	-	1
-	3	1	1	2	1	-	3	-	4	1	1	-
1	-	1	1	1	-	-	-	-	1	-	-	3
1	2	-	1	3	-	-	2	-	-	-	-	-
-	5	-	6	5	-	-	5	-	1	-	-	2
-	-	-	1	-	1	-	-	-	-	-	-	1
-	-	1	-	-	1	-	-	-	1	-	-	-
13	21	37	48	67	20	3	46	1	29	5	3	36
-	1	2	-	1	-	-	-	-	1	-	-	-
1	-	-	-	3	-	-	-	-	-	-	-	1
-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-	-
-	1	3	2	1	-	-	3	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
1	-	4	6	8	1	-	1	-	4	-	1	1
-	1	1	-	-	-	1	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
1	-	-	1	4	1	-	4	-	-	1	-	1
-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	1	2	-	-	-	1	-	1	1	-	3
-	-	2	-	1	-	-	1	-	-	-	-	3
-	-	1	2	-	-	1	-	-	-	-	-	1
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

AROOSTOOK

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Hodgdon	1,130	-	-	-	-	1	-
Houlton	4,686	1	1	-	-	3	2
Island Falls	1,063	-	-	-	-	-	-
Limestone	1,131	-	-	-	1	6	2
Linneus	834	-	1	-	1	1	-
Littleton	956	-	-	-	1	-	-
Ludlow	394	-	-	-	-	-	1
Madawaska	1,698	-	-	1	-	-	3
Mapleton	853	-	-	2	-	-	1
Mars Hill	1,183	-	-	2	-	2	-
Masardis	438	-	-	-	-	-	-
Monticello	1,332	-	-	1	-	4	1
New Limerick	600	-	-	-	-	-	-
New Sweden	867	-	-	-	-	1	4
Oakfield	860	-	-	1	-	-	1
Orient	208	-	-	-	-	-	-
Perham	580	-	-	-	-	1	-
Presque Isle	3,804	-	-	3	1	1	1
St. Agatha	1,396	-	-	1	-	-	3
Sherman	980	-	-	1	-	-	-
Smyrna	411	-	-	1	-	-	-
Van Buren	1,878	-	-	1	-	13	-
Washburn	1,225	-	-	-	1	1	1
Westfield	259	-	-	-	-	-	1
Weston	367	-	-	-	-	-	-
Woodland	1,096	-	-	1	-	-	-
Caswell Pl	368	-	-	-	-	2	1
Chapman Pl	285	-	-	-	-	-	-
Connor Pl	453	-	-	-	-	-	-
Cyr Pl	502	-	-	-	-	4	-
Eagle Lake Pl	406	-	-	-	-	1	-
Garfield Pl	111	-	-	-	-	-	-
Glenwood Pl	178	-	-	-	-	-	-
Hamlin Pl	574	-	1	-	-	-	1
Hammond Pl	116	-	-	-	-	-	-
Hill Pl	124	-	-	-	-	-	1
Nashville Pl	82	-	-	-	-	-	1
New Canada Pl	419	-	-	-	-	1	1
Portage Lake Pl	241	-	-	-	-	-	-
Reed Pl	399	-	-	-	-	-	-
St. Francis Pl	568	-	-	1	-	-	-
St. John Pl	371	-	-	-	-	-	1
Stockholm Pl	191	-	-	-	-	-	-
Wade Pl	271	-	-	-	-	1	-
Wallagrass	784	-	-	-	-	-	1
Westmanland Pl	100	-	-	-	-	-	-
No. 8 R. 4	111	-	-	-	-	1	-
CUMBERLAND COUNTY	100,689	1	10	123	18	65	126
Baldwin	821	-	-	2	-	-	-
Bridgton	2,868	-	1	2	1	-	4
Brunswick	6,806	-	1	4	1	15	8
Cape Elizabeth	887	-	-	-	-	1	-
Casco	783	-	-	2	1	-	2
Cumberland	1,404	-	-	-	-	1	8
Falmouth	1,511	-	-	1	-	-	3
Freeport	2,339	-	-	4	1	1	-

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	1	-	1	2	-	-	-	-	-	-	-
1	7	3	2	4	-	-	2	-	3	1	-	2
-	-	-	-	1	-	-	-	-	2	-	-	1
-	1	1	2	1	1	-	-	-	-	-	-	-
-	-	-	2	3	1	1	1	-	-	-	-	1
-	1	-	2	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2
1	1	-	1	2	-	-	2	-	-	-	-	-
-	-	-	1	3	1	-	2	-	2	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	-
-	2	1	-	4	-	-	2	-	-	-	-	2
1	-	-	1	1	-	-	1	-	-	-	-	1
-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	1	1	3	1	-	1	-	-	-	-	1
-	-	1	-	1	-	-	1	-	-	-	-	-
-	-	-	2	1	1	-	3	-	-	-	-	1
-	-	3	6	5	4	-	5	1	8	-	-	4
3	-	-	2	-	-	-	1	-	-	-	-	-
-	1	1	1	2	-	-	1	-	2	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	2	-	-	2	-	-	-	-	1
-	-	2	1	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
2	-	1	-	-	-	-	1	-	2	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	2	-	1	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	2	1	-	-	1	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	1	-	-	2	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	5
46	144	80	226	118	32	17	89	10	125	6	16	76
1	-	1	-	-	-	-	-	-	1	-	-	-
-	4	3	5	4	1	-	2	-	7	-	1	1
1	10	7	16	14	5	2	5	1	8	1	-	6
-	3	-	3	-	-	-	1	-	-	-	1	-
1	-	2	2	1	-	-	-	-	3	1	-	1
-	3	-	5	1	-	-	-	-	2	-	-	-
-	1	1	3	1	-	-	-	-	3	-	-	6
-	4	4	8	2	1	-	1	-	3	-	1	2

Digitized by Google

TABLE

Deaths in Each Town from Certain

CUMBERLAND

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Gorham	2,540	-	-	5	1	1	4
Gray	1,388	-	-	1	-	-	1
Harpswell	1,750	-	2	2	-	-	1
Harrison	969	-	-	1	-	1	2
Naples	813	-	-	1	-	-	-
New Gloucester	1,162	-	-	2	-	1	8
North Yarmouth	642	-	-	-	-	1	-
Otisfield	728	-	-	1	-	-	1
Portland	50,145	1	5	61	9	31	50
Pownal	592	-	-	2	-	-	1
Raymond	823	-	-	2	1	1	1
Scarboro	1,865	-	-	5	-	-	2
Sebago	576	-	-	-	-	-	1
South Portland	6,287	-	-	10	1	5	9
Standish	1,504	-	-	2	-	-	5
Westbrook	7,283	-	-	7	1	4	7
Windham	1,929	-	-	3	1	2	6
Yarmouth	2,274	-	1	3	-	-	2
FRANKLIN COUNTY	17,754	-	1	18	5	13	14
Avon	448	-	-	-	-	-	-
Carthage	334	-	-	2	-	-	-
Chesterville	709	-	-	1	-	-	3
Eustis	436	-	-	-	-	-	-
Farmington	3,288	-	-	3	-	4	2
Freeman	397	-	-	2	-	2	1
Industry	558	-	-	-	1	-	-
Jay	2,758	-	1	-	-	3	-
Kingfield	693	-	-	1	-	-	-
Madrid	326	-	-	-	-	-	-
New Sharon	946	-	-	1	-	-	3
New Vineyard	584	-	-	1	1	-	-
Phillips	1,399	-	-	2	-	-	-
Rangeley	961	-	-	-	2	1	1
Salem	195	-	-	-	-	-	1
Strong	637	-	-	-	-	1	-
Temple	394	-	-	-	-	-	2
Weld	738	-	-	1	-	-	-
Wilton	1,647	-	-	3	1	2	1
Dallas Pl	172	-	-	-	-	-	-
Rangeley Pl	98	-	-	-	-	-	-
Sandy River Pl	21	-	-	-	-	-	-
Washington	20	-	-	1	-	-	-
HANCOCK COUNTY	36,534	-	1	25	5	20	45
Amherst	364	-	-	-	-	-	-
Aurora	152	-	-	-	-	1	-
Bluehill	1,828	-	-	1	1	2	1
Brooklin	936	-	-	-	-	-	3
Brooksville	1,171	-	-	1	1	-	2
Bucksport	2,339	-	-	1	-	1	4

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	5	3	7	5	4	1	5	-	-	-	-	2
1	2	-	4	2	-	1	2	-	2	-	-	1
1	3	-	5	2	1	-	1	-	-	1	1	-
1	1	2	7	2	1	-	-	-	-	-	-	-
-	1	-	2	2	-	-	-	-	-	-	-	-
2	3	1	-	1	-	-	-	-	1	-	-	-
-	1	-	2	-	-	-	-	-	3	-	-	-
-	2	2	1	-	1	-	-	-	1	-	2	-
27	70	42	110	65	14	10	52	9	67	3	9	44
-	3	-	4	1	-	-	1	-	1	-	-	2
1	1	1	-	-	1	-	-	-	2	-	-	1
1	3	-	3	2	-	-	2	-	-	-	-	1
-	-	-	1	-	-	-	1	-	-	-	-	-
2	12	4	8	3	-	1	1	-	3	-	-	4
-	2	2	2	1	-	-	1	-	3	-	-	1
7	3	4	11	6	2	1	6	-	6	-	1	4
-	3	1	7	3	-	-	3	-	7	-	-	-
-	4	-	10	-	1	1	5	-	2	-	-	-
8	14	18	27	29	3	1	22	3	20	-	5	16
-	-	-	1	1	-	-	1	-	-	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	4	1	-	1	-	1	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	2
2	3	1	3	2	-	-	4	1	8	-	3	1
-	-	-	1	-	1	-	-	-	-	-	-	1
-	-	-	1	1	-	-	1	-	1	-	-	-
3	1	4	1	3	-	1	2	1	-	-	1	2
-	2	-	2	1	-	-	1	-	-	-	-	-
-	1	2	-	2	-	-	3	-	-	-	-	1
2	2	-	2	2	-	-	1	-	-	-	-	-
-	-	2	1	1	1	-	-	-	-	-	-	-
-	1	2	1	1	-	-	1	-	4	-	-	3
-	-	-	1	3	-	-	-	-	1	-	-	1
-	-	-	1	-	-	-	1	-	1	-	-	-
1	-	-	1	2	-	-	-	-	1	-	-	1
-	-	-	1	1	-	-	1	-	-	-	-	-
-	-	2	2	1	-	-	2	-	-	-	1	-
-	2	3	6	2	-	-	3	1	2	-	-	3
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
9	33	27	62	67	15	4	37	2	28	6	3	15
-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
2	1	1	5	1	2	1	-	-	1	1	-	-
-	3	-	1	1	2	-	3	-	3	-	-	-
-	-	-	2	2	1	-	1	-	2	-	-	-
2	4	3	8	3	-	-	5	-	1	1	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

HANCOCK

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Castine	925	-	-	1	-	1	3
Cranberry Isles	374	-	-	-	-	-	1
Dedham	327	-	-	2	-	-	1
Deer Isle	2,047	-	-	2	-	-	1
Eden	4,379	-	-	4	1	4	1
Ellsworth	4,297	-	1	1	-	2	5
Franklin	1,201	-	-	-	-	-	4
Gouldsboro	1,259	-	-	-	-	-	3
Hancock	900	-	-	2	-	-	2
Isle au Haut	182	-	-	-	-	-	-
Lamoine	594	-	-	-	-	-	2
Mariaville	218	-	-	1	-	-	-
Mount Desert	1,600	-	-	1	1	2	1
Orland	1,251	-	-	2	-	-	2
Otis	152	-	-	-	-	-	-
Penobscot	1,156	-	-	1	-	2	2
Sedgwick	902	-	-	-	1	-	-
South West Harbor	-	-	-	1	-	-	1
Stonington	1,648	-	-	2	-	2	-
Sullivan	1,084	-	-	-	-	-	-
Surry	900	-	-	-	-	1	3
Swan's Island	758	-	-	-	-	1	-
Tremont	2,010	-	-	-	-	-	2
Trenton	459	-	-	1	-	-	1
Verona	234	-	-	-	-	-	-
Waltham	192	-	-	1	-	-	-
Winter Harbor	571	-	-	-	-	1	-
Long Island Pl	174	-	-	-	-	-	-
KENNEBEC COUNTY	59,117	1	7	68	13	46	54
Albion	878	-	-	-	-	1	1
Augusta	11,683	1	1	11	5	14	15
Belgrade	1,058	-	-	2	1	-	-
Benton	1,097	-	1	2	2	-	-
Chelsea	3,092	-	-	3	-	-	1
China	1,380	-	-	2	-	-	1
Clinton	1,398	-	-	3	1	-	1
Farmingdale	848	-	-	-	-	-	1
Fayette	560	-	-	1	-	-	1
Gardiner	5,501	-	2	5	2	2	4
Hallowell	2,714	-	-	2	-	2	-
Litchfield	1,057	-	-	1	1	-	-
Manchester	518	-	-	-	-	-	-
Monmouth	1,236	-	-	2	-	-	4
Mount Vernon	906	-	1	1	-	1	2
Oakland	1,913	-	-	3	-	-	-
Pittston	1,177	-	-	1	-	-	4
Randolph	1,077	-	1	1	-	-	2
Readfield	994	-	1	1	-	3	-
Rome	420	-	-	-	-	-	2
Sidney	1,068	-	-	2	-	1	1
Vassalboro	2,062	-	-	3	1	3	2
Vienna	406	-	-	-	-	-	1
Waterville	9,477	-	-	5	-	12	6
Wayne	707	-	-	3	-	2	-

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	1	1	3	2	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	3	2	-	1	1	-	-	-	1	1
-	4	1	4	9	1	-	3	-	5	-	1	5
1	1	4	5	25	2	-	4	-	2	1	-	4
-	1	3	3	1	-	-	1	-	-	1	-	1
-	1	-	-	-	-	-	2	-	-	-	-	-
1	2	1	2	5	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	2	-	1	1	2	-	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	3	1	-	-	-	-	2	1	-	-
-	1	1	6	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	1	5	1	3	1	-	1	2	-	1	-
-	2	-	2	1	-	-	-	-	-	-	-	1
-	1	-	-	-	1	-	1	-	3	-	-	-
-	4	1	1	1	-	-	3	1	1	-	-	-
1	1	-	4	2	-	-	-	-	-	-	-	-
-	-	-	1	4	-	-	1	-	1	-	-	-
-	-	1	-	1	-	-	1	-	-	-	-	-
-	1	1	1	1	1	-	-	-	1	1	-	1
1	1	1	-	-	-	-	2	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
29	83	122	118	105	21	13	57	4	50	1	6	45
-	1	1	2	2	1	-	2	-	-	1	1	-
8	12	71	26	16	3	2	11	1	10	-	1	6
-	4	1	4	3	-	1	1	-	-	-	-	1
-	-	4	3	4	2	-	2	-	1	-	1	-
-	1	-	1	1	-	-	-	-	-	-	-	-
-	2	1	6	2	-	-	2	-	1	-	-	-
1	3	1	4	3	-	-	5	-	1	-	-	1
-	1	-	3	3	1	-	1	-	1	-	-	-
-	1	1	3	1	-	-	1	-	1	-	1	1
2	12	4	13	14	-	2	2	-	6	-	1	6
-	9	1	1	6	1	-	5	-	1	-	-	2
-	1	1	1	4	1	-	-	-	1	-	-	-
-	-	2	1	2	-	-	-	-	1	-	-	1
-	-	1	3	4	2	-	1	-	1	-	-	1
-	5	1	2	2	-	-	1	-	1	-	-	-
1	4	3	8	2	2	1	2	-	3	-	-	1
-	-	2	-	2	-	-	2	-	2	-	-	-
-	1	1	2	2	-	-	2	-	2	-	-	-
-	-	-	1	1	-	1	1	-	2	-	-	1
-	1	2	1	-	-	-	-	-	-	-	-	1
-	4	4	1	7	-	1	1	-	1	-	-	1
1	3	3	7	2	-	-	1	1	1	-	-	2
1	-	-	1	-	-	-	1	-	2	-	-	1
10	11	8	14	8	3	4	7	2	6	-	1	7
-	-	1	-	6	-	-	1	-	1	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

KENNEBEC

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
West Gardiner	683	-	-	1	-	-	1
Windsor	782	-	-	3	-	-	1
Winslow	2,277	-	-	2	-	4	-
Winthrop	2,088	-	-	7	-	1	2
Unity Pl	50	-	-	-	-	-	-
Togus	-	-	-	1	-	-	1
KNOX COUNTY	30,287	2	2	81	3	20	50
Appleton	975	-	-	-	-	1	-
Camden	2,825	-	-	3	-	1	3
Cushing	604	-	-	3	-	-	1
Friendship	814	-	-	-	-	-	1
Hope	599	-	-	2	-	-	-
Hurricane Isle	257	-	-	-	-	-	-
North Haven	551	-	-	1	1	-	1
Rockland	8,150	2	-	9	-	6	15
Rockport	2,314	-	-	4	1	-	3
St. George	2,206	-	-	1	-	3	6
South Thomaston	1,426	-	-	2	-	1	1
Thomaston	2,688	-	-	2	-	2	5
Union	1,248	-	1	-	-	-	2
Vinalhaven	2,358	-	1	2	1	4	4
Warren	2,069	-	-	1	-	2	7
Washington	1,019	-	-	1	-	-	-
Matinicus Isle Pl	184	-	-	-	-	-	1
LINCOLN COUNTY	19,669	-	1	17	3	5	28
Alna	444	-	-	2	-	-	-
Boothbay	1,766	-	-	1	-	1	4
Boothbay Harbor	1,926	-	-	1	1	-	1
Bremen	657	-	-	-	-	-	-
Bristol	2,572	-	-	3	-	-	3
Damariscotta	876	-	1	2	-	-	3
Dresden	882	-	-	-	-	-	-
Edgecomb	607	-	-	2	-	-	1
Jefferson	1,155	-	-	-	-	-	1
Newcastle	1,075	-	-	-	-	1	2
Nobleboro	810	-	-	-	-	-	-
Somerville	374	-	-	1	-	-	-
Southport	527	-	-	1	1	1	1
Waldoboro	3,145	-	-	2	-	1	2
Westport	330	-	-	1	-	-	1
Whitefield	1,156	-	-	-	1	-	6
Wiscasset	1,273	-	-	1	-	1	3
Monhegan Pl	94	-	-	-	-	-	-

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	1	2	-	-	2	-	1	-	-	-
-	1	2	3	1	-	-	1	-	-	-	-	1
5	2	1	2	2	1	1	2	-	-	-	-	3
-	3	4	4	1	4	-	-	-	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	-	-	2	-	-	-	-	2	-	-	-
4	33	24	64	25	5	2	23	1	18	1	7	18
-	2	1	4	1	-	1	-	-	-	-	-	-
1	2	-	9	3	-	-	-	-	-	-	-	1
-	1	-	-	-	-	-	2	-	-	-	-	-
-	2	4	-	-	-	-	1	-	2	-	-	1
-	3	-	1	-	-	-	1	-	-	-	1	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	1	-	-	1	-	-	-	-	-
3	5	6	13	9	1	-	7	1	9	1	2	7
-	2	-	7	2	-	-	2	-	-	-	1	-
-	1	4	2	-	-	-	3	-	2	-	1	2
-	-	2	5	2	-	1	-	-	1	-	-	1
-	5	4	7	-	1	-	2	-	2	-	-	3
-	2	1	3	1	2	-	-	-	-	-	-	-
-	4	1	5	2	1	-	3	-	1	-	1	2
-	-	-	6	3	-	-	1	-	1	-	-	-
-	2	-	1	1	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
5	17	17	35	15	5	3	17	2	20	-	2	8
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	2	-	3	-	-	1
-	1	1	2	-	2	-	-	-	2	-	1	-
-	-	2	-	3	-	1	-	-	1	-	-	1
-	3	3	2	2	-	-	3	-	1	-	-	1
-	-	4	5	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-
1	-	-	1	-	-	-	1	2	1	-	-	-
-	2	1	3	2	-	-	1	-	3	-	-	-
1	-	-	3	-	1	-	1	-	-	-	1	1
-	2	-	1	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	1	-	-	-	-	1
-	-	-	2	-	-	-	1	-	1	-	-	1
1	6	2	2	5	1	-	3	-	5	-	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-
1	3	3	8	-	-	-	1	-	-	-	-	-
-	-	1	2	2	-	-	2	-	2	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

OXFORD

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
OXFORD COUNTY	31,817	3	2	26	5	24	39
Albany	538	-	-	-	-	1	-
Andover	727	-	-	-	-	1	2
Bethel	1,835	-	-	-	1	-	4
Brownfield	1,019	-	-	2	-	1	1
Buckfield	1,139	-	-	2	-	-	2
Byron	204	-	-	-	-	1	-
Canton	946	1	-	-	-	-	1
Denmark	634	-	-	2	-	1	3
Dixfield	1,052	-	-	2	-	2	2
Fryeburg	1,376	-	-	-	-	-	3
Gilead	340	-	-	-	-	-	-
Grafton	81	-	-	1	-	-	-
Greenwood	741	-	-	-	-	-	1
Hanover	214	-	-	-	-	-	2
Hartford	660	-	-	-	-	1	-
Hebron	494	-	-	-	-	-	-
Hiram	1,015	-	-	1	1	-	-
Lovell	683	-	-	1	-	-	2
Mason	67	-	-	-	-	-	1
Mexico	816	-	-	-	-	-	-
Newry	286	-	-	-	-	-	-
Norway	2,902	-	-	3	-	2	4
Oxford	1,331	-	2	1	-	-	-
Paris	3,225	-	-	3	1	1	3
Peru	773	-	-	-	1	1	-
Porter	886	-	-	-	1	1	-
Roxbury	238	-	-	-	-	-	-
Rumford	3,770	2	-	4	-	9	2
Stoneham	284	-	-	-	-	-	-
Stow	270	-	-	-	-	-	1
Sumner	802	-	-	-	-	1	1
Sweden	282	-	-	-	-	-	1
Upton	242	-	-	1	-	-	-
Waterford	917	-	-	1	-	-	1
Woodstock	816	-	-	1	-	-	2
Milton Pl	202	-	-	1	-	1	-
PENOBSCOT COUNTY	73,733	2	6	70	12	47	82
Alton	314	-	-	-	-	-	1
Argyle	320	-	-	-	-	-	-
Bangor	21,850	1	1	30	4	9	21
Bradford	254	-	-	1	-	-	-
Bradley	682	-	-	1	-	-	-
Brewer	4,835	-	-	4	2	5	4
Burlington	394	-	-	-	-	1	-
Carmel	932	-	-	1	-	2	1
Carroll	487	-	-	-	-	-	2

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
9	33	28	61	39	12	7	27	6	24	2	6	15
1	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	2	1	1	-	2	-	-	-	-	1
1	3	2	3	3	1	-	5	-	-	-	-	2
-	-	2	2	3	-	1	1	-	1	-	-	-
-	2	4	4	1	-	1	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	2	1	-	1	-	-	1	-	-	-
-	1	1	-	3	-	-	-	-	1	-	-	-
-	2	-	6	1	-	-	1	-	1	-	-	-
-	3	1	3	2	-	-	-	-	-	-	1	1
-	1	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	2	2	1	-	-	1	1	-	-	-	-
1	-	-	3	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	3	-	-	1	1	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	3	1	5	4	3	-	1	-	2	-	1	-
-	3	2	5	2	-	1	1	-	-	-	-	-
1	6	-	5	2	3	-	2	1	2	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	2	-	1	1
-	-	-	-	1	-	-	1	-	-	-	-	1
3	1	4	3	4	3	1	2	2	7	-	2	4
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	2	3	1	-	-	2	-	-	-	-	-
-	1	-	-	1	1	1	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	3	1	-	-	-	-	1	1	1	1
-	-	-	2	-	-	1	-	1	2	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
20	79	66	118	133	24	18	65	4	58	8	7	58
-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
4	24	28	40	48	7	3	24	1	22	2	3	26
-	3	-	3	4	-	2	2	-	-	-	-	-
-	-	-	2	-	-	1	1	-	-	1	-	1
3	4	4	6	13	1	-	1	-	1	-	-	3
-	-	-	-	1	-	-	1	-	-	-	-	1
-	-	1	-	1	-	-	2	-	2	1	-	1
1	1	2	-	-	-	-	3	-	-	-	-	-

TABLE

Deaths in Each Town from Certain

PENOBSCOT

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Charleston	842	-	1	-	-	-	2
Chester	363	-	-	-	-	-	-
Clifton	236	-	-	-	-	-	1
Corinna	1,170	-	-	-	-	-	1
Corinth	1,042	-	-	-	-	1	3
Dexter	2,941	-	-	3	-	3	5
Dixmont	843	-	1	1	-	1	-
Eddington	663	1	-	-	-	-	-
Enfield	1,062	-	-	2	-	2	-
Etna	527	-	-	-	-	1	-
Exeter	879	-	-	2	-	1	2
Garland	857	-	-	1	-	-	-
Glenburn	461	-	-	-	-	1	1
Greenbush	586	-	-	-	-	-	-
Hampden	2,182	-	-	4	1	-	3
Hermon	1,183	-	1	1	-	-	-
Holden	602	-	-	1	-	1	-
Howland	519	-	-	-	-	1	1
Hudson	430	-	-	-	-	-	-
Kenduskeag	423	-	-	1	-	-	-
Kingman	936	-	-	-	-	2	-
Lagrange	574	-	-	-	-	-	-
Lee	801	-	-	-	-	-	3
Levant	789	-	-	1	-	-	-
Lincoln	1,731	-	-	2	-	1	7
Lowell	300	-	-	1	-	-	-
Mattawamkeag	527	-	-	-	-	-	1
Medway	297	-	-	-	-	-	2
Milford	838	-	-	-	-	1	1
Millinocket	1,144	-	-	-	-	2	-
Mt. Chase	299	-	-	-	-	-	-
Newburg	734	-	-	-	1	-	2
Newport	1,533	-	1	-	-	-	3
Old Town	5,763	-	-	5	-	8	4
Orono	3,257	-	1	-	1	2	3
Orrington	1,266	-	-	4	2	-	1
Passadumkeag	409	-	-	-	1	-	-
Plymouth	658	-	-	-	-	-	1
Prentiss	502	-	-	-	-	-	1
Springfield	532	-	-	1	-	1	1
Stetson	503	-	-	1	-	-	1
Veazie	555	-	-	2	-	-	1
Winn	688	-	-	-	-	-	1
Lakeville Pl	129	-	-	-	-	-	1
Stacyville Pl	347	-	-	-	-	1	-
No. 1 R 7	42	-	-	-	-	-	-
Indian Township	-	-	-	-	-	-	-
PISCATAQUIS COUNTY	15,994	-	4	22	8	12	20
Abbot	716	-	-	-	-	-	1
Atkinson	495	-	-	1	1	-	1
Blanchard	248	-	-	-	-	-	-
Brownville	1,570	-	-	4	-	2	-
Dover	1,889	-	-	5	4	1	1
Foxcroft	1,629	-	1	5	2	-	2

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	2	-	-	-	2	-	1	1	-	-
-	-	1	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	2	3	1	-	1	1	-	1	-	1
1	1	1	1	2	-	-	1	-	2	-	1	-
-	7	-	4	2	1	-	3	-	1	1	-	1
-	1	-	6	-	-	-	-	-	1	-	-	-
-	-	-	2	-	-	-	-	-	1	-	-	-
-	-	1	-	1	-	1	-	-	-	-	-	-
-	-	2	1	-	-	-	1	-	-	-	-	-
-	2	-	2	1	-	-	-	-	2	-	1	-
-	1	-	3	3	-	-	1	-	2	-	-	-
-	-	-	-	1	-	1	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	2	1	8	11	1	2	1	-	-	-	-	2
-	2	1	3	2	-	-	1	-	-	-	-	1
-	-	-	1	1	-	1	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
-	2	-	-	2	-	-	1	-	-	-	-	-
-	-	1	2	-	-	1	-	-	1	-	-	-
-	1	-	-	-	2	-	-	1	-	-	-	1
-	2	-	3	-	-	-	-	-	1	-	1	-
-	1	-	-	1	-	-	-	-	2	-	-	-
-	-	-	1	2	-	-	1	-	-	-	-	-
-	1	4	4	2	-	1	1	-	-	-	-	2
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	1	1	1	-	1	-	-	2	-	-	-
-	-	-	1	3	1	1	1	-	1	-	-	3
-	-	-	-	-	-	-	1	-	1	-	-	1
-	1	-	3	-	-	-	1	-	1	-	-	-
-	-	1	1	2	1	-	4	-	3	-	-	1
5	3	7	7	9	7	-	6	-	3	-	1	8
2	5	-	1	5	1	-	1	1	2	-	-	1
-	4	1	2	-	-	-	1	-	3	-	-	-
-	1	-	-	2	1	-	-	-	-	-	-	-
-	-	1	1	3	-	1	1	-	1	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	1	-	-	1
-	2	2	2	-	-	-	1	-	-	-	-	-
-	1	1	1	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
9	12	16	21	22	8	6	18	2	10	1	3	14
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	1	2	2	4	-	2	2	-	1	-	-	2
-	2	-	3	1	1	-	8	-	1	-	-	-
-	-	6	2	3	1	-	-	-	1	1	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

PISCATAQUIS

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Greenville	1,117	-	-	1	-	1	1
Guilford	1,544	-	2	-	-	-	-
Milo	1,150	-	-	-	-	3	1
Monson	1,116	-	1	1	-	1	2
Orneville	325	-	-	-	-	-	1
Parkman	718	-	-	-	1	-	2
Sangerville	1,294	-	-	1	-	-	3
Sebec	593	-	-	2	-	-	2
Shirley	248	-	-	-	-	1	-
Wellington	413	-	-	1	-	-	2
Williamsburg	117	-	-	-	-	-	-
Willimantic	419	-	-	1	-	-	1
Kingsbury Pl	106	-	-	-	-	2	-
Lake View Pl	173	-	-	-	-	1	-
Katahdin Iron Works	114	-	-	-	-	-	-
SAGADAHOC COUNTY	20,269	-	2	28	5	9	10
Arrowsic	180	-	-	-	-	-	-
Bath	10,477	-	-	9	1	5	2
Bowdoin	937	-	-	2	-	-	1
Bowdoinham	1,305	-	-	-	1	-	-
Georgetown	799	-	-	3	-	-	2
Phippsburg	1,254	-	-	1	1	-	-
Richmond	2,049	-	1	7	1	1	2
Topsham	2,097	-	1	3	1	2	-
West Bath	291	-	-	1	-	-	1
Woolwich	880	-	-	2	-	1	2
SOMERSET COUNTY	32,802	1	5	31	4	25	42
Anson	1,830	-	-	6	-	2	1
Athens	896	-	-	-	-	1	-
Bingham	841	-	-	1	-	1	-
Cambridge	364	-	-	-	-		-
Canaan	977	-	-	3	-	-	3
Concord	291	-	-	-	-	-	-
Cornville	689	-	-	-	-	-	5
Detroit	527	-	-	-	-	-	-
Embden	569	-	-	1	-	-	-
Fairfield	3,878	-	-	2	1	4	4
Harmony	571	-	-	-	-	-	-
Hartland	1,115	-	1	1	-	-	-
Madison	2,764	-	-	3	1	3	3
Mercer	493	-	-	-	-	1	-
Moscow	378	-	-	-	-	1	1
New Portland	913	-	-	1	-	-	1
Norridgewock	1,495	-	-	4	-	-	4
Palmyra	915	-	-	1	-	-	5
Pittsfield	2,891	-	1	-	-	3	2
Ripley	449	-	-	-	-	-	2
St. Albans	1,037	-	-	-	1	1	3

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	1	1	1	2	2	-	1	1	1	-	-	2
-	1	1	5	3	1	-	-	-	1	-	2	1
4	-	1	2	3	1	-	1	1	-	-	1	1
-	1	-	1	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	2
-	3	-	3	1	-	1	-	-	2	-	-	-
1	1	1	1	4	2	1	-	-	-	-	-	2
-	-	1	-	1	-	-	-	-	-	-	-	2
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	1	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	36	13	44	46	6	3	5	-	24	2	3	5
-	-	-	-	-	-	-	-	-	-	-	-	1
1	17	8	22	20	4	3	4	-	11	1	2	3
-	2	-	4	4	2	-	-	-	-	-	-	-
-	2	1	2	3	-	-	-	-	2	-	-	-
-	3	-	2	2	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	1
-	6	3	2	6	-	-	-	-	6	-	-	-
-	3	1	9	4	-	-	1	-	-	1	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	1	-	2	7	-	-	-	-	4	-	1	-
11	45	29	58	56	4	2	40	-	27	6	4	28
1	1	1	1	4	1	-	3	-	1	1	-	-
-	7	-	2	5	-	-	4	-	1	-	-	1
-	1	1	1	1	-	-	2	-	-	-	-	1
-	1	-	-	-	-	-	1	-	-	-	1	-
1	3	1	2	1	-	-	1	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	1	2	-	-	-	-	3	-	-	-
-	-	-	1	2	-	-	1	-	-	-	-	-
-	1	2	4	-	-	-	1	-	-	-	-	2
2	5	5	6	12	-	1	3	-	1	-	1	2
-	2	-	-	-	-	-	1	-	1	-	-	2
-	1	1	3	2	-	1	1	-	1	2	-	1
-	3	1	6	5	-	-	3	-	2	-	-	3
-	1	-	1	-	-	-	-	-	-	1	-	1
-	-	2	1	-	-	-	1	-	-	-	-	-
-	1	-	1	-	-	-	1	-	-	1	-	-
-	1	-	3	-	-	-	-	-	-	-	1	-
-	1	1	2	-	-	-	2	-	3	-	1	1
1	3	6	5	7	-	-	3	-	2	-	-	2
-	-	-	1	1	-	-	-	-	-	-	-	-
1	-	-	2	4	-	-	-	-	1	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

SOMERSET

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Skowhegan	5,180	-	3	5	1	7	-
Smithfield	449	-	-	-	-	-	1
Solon	986	-	-	1	-	-	2
Starks	636	-	-	-	-	-	2
Bigelow Pl	57	-	-	-	-	-	-
Brighton Pl	368	-	-	-	-	-	-
Caratunk Pl	218	-	-	-	-	1	-
Highland Pl	67	-	-	-	-	-	-
Jackman Pl	352	1	-	1	-	-	2
Mayfield Pl	89	-	-	1	-	-	-
Pleasant Ridge Pl	114	-	-	-	-	-	-
The Forks Pl	157	-	-	-	-	-	-
West Forks Pl	160	-	-	-	-	-	1
Rockwood	76	-	-	-	-	-	-
WALDO COUNTY	24,185	1	2	24	2	13	41
Belfast	4,615	-	-	4	-	-	2
Belmont	352	-	-	-	-	-	2
Brooks	669	-	1	2	-	-	1
Burnham	766	-	-	3	-	-	-
Frankfort	1,211	-	-	1	-	-	2
Freedom	479	-	-	-	-	-	-
Isleboro	923	-	-	-	-	-	2
Jackson	439	-	-	-	1	-	2
Knox	558	-	-	2	1	-	1
Liberty	737	-	-	-	-	-	2
Lincolnville	1,223	-	-	1	-	1	2
Monroe	958	-	-	-	-	1	-
Montville	982	-	-	1	-	-	2
Morrill	420	-	-	-	-	-	1
Northport	545	-	-	2	-	2	-
Palermo	757	-	-	-	-	2	-
Prospect	648	-	-	1	-	-	4
Searsmont	949	-	-	-	-	3	-
Searsport	1,349	-	-	4	-	1	3
Stockton Springs	872	-	-	-	-	-	1
Swanville	502	-	-	-	-	-	-
Thorndike	497	-	-	-	-	-	-
Troy	766	-	-	1	-	-	3
Unity	877	-	-	-	-	2	3
Waldo	468	-	1	-	-	1	2
Winterport	1,623	1	-	2	-	-	6
WASHINGTON COUNTY	44,207	-	2	42	4	21	39
Addison	1,059	-	-	1	-	-	1
Alexander	333	-	-	-	-	-	-
Baileyville	215	-	-	-	-	-	-
Baring	231	-	-	1	-	-	-
Calais	7,655	-	-	8	2	4	7
Centerville	91	-	-	1	-	-	-
Charlotte	315	-	-	1	-	-	-
Cherryfield	1,859	-	-	-	-	-	1

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
4	8	5	8	7	2	-	9	-	6	-	-	7
-	-	-	-	-	-	-	1	-	1	-	-	-
-	3	-	3	-	-	-	-	-	-	-	-	1
-	1	1	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	1
-	-	1	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
1	-	-	-	-	-	-	-	-	-	-	-	-
5	26	29	56	35	8	6	28	1	23	1	2	7
-	2	4	14	8	1	3	5	-	9	-	1	1
1	1	1	1	-	1	-	1	-	-	-	-	-
1	-	1	2	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	1
-	-	2	2	2	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-
-	1	-	1	3	1	-	1	-	2	-	-	-
-	2	-	2	-	-	-	1	-	-	1	-	-
-	-	3	1	1	-	-	-	-	1	-	-	-
-	1	-	2	1	-	-	2	-	-	-	-	1
-	2	1	4	-	2	1	2	-	1	-	-	1
-	-	-	2	1	-	-	-	-	-	-	-	-
-	5	4	1	3	-	-	4	-	3	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	1	-	-	-	-	1	-	-	-	-	-
1	2	-	2	1	-	-	-	-	1	-	-	-
1	-	1	-	-	-	-	2	-	-	-	-	-
-	3	1	4	2	-	-	1	-	1	-	-	-
-	1	1	4	3	-	-	1	-	-	-	-	-
1	-	1	-	1	-	-	-	-	3	-	1	-
-	-	1	1	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	4	-	2	-	1	-	-	-	-	-
-	-	-	2	5	-	1	1	-	-	-	-	-
-	-	-	4	-	-	-	1	1	-	-	-	-
-	3	7	2	3	1	-	-	-	2	-	-	2
11	32	39	85	82	10	7	37	3	30	6	2	18
-	-	3	2	6	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	7	6	19	10	-	1	10	1	4	-	1	3
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	-	1	2	-	-	-	-	-	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

WASHINGTON

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Columbia	516	-	-	-	-	-	-
Columbia Falls	569	-	-	-	-	-	-
Cooper	207	-	-	-	-	-	1
Crawford	112	-	-	1	-	-	-
Cutler	565	-	-	-	-	-	1
Danforth	1,092	-	-	1	-	-	2
Dennysville	482	-	-	-	-	-	-
East Machias	1,521	-	-	2	-	1	-
Eastport	5,311	-	2	2	-	4	3
Edmunds	492	-	-	-	-	-	1
Forest City	151	-	-	-	-	-	-
Harrington	1,165	-	-	-	1	-	1
Jonesboro	606	-	-	1	1	-	-
Jonesport	2,124	-	-	5	-	1	2
Lubec	3,005	-	-	4	-	1	2
Machias	2,082	-	-	-	-	3	1
Machiasport	1,218	-	-	-	-	-	-
Marion	95	-	-	-	-	-	-
Marshfield	227	-	-	-	-	-	2
Meddybemps	154	-	-	-	-	-	-
Milbridge	1,921	-	-	2	-	4	-
Northfield	126	-	-	1	-	-	1
Pembroke	1,652	-	-	3	-	-	-
Perry	1,245	-	-	1	-	-	5
Princeton	1,094	-	-	1	-	-	1
Robbinston	844	-	-	2	-	-	2
Roque Bluffs	168	-	-	-	-	-	-
Steuben	901	-	-	2	-	-	-
Topsfield	282	-	-	-	-	-	1
Trescott	463	-	-	-	-	3	1
Vanceboro	550	-	-	-	-	-	2
Waite	135	-	-	-	-	-	-
Wesley	198	-	-	1	-	-	-
Whiting	599	-	-	-	-	-	-
Whitneyville	424	-	-	1	-	-	-
Grand Lake Stream Pl.	221	-	-	-	-	-	1
No. 21 Pl.	86	-	-	-	-	-	-
No. 10 R. 3	46	-	-	-	-	-	-
YORK COUNTY	64,885	5	8	61	5	76	54
Acton	778	-	1	1	-	2	-
Alfred	937	-	-	1	-	-	1
Berwick	2,280	-	-	2	-	6	3
Biddeford	16,145	1	2	4	1	33	5
Buxton	1,838	-	-	2	-	-	5
Cornish	984	-	-	1	1	1	2
Dayton	473	-	-	1	-	1	-
Eliot	1,458	-	-	1	-	1	-
Hollis	1,274	-	-	2	-	-	1
Kennebunk	3,228	-	-	10	-	6	2
Kennebunkport	2,123	-	-	2	-	-	4
Kittery	2,872	-	-	2	-	2	-
Lebanon	1,335	-	1	2	-	-	2
Limerick	874	-	-	1	1	-	1
Limington	1,001	-	-	-	-	-	1
Lyman	687	-	-	1	-	-	-

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	3	2	3	-	1	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	1	-	-
-	-	2	2	1	1	1	1	-	2	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	4	4	-	-	4	-	2	-	-	-
1	4	11	15	9	2	-	4	-	2	1	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	1	2	1	-	-	2	-	2	-	-	-
-	1	3	-	-	-	-	-	1	-	-	-	-
-	-	1	1	5	-	2	-	-	2	1	-	-
1	6	-	4	11	-	1	1	-	1	-	-	1
-	1	2	7	8	2	-	2	-	-	-	-	-
-	-	-	2	2	-	-	1	-	-	-	-	3
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
1	3	2	7	2	1	-	1	-	4	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	1	5	1	1	-	2	-	2	-	-	2
-	-	1	-	1	-	1	1	-	-	1	-	-
1	-	-	1	3	-	-	2	-	-	-	-	1
-	2	-	2	2	-	-	1	-	-	-	-	-
-	-	1	1	-	1	-	-	-	-	-	-	-
1	-	-	-	3	-	-	-	-	4	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	1	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	2	-	-	-	-	-	-	-	-	1
-	2	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
27	97	68	119	110	28	15	53	4	74	4	9	37
1	1	-	3	1	1	-	-	1	1	-	-	-
-	4	-	-	1	-	1	1	-	3	-	-	-
-	4	-	7	-	1	-	1	-	1	-	-	2
13	7	18	22	37	6	4	12	-	16	1	1	10
-	1	3	6	5	3	1	4	-	2	-	-	1
-	3	-	4	1	1	-	1	-	3	-	-	-
-	2	1	-	1	1	-	1	-	-	-	-	-
1	5	1	2	2	-	-	-	-	-	-	1	-
-	-	2	5	3	-	-	2	-	1	1	1	1
-	6	2	6	3	1	-	1	-	3	-	-	2
1	6	1	7	4	-	1	3	-	3	-	-	1
2	3	1	9	2	-	2	1	-	1	-	-	1
-	1	-	7	2	1	2	3	-	2	-	-	-
-	3	2	-	-	1	-	2	-	1	-	-	-
2	-	-	-	3	-	-	1	-	1	-	-	1
-	1	1	2	1	-	1	-	-	1	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

YORK

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Newfield	676	-	-	1	-	-	-
North Berwick	1,748	-	-	-	-	1	-
Old Orchard	964	-	1	2	-	1	-
Parsonsfield	1,131	-	-	1	-	1	3
Saco	6,122	-	1	10	1	3	4
Sanford	6,078	2	-	8	-	15	6
Shapleigh	847	-	-	-	-	2	1
South Berwick	3,188	-	1	4	1	1	2
Waterboro	1,169	-	-	-	-	-	1
Wells	2,007	-	1	2	-	-	4
York	2,668	2	-	-	-	-	6

Digitized by Google

No. 34—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	3	4	2	1	-	-	1	-	2	-	1	1
-	3	1	2	5	3	-	-	-	2	-	-	1
-	-	-	2	-	-	-	-	-	2	-	-	1
-	7	4	3	3	-	-	-	-	4	-	-	-
-	9	6	8	9	2	-	10	-	13	-	1	4
5	8	3	9	11	1	-	3	1	7	1	1	1
2	3	-	-	3	-	1	-	-	1	-	-	-
-	9	4	3	4	1	-	1	2	3	-	-	4
-	-	3	1	-	1	1	1	-	-	1	-	4
-	2	5	5	4	1	-	-	-	1	-	1	-
-	6	6	4	4	3	1	4	-	-	-	2	2

Digitized by Google

TABLE

Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males....	112	26	8	17	38	24	34	31	74	57	31	9	-	1
females.....	59	23	12	17	29	33	37	45	70	67	39	4	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	144	41	10	24	23	19	9	28	40	50	33	2	-	4
females.....	113	39	4	25	33	18	16	20	38	41	18	7	1	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	118	35	21	41	64	52	64	98	143	149	105	10	-	3
females.....	111	30	16	28	47	59	68	88	141	176	90	30		-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Franklin, males.....	16	5	3	7	5	5	7	17	18	42	16	1	-	1
females.....	25	6	5	4	7	8	6	12	21	28	13	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	46	13	3	10	13	10	13	26	43	60	42	3	-	-
females.....	19	13	7	6	27	21	9	31	30	58	36	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	81	24	4	22	28	36	39	63	104	93	79	5	-	6
females.....	56	27	7	17	22	46	38	60	76	110	57	13	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	26	10	2	10	20	10	13	22	47	43	33	2	-	2
females.....	25	7	5	9	14	10	17	25	29	48	36	11	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males....	14	3	3	2	7	5	7	15	28	38	31	2	-	1
females.....	9	5	2	4	6	7	7	11	15	23	17	6	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	38	11	3	5	11	15	22	25	44	49	32	6	-	1
females.....	29	9	7	6	13	16	17	23	35	48	33	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	99	40	14	18	51	57	52	67	84	103	82	9	-	-
females.....	86	31	9	24	60	31	49	52	93	99	80	10	1	4
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	21	4	3	9	11	9	9	7	14	27	22	3	-	2
females.....	13	4	3	6	6	15	9	12	19	26	15	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	19	5	2	5	11	7	13	7	33	32	15	4	-	-
females.....	12	5	3	5	14	8	15	18	27	38	22	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	46	16	6	15	14	9	15	23	49	59	33	8	-	2
females.....	24	7	1	17	25	21	12	23	36	53	36	11	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	8	6	5	3	12	6	14	25	35	42	29	6	-	-
females.....	17	2	1	7	18	8	10	25	34	47	38	6	1	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	52	20	9	20	21	9	17	35	47	73	41	3	-	-
females.....	45	20	2	19	31	19	19	29	29	69	32	11	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	125	39	11	21	22	33	36	42	77	110	53	4	-	-
females	76	18	10	16	38	29	35	56	104	115	77	11	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	965	298	107	229	351	306	364	531	880	1027	677	77	-	23
females.....	719	246	94	210	390	349	364	530	797	1046	639	141	4	16
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Grand total.....	1684	544	201	439	741	655	728	1061	1677	2073	1316	218	4	40

Digitized by Google

No. 35.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
42	36	31	54	37	27	47	37	43	32	41	34	1	462	-
29	32	35	36	44	29	34	46	30	53	31	37	2	438	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	900
22	33	32	40	36	25	18	53	68	45	25	29	1	427	-
30	29	32	30	37	40	18	34	42	37	20	25	1	375	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	802
74	81	77	75	79	72	76	95	79	83	60	50	2	903	-
87	88	76	80	73	63	59	75	70	76	68	68	1	884	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1788
13	7	24	17	14	13	5	11	15	8	4	12	-	143	-
8	10	23	17	13	15	10	6	9	13	6	10	-	140	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
18	21	35	28	22	15	21	27	26	23	26	19	1	282	-
21	21	33	18	28	18	19	12	24	29	18	21	-	262	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	544
55	55	60	55	49	43	41	50	53	46	34	43	-	584	-
55	40	61	46	42	41	38	34	43	41	44	45	1	531	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1115
20	21	20	18	17	19	11	23	25	20	27	19	-	240	-
19	15	17	25	22	22	16	17	22	21	19	23	-	238	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	478
17	10	13	10	12	15	12	13	14	15	16	9	-	156	-
17	9	10	8	12	8	6	9	9	9	4	12	-	113	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	269
37	31	32	19	24	14	16	24	17	16	14	18	-	262	-
19	23	32	28	19	18	17	23	20	17	13	15	-	244	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	506
64	57	76	56	61	42	55	80	47	42	56	39	1	676	-
55	72	69	57	45	48	37	42	51	61	47	44	1	629	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1305
15	12	8	13	11	12	10	13	11	12	10	13	1	141	-
8	14	14	7	10	8	14	5	18	11	12	8	-	129	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	270
18	17	12	14	13	14	9	12	12	11	11	10	-	153	-
12	17	33	12	8	14	7	19	8	15	14	10	-	169	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	322
22	25	28	29	22	23	11	28	45	21	17	23	1	295	-
20	17	45	30	21	17	13	11	22	26	26	18	-	266	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	561
17	20	22	17	26	18	9	5	16	14	14	13	-	191	-
13	29	32	21	20	15	16	11	16	12	16	15	-	216	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	407
27	27	41	37	23	21	20	40	26	33	30	22	-	347	-
30	31	46	30	23	26	18	22	34	24	27	14	1	326	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	673
44	57	45	49	45	36	46	78	44	46	36	46	1	573	-
53	52	83	47	49	39	39	51	53	46	38	35	-	585	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1158
505	510	556	531	491	409	407	589	541	467	421	399	9	5835	-
476	499	641	492	466	421	361	417	471	491	405	400	7	5545	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
981	1009	1197	1023	957	830	768	1 006	1012	958	824	799	17	11,381	11,381

Digitized by Google

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Fourteen Years, 1892-1905.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	475	433	884	2,326	2,987	15,285	7,266	14,112	3,193	8,069
Males	213	209	408	1,163	1,696	6,663	-	6,897	1,501	3,932
Females	261	224	476	1,162	1,290	8,621	-	7,210	1,692	4,137
Not stated	1	-	-	1	1	1	-	5	-	-
January	45	32	81	239	227	1,311	93	2,162	412	747
February	39	35	69	214	194	1,252	84	1,951	393	725
March	56	59	84	148	252	1,557	103	2,061	421	704
April	49	39	69	153	218	1,473	116	1,774	365	689
May	68	39	64	172	207	1,489	110	1,378	304	685
June	47	35	79	125	159	1,291	192	733	201	635
July	52	21	80	137	147	1,233	1,014	332	146	591
August	29	19	90	130	234	1,150	2,368	289	96	646
September	12	28	73	161	372	1,087	2,097	422	142	625
October	30	37	59	252	415	1,172	820	707	215	649
November	25	48	58	301	290	1,068	168	951	217	649
December	23	41	76	292	266	1,188	98	1,341	275	720
Not stated	-	-	2	2	6	14	3	11	6	4

Digitized by Google

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100, Fourteen Years, 1892-1905.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January	111.55	87.00	107.88	120.98	89.48	100.99	150.70	180.38	151.92	109.00
February	107.05	105.36	101.75	119.93	84.66	106.78	15.07	180.22	160.45	117.13
March	138.82	160.41	111.88	74.92	99.33	119.94	16.69	171.96	155.24	102.73
April	125.26	109.58	94.96	80.15	88.79	117.25	19.42	152.95	139.08	103.89
May	168.57	106.04	85.24	87.07	81.60	114.70	17.83	115.98	112.10	99.95
June	120.39	98.34	108.73	65.48	64.76	102.76	32.15	63.19	76.59	95.75
July	128.90	57.10	106.55	69.35	57.94	94.98	164.31	27.70	53.84	86.24
August	71.89	51.66	119.87	65.80	92.24	88.59	382.11	24.11	35.40	94.26
September	80.73	78.67	100.47	84.34	155.59	86.52	351.13	36.38	54.11	94.24
October	74.37	100.60	75.58	127.56	163.59	90.28	132.88	58.99	79.28	94.70
November	64.04	134.37	79.82	157.67	118.12	85.01	28.13	88.99	82.69	97.86
December	57.02	111.47	101.23	147.81	104.85	91.51	15.88	111.89	101.40	105.06
Mean	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

Digitized by Google

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-rates.—The number of deaths registered in the year 1905 was 11,381 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, 11,370 in 1899, 11,389 in 1900, 11,133 in 1901, 10,673 in 1902, 11,009 in 1903, and 11,346 in 1904). The number of deaths for this registration year was, therefore, 35 more than for 1904, 372 more than for 1903, 708 more than for 1902, 248 more than for 1901, 8 less than for the year 1900, 11 more than for 1899, 425 more than for 1898, 145 more than for 1897, 755 more than for 1896, 917 more than for 1895, 369 more than for 1894, 247 more than for 1893, and 766 less than for 1892. The death-rate for the State for the year 1905 was 15.92 for every 1,000 of population (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, 16.45 in 1899, 16.40 in 1900, 16.03 in 1901, 15.37 in 1902, 15.85 in 1903, and 16.34 in 1904).

By referring to Table No. 4, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 12.38. The counties Androscoggin, Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Piscataquis, Sagadahoc and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Kennebec, Penobscot, Somerset, Waldo and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.13.

The death-rate in the cities was 16.79 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, and 18.00 in 1904), as compared with that of the rest of the State with the cities omitted, which death-rate was 15.49 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, and 15.54 in 1904).

Seasons and Mortality.—The largest number of deaths occurred in March, 1,197. The smallest number of deaths in any one month was 768 in July. During the spring months 3,177 deaths occurred; during the summer, 2,604; during the

Digitized by Google

autumn, 2,794; in the winter, 2,789. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1905:

	Largest Number.		Smallest Number.	
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	988	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768

The following is a tabular statement of the number of deaths in each quarter of the fourteen years 1892-1905:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615
1904	3,100	2,961	2,603	2,670
1905	3,187	2,810	2,786	2,581

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1905:

Digitized by Google

DEATHS IN EACH MONTH FOR THE YEARS 1892-1905.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.
1892	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897	916	851	1,259	1,020	592	769	840	1,019	997	999	835	837	2	11,236
1898	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899	1,432	1,049	935	965	899	768	783	1,031	953	862	781	881	11	11,370
1900	903	881	1,095	1,196	1,068	793	838	1,033	1,037	911	769	856	8	11,389
1901	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
Total	14,402	13,436	14,457	13,992	13,251	11,135	11,620	13,533	13,733	12,611	11,102	12,389	215	155,876

Digitized by Google

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1898-1905. The number of deaths for 1905 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,381 decedents, 5,835 were males and 5,545 were females. The sex of one was unstated.

Among children dying before they were 5 years old, 1,263 were males and 965 were females; there were 298 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages of from 50 to 80; and from 80 to 100, more among females. At the age of 100 years and over four women died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,684	14.80 per cent.
From 1-5 years of age	544	4.78 per cent.
From 5-10 years of age	201	1.77 per cent.
From 10-20 years of age	439	3.86 per cent.
From 20-30 years of age	741	6.51 per cent.
From 30-40 years of age	655	5.76 per cent.
From 40-50 years of age	728	6.40 per cent.
From 50-60 years of age	1,061	9.31 per cent.
From 60-70 years of age	1,677	14.74 per cent.
From 70-80 years of age	2,073	18.21 per cent.
From 80-90 years of age	1,316	11.56 per cent.
From 90-100 years of age	218	1.92 per cent.
100 years of age and over,	4	0.03 per cent.
Ages not stated	40	0.35 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1898-1905. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, and 1904 it again occu-

Digitized by Google

pied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES—1898-1905.

Causes of Death.	1905.	1905.	1904.	1903.	1902.	1901.	1900.	1899.	1898.
Brain disease*	1,364	1	1	1	1	1	1	1	1
Heart disease	1,222	2	2	2	2	2	3	3	2
Pneumonia	1,053	3	3	3	3	4	2	2	4
Consumption	894	4	4	4	4	3	4	4	3
Old age	724	5	5	5	5	5	5	5	6
Cancer	662	6	7	7	6	6	7	7	7
Kidney disease†	646	7	6	6	7	8	8	8	8
Infantile diarrhea	561	8	8	8	8	7	6	6	5
Bronchitis	218	9	9	9	9	9	9	9	10
Diphtheria and croup	110	10	10	10	10	10	10	10	9

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

Digitized by Google

SIX INFECTIOUS DISEASES BY COUNTIES—1905.

COUNTIES.	Estimated population for 1905.	Aggregate deaths from six infectious diseases—1905.	Infectious death-rate per 10,000—1905.
Androscoggin	56,879	25	4.40
Aroostook	66,322	31	4.67
Cumberland	105,559	50	4.74
Franklin	19,140	4	2.09
Hancock	37,241	10	2.69
Kennebec	60,170	27	4.49
Knox	30,406	14	4.60
Lincoln	19,669	3	1.52
Oxford	33,064	9	2.72
Penobscot	77,937	57	7.31
Piscataquis	17,357	4	2.30
Sagadahoc	20,769	12	5.78
Somerset	34,460	18	5.80
Waldo	24,185	7	2.89
Washington	45,607	16	3.51
York	65,913	56	8.50
State	714,678	343	4.80

In the foregoing table the second column shows for each county the whole number of deaths for 1905 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

Digitized by Google

SIX INFECTIOUS DISEASES BY CITIES—1905.

Cities.	Estimated Population for 1905.	Aggregate deaths from six infectious diseases—1905.	Infectious death-rate per 10,000—1905.
Auburn	13,802	3	2.17
Augusta	12,261	9	7.34
Bangor	23,224	19	8 18
Bath	11,354	6	5.28
Belfast	4,615	2	4.33
Biddeford	16,996	23	1.35
Brewer	5,156	1	1.94
Calais	7,838	3	3.83
Eastport	5,513	-	-
Ellsworth	4,297	-	-
Gardiner	5,506	-	-
Hallowell	2,714	-	-
Lewiston	24,791	13	5.24
Old Town	5,989	9	15.03
Portland	57,005	28	4.91
Rockland	8,150	5	6.13
Saco	6,146	6	9.76
So. Portland	6,287	2	3.18
Waterville	10,662	8	7.50
Westbrook	7,609	5	6.57
Collectively	239,915	142	5.92

By consulting the following table it will be seen that the number of deaths from measles and grippe was larger than in 1904. There was a smaller number of deaths from typhoid fever, scarlet fever, whooping cough, diphtheria and croup, tetanus, and malarial disease.

Digitized by Google

INFECTIOUS DISEASES—1898-1905.

Diseases.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total.
Smallpox	-	3	2	-	12	7	3	-	27
Chickenpox	-	-	1	-	-	-	-	-	1
Measles	41	39	84	26	28	36	22	32	308
Rotheln (German measles)	-	-	1	-	-	-	-	-	1
Scarlet fever	43	48	35	18	13	18	10	7	192
Grippe	145	380	236	266	122	196	166	243	1,754
Whooping cough	44	96	99	28	51	110	54	38	520
Mumps	3	1	-	-	-	1	-	-	5
Diphtheria and croup	240	152	155	127	115	115	162	110	1,176
Cerebro-spinal meningitis	43	50	42	44	33	-	-	-	212
Tetanus	4	11	7	5	7	11	14	7	66
Typhoid fever	216	195	196	224	162	225	242	156	1,616
Malarial disease	8	10	13	11	20	9	13	11	95

Smallpox.—In 1905, as in 1904, there were no deaths from smallpox. In 1903, smallpox was the cause of 7 deaths; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 32 persons, of whom 14 were males and 18 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, and 22 in 1904.

Digitized by Google

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS —1896-1905.

By Counties.		By months.		By age periods.	
Androscoggin	29	January	31	Under 1	98
Aroostook	56	February	33	1-5	128
Cumberland	48	March	36	5-10	28
Franklin	7	April	33	10-20	27
Hancock	21	May	52	20-30	21
Kennebec	27	June	37	30-40	22
Knox	17	July	41	40-50	13
Lincoln	3	August	24	50-60	6
Oxford	15	September	10	Over 60	16
Penobscot	38	October	26	Not stated	3
Piscataquis	10	November	21	Total	362
Sagadahoc	6	December	18		
Somerset	32	Total	362		
Waldo	9				
Washington	17				
York	27				
State	362				

Scarlet Fever.—The total mortality from this disease was 7 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, and 10 in 1904), 1 male and 6 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 2 in March. There were 3 deaths in the first quarter, 2 in the second, 1 in the third, and 1 in the last quarter of the year.

Androscoggin county had 1 death from scarlet fever; Aroostook, 2; Cumberland, 1; and York, 3. Of the 7 deaths from this cause, 3 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the thirteen years 1893-1905:

Digitized by Google

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	28	January	24	Under 1	34
Aroostook	65	February	31	1-5	185
Cumberland	44	March	55	5-10	116
Franklin	7	April	34	10-20	45
Hancock	14	May	35	20-30	10
Kennebec	41	June	32	30-40	4
Knox	22	July	21	40-50	1
Lincoln	3	August	19	50-60	1
Oxford	5	September	27	Not stated	1
Penobscot	38	October	35	Total	397
Piscataquis	10	November	45		
Sagadahoc	10	December	39		
Somerset	12	Total	397		
Waldo	14				
Washington	19				
York	65				
State	397				

The scarlatina death-rate per 10,000 for this State was 0.09; for the cities, 0.12.

Grippe.—During the year for which this report is made, 243 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 8.68; February, 19.84; March, 33.47; April, 19.84; May, 6.61; June, 2.89; July, 1.65; August, 0.41; September, 0.83; October, 1.65; November, 2.48; December, 1.65. The following shows the age incidence of deaths reported as having occurred from grippe:

Under 1 year,	16	40-50 years,	4
1-5 years,	9	50-60 years,	17
5-10 years,	1	60-70 years,	34
10-20 years,	3	70-80 years,	76
20-30 years,	4	Over 80 years,	72
30-40 years,	7		
		Total,	243

Digitized by Google

The grippe death-rate for the whole State was 3.40 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, and 2.39 in 1904).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	3	1	7	2	-	-	-	-	-	-	1	1	-	15
Aroostook	1	2	1	9	2	1	-	-	1	-	-	-	1	18
Cumberland	6	13	7	7	1	1	-	-	-	1	-	-	-	36
Franklin	-	-	4	3	1	2	-	-	-	-	-	-	-	10
Hancock	-	1	6	2	1	-	1	-	-	-	-	-	-	11
Kennebec	1	4	11	2	1	1	-	1	-	1	1	2	-	25
Knox	2	2	2	-	-	-	1	-	-	-	2	-	-	9
Lincoln	1	-	3	-	1	-	-	-	-	-	-	-	-	5
Oxford	1	1	4	3	1	-	-	-	-	1	-	1	-	12
Penobscot	-	10	10	6	5	-	1	-	-	-	1	-	-	33
Piscataquis	-	2	2	-	1	-	-	-	-	-	-	-	-	5
Sagadahoc	-	3	1	1	-	-	-	-	-	-	1	-	-	6
Somerset	1	3	3	5	1	1	-	-	1	1	-	-	-	16
Waldo	1	-	3	-	-	-	-	-	-	-	-	-	-	4
Washington	1	4	10	4	1	1	-	-	-	-	-	-	-	21
York	3	2	7	4	-	-	1	-	-	-	-	-	-	17
State	21	48	81	48	16	7	4	1	2	4	6	4	1	243

Whooping Cough.—The number of deaths from whooping cough was 38 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, and 54 in 1904), of which 20 were males and 18 females. The number of deaths in the cities was 9. Twenty-four of the 38 deaths from this cause were among infants under 1 year of age.

Digitized by Google

The death-rate in the State from whooping cough was 0.53 per 10,000; that of the cities, 0.38.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

By Counties.		By months.		By age-periods.	
Androscoggin	2	January	4	Under 1	24
Aroostook	2	February	3	1-5	13
Cumberland	10	March	2	5-10	-
Franklin	1	April	2	10-20	-
Hancock	-	May	1	20-30	-
Kennebec	2	June	3	30-40	-
Knox	1	July	6	40-50	-
Lincoln	-	August	5	50-60	-
Oxford	-	September	2	60-70	-
Penobscot	8	October	8	Not stated	
Piscataquis	1	November	1	Total	38
Sagadahoc	1	December	6		
Somerset	2	Total	38		
Waldo	1				
Washington	4				
York	3				
State	38				

Diphtheria.—There were for the year 1905, 110 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, 92 in 1899, 155 in 1900, 127 in 1901, 115 in 1902, the same in 1903, and 162 in 1904). Of the decedents, 68 were males and 42 were females.

Ages: Under 1, 13; 1-5, 57; 5-10, 15; 10-20, 16; 20-30, 6; 30-40, 1; 40-50, 2.

Of the 110 deaths, 42 were in the cities, and 68 in other places. The diphtheria death-rate for the State was 1.54, and for the cities, 1.76.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

Digitized by Google

DIPHTHERIA BY COUNTIES AND MONTHS—1905.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	1	-	-	-	-	2	1	-	2	-	1	7	1.23
Aroostook	-	2	1	2	1	1	-	2	2	1	-	3	15	2.26
Cumberland	2	3	1	-	2	1	-	2	1	1	1	2	16	1.52
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	1	-	-	-	-	-	1	-	-	-	-	-	2	0.53
Kennebec	2	-	1	1	-	1	1	1	1	-	1	-	9	1.50
Knox	-	1	-	-	-	-	-	-	-	-	-	-	1	0.33
Lincoln	-	-	-	-	-	-	-	-	-	-	2	-	2	1.02
Oxford	-	-	-	-	1	-	-	-	-	-	3	1	5	1.51
Penobscot	3	1	1	1	-	1	1	1	1	1	2	3	16	2.05
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	1	1	-	-	-	-	1	-	-	-	1	2	6	2.89
Somerset	1	3	-	-	-	1	1	-	1	1	-	1	9	2.61
Waldo	-	1	-	-	-	-	-	-	-	-	-	-	1	0.41
Washington	-	-	1	1	1	1	-	-	-	-	-	1	5	1.10
York	1	7	2	-	-	1	-	1	-	-	2	2	16	2.43
State	11	20	7	5	5	7	7	8	6	6	12	16	110	1.54

The following tabulation shows the number of deaths from diphtheria for the thirteen years 1893-1905, arranged by counties, months, and age-periods:

Digitized by Google

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	266	January	219	Under 1	299
Aroostook	379	February	200	1-5	271
Cumberland	435	March	136	5-10	503
Franklin	37	April	138	10-20	234
Hancock	47	May	151	20-30	49
Kennebec	186	June	105	30-40	25
Knox	84	July	124	40-50	13
Lincoln	28	August	120	50-60	7
Oxford	48	September	142	60-70	5
Penobscot	144	October	227	Over 70	3
Piscataquis	14	November	283	Not stated	5
Sagadahoc	67	December	267	Total	2,114
Somerset	77	Not stated	2		
Waldo	28	Total	2,114		
Washington	74				
York	200				
State	2,114				

Typhoid Fever.—There were 156 deaths from typhoid fever. Of these, 94 were males and 62 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 74 per cent. died between 10 and 50 years of age.

Ages: Under 1, 0; 1-5, 9; 5-10, 11; 10-20, 31, 20-30, 43; 30-40, 25; 40-50, 16; 50-60, 10; 60-70, 7; 70-80, 3; not stated, 1.

The largest number of deaths, 27, occurred in September, and the smallest number, 6, in July. By quarters, 35 were in the first quarter, 29 in the second, 45 in the third, and 47 in the last quarter of the year.

The typhoid death-rate of 3.29 in the cities is considerably greater than that in the villages and rural towns, which is 1.07. The rate for the State is 2.18.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

Digitized by Google

TYPHOID FEVER—1905.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	-	-	-	1	-	1	-	1	6	2	1	13	2.29
Aroostook	1	-	1	-	1	2	1	-	3	1	2	-	12	1.81
Cumberland	2	2	2	-	1	1	1	4	3	4	1	1	22	2.08
Franklin	-	-	-	-	-	1	-	-	-	-	-	-	1	0.52
Hancock	1	-	-	-	-	-	-	1	2	1	-	-	5	1.34
Kennebec	1	3	-	4	-	1	-	2	-	2	1	-	14	2.33
Knox	-	1	-	-	-	-	-	-	1	-	1	-	3	0.99
Lincoln	-	-	-	-	-	-	-	-	-	-	-	1	1	0.51
Oxford	1	-	1	-	-	-	-	-	-	1	1	-	4	1.21
Penobscot	4	3	3	4	3	3	-	-	4	1	3	2	30	3.85
Piscataquis	-	-	-	-	-	-	1	-	2	-	-	-	3	1.73
Sagadahoc	-	1	-	-	1	1	-	1	-	-	-	-	4	1.93
Somerset	-	-	-	-	-	-	-	1	2	-	-	-	3	0.87
Waldo	-	-	1	1	-	-	-	1	-	-	-	1	4	1.65
Washington	-	-	1	1	-	-	1	-	2	-	1	-	6	1.32
York	2	-	3	2	-	1	1	2	7	6	2	5	31	4.70
State	13	10	12	12	7	10	6	12	27	22	14	11	156	2.18

The following exhibits for the thirteen years 1893-1905 the distribution of deaths from typhoid fever by counties, months, and age-periods:

Digitized by Google

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	260	January	217	Under 1	16
Aroostook	230	February	191	1-5	104
Cumberland	382	March	240	5-10	155
Franklin	63	April	214	10-20	637
Hancock	108	May	194	20-30	853
Kennebec	293	June	148	30-40	401
Knox	65	July	189	40-50	250
Lincoln	58	August	219	50-60	148
Oxford	123	September	332	60-70	99
Penobscot	460	October	373	70-80	67
Piscataquis	51	November	251	Over 80	15
Sagadahoc	50	December	253	Not stated	23
Somerset	89	Not stated	6	Total	2,777
Waldo	63	Total	2,777		
Washington	135				
York	352				
State	2,777				

Malarial Diseases.—Eleven deaths were registered as due to malarial diseases. In all these cases the disease was contracted outside of this State; six of these persons having contracted the disease in the war of the rebellion. All of the decedents were males; their respective ages were: 50-60, 1; 60-70, 7; 70-80, 3.

Tuberculosis.—In 1905, tuberculosis in its various forms was the cause of 1,109 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,215 in 1900, 1,250 in 1901, 1,165 in 1902. 1,076 in 1903, and 1,217 in 1904). The death-rate per 10,000 from this cause was 15.30.

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 71; 39 were of males and 32 of females.

The number for the cities was 34. The death-rate for the State was 0.99; for the cities, 1.42.

Ages: Under 1, 14; 1-5, 33; 5-10, 13; 10-20, 6; 20-30, 1; 30-40, 2; 40-50 0; over 60, 2.

Digitized by Google

Pulmonary Tuberculosis. (Consumption.)—From this cause 894 deaths were registered in 1905, which is equivalent to a death-rate of 12.50 per 10,000 of population. The death-rate for the cities was 15.09. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the fourteen registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50

There were in 1905, 458 fewer deaths than in 1892, 405 fewer than in 1893, 368 fewer than in 1894, 301 fewer than in 1895, 278 fewer than in 1896, 234 fewer than in 1897, 127 fewer than in 1898, 121 fewer than in 1899, 133 fewer than in 1900, 139 fewer than in 1901, 76 fewer than in 1902, 7 fewer than in 1903, and 122 fewer than in 1904.

Ages: Under 1, 15; 1-5, 13; 5-10, 11; 10-20, 108; 20-30, 252; 30-40, 166; 40-50, 109; 50-60, 91; 60-70, 63; 70-80, 52; 80 and over, 10; not stated, 4.

It is thus shown in this report, as it was in the thirteen preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 81 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 410 of the decedents, or 46.0 per cent., were males; and 484, or 54.0 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

Digitized by Google

CONSUMPTION BY COUNTIES AND MONTHS—1905.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin ...	4	3	6	8	9	4	7	5	2	4	2	6	1	61	10.72
Aroostook.....	4	3	14	5	10	5	1	7	1	3	3	4	-	60	9.05
Cumberland	16	11	10	17	7	12	12	9	8	9	8	10	-	129	12.22
Franklin	2	1	2	5	3	1	-	1	1	-	1	1	-	18	9.40
Hancock.....	3	6	3	3	3	2	5	4	3	4	2	2	-	40	10.74
Kennebec	4	5	14	10	8	10	7	3	11	3	4	6	-	85	14.13
Knox	3	5	5	6	2	5	4	3	3	3	4	4	-	47	15.46
Lincoln.....	-	1	1	-	2	-	1	2	2	3	-	1	-	13	6.61
Oxford.....	3	2	5	4	2	4	-	2	1	2	2	1	-	28	8.47
Penobscot.....	14	15	11	11	12	14	12	12	8	8	7	8	-	132	16.94
Piscataquis	3	2	3	-	3	-	2	1	4	1	-	1	-	20	11.52
Sagadahoc	5	-	2	3	3	1	2	1	3	3	-	4	-	27	13.00
Somerset	2	2	6	6	3	5	2	4	5	2	5	1	-	43	12.48
Waldo	4	4	8	3	5	4	2	3	3	-	3	4	-	43	17.78
Washington.....	8	5	8	3	5	7	7	10	3	8	5	2	-	71	15.57
York	5	3	7	4	9	6	9	9	7	7	7	4	-	77	11.68
State	80	68	105	88	86	80	73	76	65	60	53	59	1	834	12.51

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	80 and over.	Not stated.	Total.
Males	6	8	2	40	112	71	63	47	35	17	6	3	410
Females	9	5	9	68	140	95	46	44	28	35	4	1	484
Total	15	13	11	108	252	166	109	91	63	52	10	4	894

For the thirteen years 1893-1905, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table.

Digitized by Google

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	1,054	January	1,165	Under 1	207
Aroostook	885	February	1,145	1-5	202
Cumberland	2,038	March	1,427	5-10	130
Franklin	340	April	1,346	10-20	1,664
Hancock	748	May	1,357	20-30	4,111
Kennebec	1,237	June	1,177	30 40	2,609
Knox	717	July	1,181	40-50	1,641
Lincoln	393	August	1,045	50-60	1,249
Oxford	524	September	989	60-70	1,087
Penobscot	1,635	October	1,047	70-80	758
Piscataquis	304	November	992	80 and over	209
Sagadahoc	395	December	1,097	Not stated	66
Somerset	707	Not stated	15	Total	13,933
Waldo	596	Total	13,933		
Washington	1,026				
York	1,334				
State	13,933				

Tuberculosis Mesenteric.—There were 59 deaths from this cause, 21 males and 38 females.

Ages: Under 1, 0; 1-5, 3; 5-10, 6; 10-20, 6; 20-40, 20; 40-60, 13; over 60, 11.

Tuberculosis, Other Forms.—Of these deaths, 85 in all, the cause assigned was: tuberculosis or general tuberculosis, 44; tuberculosis of larynx, 16; tuberculosis of stomach, 3; tuberculosis of kidneys, 1; tuberculosis of joints, 1; Pott's disease, 8; and others, 12.

There were 27 deaths from erysipelas; 50 from pyemia and septicemia, and 32 from puerperal fever—giving a special death-rate of 1.53. The following shows the distribution of puerperal fever by months and counties:

Digitized by Google

January	6
February	0
March	1
April	3
May	4
June	4
July	2
August	0
September	3
October	1
November	4
December	4
Total	32

Androscoggin	1
Aroostook	4
Cumberland	7
Franklin	2
Hancock	2
Kennebec	3
Knox	1
Lincoln	2
Oxford	1
Penobscot	0
Piscataquis	0
Sagadahoc	2
Somerset	3
Waldo	1
Washington	1
York	2
Total	32

Twenty deaths were returned under alcoholism. The special death-rate from alcoholism was 0.28.

Rheumatism.—The returns give 60 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, and 60 in 1904), 32 males and 28 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.84, while that in the cities was 0.67. The following shows the deaths from this cause arranged by counties, months, and age-groups:

Digitized by Google

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

By Counties.		By months.		By age-periods.	
Androscoggin	3	January	4	Under 1	-
Aroostook	4	February	9	1-5	1
Cumberland	10	March	4	5-10	2
Franklin	1	April	2	10-20	4
Hancock	1	May	7	20-30	7
Kennebec	7	June	4	30-40	4
Knox	2	July	6	40-50	8
Lincoln	1	August	7	50-60	2
Oxford	2	September	4	60-70	14
Penobscot	6	October	3	70-80	14
Piscataquis	4	November	5	Over 80	4
Sagadahoc	2	December	5	Total	60
Somerset	5	Total	60		
Waldo	2				
Washington	2				
York	8				
State	60				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the thirteen years 1893-1905:

Digitized by Google

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	36	January	62	Under 1	1
Aroostook	44	February	72	1-5	8
Cumberland	104	March	65	5-10	24
Franklin	10	April	51	10-20	55
Hancock	34	May	69	20-30	53
Kennebec	64	June	39	30-40	44
Knox	32	July	58	40-50	52
Lincoln	25	August	57	50-60	97
Oxford	40	September	38	60-70	159
Penobscot	81	October	47	70-80	151
Piscataquis	22	November	68	Over 80	53
Sagadahoc	24	December	71	Not stated	3
Somerset	40	Not stated	3	Total	700
Waldo	33	Total	700		
Washington	40				
York	71				
State	700				

Cancer.—From cancer in its various forms and locations there were 662 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, and 611 in 1904). Of the decedents, 238 were males and 424 were females. The cancer death-rate for the State was, therefore, 9.26.

Distributed as to its more frequent locations, there died of cancer of the stomach, 180; female genital organs, 100; liver, 85; intestines, 76; breast, 51; mouth, 25; skin, 24; kidneys, 11; abdomen, 9; throat, 9; pancreas, 8; pelvis, 7; bladder, 6; neck, 3; lung, 3; spleen, 3; thigh, 2; leg, 2; various, 27; unspecified, 31.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

Digitized by Google

CANCER BY SEX AND AGE-PERIODS—1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	1	1	1	2	2	14	18	39	74	60	25	1	238
Females	1	1	1	2	7	35	66	95	102	85	26	3	424
Total	2	2	2	4	9	49	84	134	176	145	51	4	662

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1905, and for the thirteen years 1893-1905:

CANCER—1905 AND 1893-1905.

Counties.	1905.		1893-1905.		Age-Groups.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1905.	1893-1905.
Androscoggin	52	9.14	537	7.26	Under 1 year	2	8
Aroostook	24	3.62	252	2.92	From 1-5 years	2	12
Cumberland	123	11.65	1,252	9.12	" 5-10 "	2	11
Franklin	18	9.40	221	8.88	" 10-20 "	4	30
Hancock	25	6.71	346	7.14	" 20-30 "	9	105
Kennebec	68	11.30	640	8.18	" 30-40 "	49	384
Knox	31	10.19	349	8.83	" 40-50 "	84	866
Lincoln	17	8.64	243	9.50	" 50-60 "	134	1,487
Oxford	26	7.86	322	7.49	" 60-70 "	176	1,860
Penobscot	70	8.98	735	7.25	" 70-80 "	145	1,612
Piscataquis	22	12.68	139	6.16	Over 80 years	51	608
Sagadahoc	28	13.48	222	8.22	Not stated	4	39
Somerset	31	9.00	374	8.35	Total	662	7,022
Waldo	24	9.92	271	8.62			
Washington	42	9.21	388	6.54			
York	61	9.25	731	8.53			
State	662	9.26	7,022	7.56			

Digitized by Google

Diabetes.—The deaths from this cause numbered 115 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, and 91 in 1904. The special death-rate from diabetes was, therefore, 1.61 in 1905. Fifty-one of the decedents were males and 64 were females.

Ages: 1-5, 2; 5-10, 3; 10-20, 6; 20-30, 5; 30-40, 7; 40-50, 9; 50-60, 28; 60-70, 39; 70-80, 14; 80-90, 2.

Old Age.—There were registered 724 deaths as due to old age, 320 men and 404 women. Of these decedents, 26 were from 60 to 70 years of age; 179 were from 70 to 80; 400 were from 80 to 90; 116 were from 90 to 100; while 4 were 100 years of age and older.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,611 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, and 3,532 in 1904), or one death in every three and one-seventh was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,611 died of old age, the death-rate from old age would be 50.53 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1905.

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	207	36.39	Oxford	176	53.23
Aroostook	152	22.92	Penobscot	384	49.27
Cumberland	560	53.05	Piscataquis	94	54.16
Franklin	105	54.86	Sagadahoc	113	54.41
Hancock	204	54.77	Somerset	200	58.04
Kennebec	358	59.50	Waldo	168	69.88
Knox	173	56.90	Washington	229	50.21
Lincoln	117	59.48	York	370	56.13

Digitized by Google

Centenarians.—Among the persons whose decease occurred in 1905, three had exceeded the age of 100 years, while one was just 100. All were females. Their names, together with a few facts relating to the life history of each, are as follows:

August 12, Mary M. Cunningham died at Bangor at the age of 105 years, 1 month, and 8 days. She was born in Sedgwick. Her father, Daniel Bridges, and her mother, whose maiden name was Mary Withington, were also born in Sedgwick.

November 23, Diana Beckwith died at Pittston at the age of 102 years, and 9 months. She and also her parents were born in Canada. Her father's name was Robert Wilcox. Her mother's name is not given.

March 7, Elizabeth Tower died at Washburn at the age of 102 years, and 1 month. She and her father, whose name was James Easler, were born in New Brunswick. The name and birthplace of her mother were unknown.

March 22, Amanda Walker died at Palermo at the age of 100 years. She was born in Waldoboro. No facts are known concerning her parents.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,648 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1600 in 1902, 1,641 in 1903, and 1,578 in 1904), or 23.06 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 216 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, and 212 in 1904), 119 males and 97 females. Of these, 107 were in the cities. The death-rate from the several diseases grouped under this head was 4.46.

Ages: Under 1, 88; 1-5, 48; 5-10, 4; 10-20, 26; 20-40, 19; 40-60, 20; over 60, 11.

Apoplexy.—From this cause 751 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, and 714 in 1904), 364 males and 387 females. Of these, 238 were in the cities. The State's death-

Digitized by Google

rate from apoplexy was, therefore, 10.51; that of the cities, 9.92.

The largest number of deaths from apoplexy, 204, occurred in the spring; the largest number in any one month was 75 in November.

In 1894, 1896, and 1900, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, and 1904, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 47, was in September; the smallest number in any one season was 170 in the summer months. Over 80 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	4	3	5	3	2	4	3	4	1	6	5	6	-	46	8.09
Aroostook	-	3	1	4	4	5	-	-	-	2	1	1	-	21	3.17
Cumberland	13	6	13	7	14	13	14	11	6	13	20	14	-	141	13.64
Franklin	1	1	-	-	3	2	-	1	2	3	1	-	-	14	7.31
Hancock	2	5	1	4	3	1	3	1	2	4	2	5	-	33	8.86
Kennebec	6	8	4	7	9	4	5	5	5	7	10	13	-	83	13.79
Knox	2	-	2	6	2	5	3	1	2	2	3	5	-	33	10.85
Lincoln	1	2	2	1	-	5	-	-	1	1	1	3	-	17	8.64
Oxford	4	6	5	3	2	1	1	1	4	3	3	-	-	33	9.98
Penobscot	7	5	12	8	8	3	7	5	8	2	9	5	-	79	10.14
Piscataquis	1	3	1	1	1	2	-	1	1	-	-	1	-	12	6.91
Sagadahoc	2	2	3	2	6	3	2	6	-	4	3	3	-	36	17.33
Somerset	1	5	9	2	3	2	4	5	6	2	4	1	1	45	13.06
Waldo	4	2	1	4	3	2	3	-	2	-	2	3	-	26	10.75
Washington	1	5	2	4	3	2	2	2	4	3	3	1	-	32	7.02
York	11	11	10	3	11	11	6	9	3	10	8	4	-	97	14.72
State	60	67	71	59	74	65	53	52	47	62	75	65	1	751	10.51

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

Digitized by Google

APOPLEXY BY SEX AND AGE-PERIODS—1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	7	2	1	3	2	2	14	50	103	116	62	2	364
Females	5	2	2	2	5	5	18	39	108	133	67	1	387
Total	12	4	3	5	7	7	32	89	211	249	129	3	751

APOPLEXY 1905 AND 1893-1905.

Counties.	1905.		1893-1905.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	46	8.09	628	8.49
Aroostook	21	3.17	186	2.16
Cumberland	144	13.64	1,365	9.95
Franklin	14	7.31	196	7.88
Hancock	33	8.86	319	6.59
Kennebec	83	13.79	801	10.24
Knox	33	10.85	363	9.18
Lincoln	17	8.64	229	8.96
Oxford	33	9.98	363	8.11
Penobscot	79	10.14	738	7.28
Piscataquis	12	6.91	141	6.24
Sagadahoc	36	17.33	273	10.11
Somerset	45	13.06	391	8.73
Waldo	26	10.75	303	9.63
Washington	32	7.02	370	6.24
York	97	14.72	916	10.69
State	751	10.51	7,581	8.16

Softening of the Brain.—From cerebral softening there were 29 deaths—those of 18 males and 11 females.

Ages: From 40-50, 2; 50-60, 4; 60-70, 7; 70-80, 11; over 80, 5.

Digitized by Google

Paralysis.—Of the 235 deaths from paralysis, 106 persons were males and 129 were females.

Ages: Under 1, 0; 1-5, 3; 5-10, 0; 10-20, 2; 20-30, 0; 30-40, 5; 40-50, 14; 50-60, 30; 60-70, 64; 70-80, 71; 80-90, 42; over 90, 4.

Epilepsy.—Twenty-three males and 14 females died of epilepsy, 37 in all.

Ages: Under 1, 2; 1-5, 2; 10-20, 5; 20-40, 10; 40-60, 5; over 60, 12; not stated, 1.

Tetanus.—This disease was the cause of 7 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, and 14 in 1904). The decedents were 6 males and 1 female. Of these 7 deaths from tetanus, 1 occurred in each of the months January, June, August, and September; and 3 in July, all from the 3rd to the 9th.

Ages: 1-5, 1; 5-10, 2; 10-20, 2; 40-50, 1; over 70, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,222 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, and 1,191 in 1904). The following exhibits the age and sex distribution of each form of disease for the year 1905:

DISEASES.	Under 1	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Totals.
Pericarditis	-	-	-	2	2	5	-	4	5	9
Endocarditis	2	1	4	3	17	30	-	32	25	57
Organic diseases of heart	16	7	17	69	228	728	3	601	467	1,068
Angina pectoris	-	1	-	4	24	59	-	45	43	88
Total	18	9	21	78	271	822	3	682	540	1,222

For the year 1905, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

Digitized by Google

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	80	14.06	Oxford	61	18.45
Aroostook	48	7.24	Penobscot	118	15.14
Cumberland	226	21.41	Piscataquis	21	12.10
Franklin	27	14.11	Sagadahoc	44	21.19
Hancock	62	16.65	Somerset	58	16.83
Kennebec	118	19.61	Waldo	56	23.15
Knox	64	21.05	Washington	85	18.64
Lincoln	85	17.79	York	119	18.05
			State	1,222	17.10

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.10.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	14	2	5	7	16	23	42	98	200	191	82	2	682
Females	4	1	5	10	20	19	49	82	114	167	68	1	540
Total	18	3	10	17	36	42	91	180	314	358	150	3	1,222

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,391 persons died from the various respiratory diseases, as tabulated on page 95 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, and 1,428 in 1904). From these diseases there were, therefore, 378 fewer deaths than in 1892, 16 fewer than in 1893, 79 more than in 1894, 226 more than in 1895, 250 more than in 1896, 44 more than in 1897, 267 more than in 1898, 64 fewer than in 1899, 122 fewer than in 1900,

Digitized by Google

14 fewer than in 1901, 11 more than in 1902, 43 more than in 1903, and 37 fewer than in 1904.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1905 the number of deaths was 863 smaller than in 1892, 421 smaller than in 1893, 289 smaller than in 1894, 75 smaller than in 1895, 28 smaller than in 1896, 190 smaller than in 1897, 140 larger than in 1898, 175 smaller than in 1899, 255 smaller than in 1900, 153 smaller than in 1901, 65 smaller than in 1902, 36 larger than in 1903, and 159 smaller than in 1904.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1905 was 19.46 in each 10,000 of population, as compared with 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,053 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, and 1,050 in 1904), of which 507 were males and 546 were females. The death-rate from this disease was, therefore, 14.73 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, and 15.12 in 1904). As 386 of the deaths occurred in the cities, the urban death-rate was 14.05.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	94	51	6	16	12	32	50	45	60	84	48	2	507
Females	74	56	2	14	15	24	32	38	88	133	68	2	546
Total	168	107	8	30	34	56	82	83	148	217	116	4	1,053

Digitized by Google

PNEUMONIA BY COUNTIES AND MONTHS, WITH DEATH-RATE PER 10,000—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin ...	5	18	10	16	17	7	2	2	4	7	6	9	1	104	18.28
Aroostook	5	7	11	9	9	8	3	1	2	3	6	3	-	67	10.10
Cumberland	16	22	14	12	11	7	3	-	5	8	9	11	-	118	11.18
Franklin	-	6	12	3	3	-	-	-	-	1	1	3	-	29	15.15
Hancock	5	6	17	10	6	-	3	2	4	6	4	4	-	67	17.99
Kennebec	21	16	27	10	5	3	-	1	3	1	8	10	-	105	17.45
Knox	2	3	6	4	2	1	-	1	2	3	-	1	-	25	8.22
Lincoln	5	3	3	1	2	-	-	-	-	1	-	-	-	15	7.63
Oxford	6	9	11	5	3	-	-	-	1	-	1	3	-	39	11.80
Penobscot.....	12	31	24	12	12	5	3	3	6	6	10	8	1	133	17.07
Piscataquis	3	3	1	3	4	1	1	1	1	1	1	2	-	22	12.68
Sagadahoc	7	10	14	6	-	3	1	-	-	1	3	1	-	46	22.15
Somerset	7	10	10	9	7	3	-	-	3	3	-	4	-	56	16.25
Waldo	3	8	10	2	1	2	-	-	4	3	1	1	-	35	14.47
Washington.....	12	8	13	13	7	6	3	1	2	4	8	5	-	82	17.88
York	16	16	20	20	13	2	-	4	1	5	2	11	-	110	16.69
State.....	125	176	203	135	102	48	19	16	35	53	60	76	2	1,053	14.73

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the thirteen years 1893-1905:

Digitized by Google

PNEUMONIA—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	936	January	1,796	Under 1	1,834
Aroostook	648	February	1,668	1-5	1,245
Cumberland	2,027	March	1,882	5-10	258
Franklin	360	April	1,634	10-20	451
Hancock	649	May	1,243	20-30	629
Kennebec	1,204	June	670	30-40	729
Knox	475	July	308	40-50	885
Lincoln	340	August	271	50-60	1,106
Oxford	633	September	390	60-70	1,703
Penobscot	1,521	October	653	70-80	2,180
Piscataquis	282	November	886	Over 80	1,547
Sagadahoc	363	December	1,269	Not stated	54
Somerset	644	Not stated	11	Total	12,681
Waldo	448	Total	12,681		
Washington	769				
York	1,382				
State	12,681				

Bronchitis.—From this cause, including both acute and chronic bronchitis, 218 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, and 223 in 1904). Among these decedents, 105 were males and 113 were females. Of these 218 deaths, 67 were in the cities. The largest number of deaths in any one month was 42 in March. In August occurred the smallest number of deaths, 4. The largest number of deaths in three consecutive months was 101 in January, February, and March; the smallest number in any three consecutive months was 24 in July, August, and September. The number of deaths by quarters was 101, 51, 24, and 41, and 1 not stated.

The bronchitis death-rate of the State was 3.05; of the cities, 2.79.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Digitized by Google

Under 1 year,	57	40-50 years,	3
1-5 years,	18	50-60 years,	15
5-10 years,	2	60-70 years,	18
10-20 years,	2	70-80 years,	55
20-30 years,	3	Over 80 years,	40
30-40 years,	5		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	1	6	-	1	1	-	-	3	2	1	1	-	17	2.99
Aroostook	2	1	7	2	3	-	-	-	1	-	3	1	-	20	3.02
Cumberland	5	5	2	5	4	1	4	-	2	1	1	2	-	32	3.03
Franklin	-	-	-	1	1	-	-	-	-	1	-	-	-	3	1.57
Hancock	1	1	1	2	1	3	-	-	1	1	2	2	-	15	4.03
Kennebec	5	3	3	4	1	-	-	1	-	-	1	3	-	21	3.49
Knox	1	-	-	-	1	-	-	1	-	-	-	2	-	5	1.64
Lincoln	1	1	1	-	-	-	1	-	1	-	-	-	-	5	2.54
Oxford	1	1	1	4	-	1	1	-	1	2	-	-	-	12	3.63
Penobscot	2	6	6	2	2	1	-	-	1	1	1	1	1	24	3.08
Piscataquis	-	1	3	1	-	1	-	-	1	-	-	1	-	8	4.61
Sagadahoc	2	-	-	-	-	1	1	-	-	-	1	1	-	6	2.89
Somerset	2	-	1	-	1	-	-	-	-	-	-	-	-	4	1.16
Waldo	-	2	1	-	-	-	1	-	-	2	1	1	-	8	3.31
Washington	3	2	3	-	-	1	-	-	-	1	-	-	-	10	2.19
York	6	3	7	3	-	2	-	2	1	-	-	4	-	28	4.25
State	32	27	42	24	15	12	8	4	12	11	11	19	1	218	3.05

Pleurisy.—Twenty-one deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, and 24 in 1904),—12 males and 9 females.

Ages: Under 1, 1; 10-20, 1; 20-30, 1; 30-40, 5; 40-50, 2; 50-60, 4; 60-70, 1; over 70, 6.

Digitized by Google

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,303 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, and 1,076 in 1904), or a death-rate of 18.23. The distribution of these under their several causes will be found on page 96.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 719 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, and 514 in 1904). The death-rate from this group of diseases was 10.06 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 561 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, and 369 in 1904). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 35 deaths from this cause; in the second quarter, 28; in the third quarter, 391; and in the fourth quarter, 107. The largest number of deaths occurred in August, 168.

Of the children dying from this cause, 58 per cent. were less than 6 months old, and another 29 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 151; 3-6 months, 225; 6-9 months, 80; 9-12 months, 41; 12-18, months, 56; 18 months—2 years, 8.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 12; dysentery, 35; and diarrhea, 111.

Of the 561 deaths from infantile diarrhea, 239 were returned from the cities. This represents an urban death-rate from this cause of 9.96 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, and 6.26 in 1904), which is in contrast with 4.51, the rate for

Digitized by Google

the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, and 4.86 in 1904).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	3	-	2	-	-	18	22	15	10	2	-	73	12.83
Aroostook	4	2	1	3	1	2	6	31	35	25	4	2	116	17.49
Cumberland	-	-	-	-	-	1	12	20	21	8	1	1	64	6.06
Franklin	-	2	-	-	-	-	-	1	7	1	-	-	11	5.75
Hancock	-	-	2	-	-	-	1	6	8	5	1	-	23	6.18
Kennebec	-	2	4	2	1	1	1	7	15	5	1	-	39	6.48
Knox	1	-	-	-	-	-	-	7	4	1	1	-	14	4.60
Lincoln	-	-	-	-	-	-	1	-	-	-	2	-	3	1.53
Oxford	-	-	1	-	-	1	1	7	5	3	-	-	18	5.44
Penobscot	1	-	2	4	1	-	9	32	16	4	4	3	76	9.75
Piscataquis	-	-	-	-	-	1	1	1	4	2	-	-	9	5.19
Sagadahoc	-	-	1	-	1	-	1	2	2	-	-	-	7	3.37
Somerset	-	1	1	-	-	-	-	5	8	4	-	2	21	6.09
Waldo	-	-	-	-	-	-	-	-	2	2	1	-	5	2.07
Washington	2	-	2	1	1	-	1	5	11	3	-	-	26	5.70
York	-	1	1	-	3	2	7	22	11	6	2	1	56	8 50
State	9	11	15	12	8	8	59	168	164	79	19	9	561	7.85

The preceding table exhibits the number of deaths from infantile diarrhea in 1905, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the thirteen years 1893-1905, by counties, months, and age-groups.

Digitized by Google

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By Counties.		By months.		By age-periods.	
Androscoggin	827	January	90	Under 6 months	3,610
Aroostook	1,255	February	81	6-12 months	2,194
Cumberland	818	March	102	1-2 years	894
Franklin	108	April	114	Over 2 years	5
Hancock	186	May	109	Unknown	17
Kennebec	668	June	174	Total	6,720
Knox	176	July	904		
Lincoln	44	August	2,173		
Oxford	197	September	1,945		
Penobscot	644	October	780		
Piscataquis	82	November	152		
Sagadahoc	133	December	93		
Somerset	191	Not stated	3		
Waldo	78	Total	6,720		
Washington	420				
York	898				
State	6,720				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1898-1905:

Digitized by Google

INFANTILE DIARRHEA IN THE CITIES—1898-1905.

Cities.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total.
Auburn	17	9	9	7	3	4	2	8	59
Augusta	20	24	19	18	11	12	14	19	137
Bangor	18	6	13	8	4	16	6	12	83
Bath	6	8	17	4	4	7	2	4	52
Belfast	1	1	4	-	1	-	3	1	11
Biddeford	50	39	43	48	42	19	19	19	279
Brewer	3	8	9	7	2	4	7	13	53
Calais	7	11	12	12	7	9	1	9	68
Eastport	13	5	15	15	-	3	2	2	55
Ellsworth	1	1	1	-	-	1	-	-	4
Gardiner	4	2	2	8	-	-	1	1	18
Hallowell	1	-	2	-	-	1	2	1	7
Lewiston	69	60	63	43	26	20	29	55	365
Old Town	11	11	11	9	11	4	2	20	79
Portland	40	36	70	19	18	24	23	37	267
Rockland	5	2	5	5	4	6	1	9	37
Saco	4	6	10	3	4	2	3	4	36
South Portland	-	3	7	1	3	1	2	6	23
Waterville	17	25	6	12	9	10	13	9	101
Westbrook	8	5	13	8	6	3	9	10	62
Total	295	262	331	227	155	146	141	239	1,796

Peritonitis.—There were 90 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, and 63 in 1904), 36 males and 54 females. Thirty-one of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

Digitized by Google

PERITONITIS—1905.

By Counties.		By months.		By age periods.	
Androscoggin	7	January	6	Under 1	4
Aroostook	9	February	5	1-5	4
Cumberland	11	March	6	5-10	8
Franklin	1	April	7	10-20	20
Hancock	8	May	6	20-30	11
Kennebec	11	June	11	30-40	8
Knox	2	July	8	40-50	11
Lincoln	1	August	11	50-60	7
Oxford	3	September	4	60-70	9
Penobscot	11	October	15	70-80	5
Piscataquis	4	November	8	Over 80	3
Sagadahoc	-	December	3	Total	90
Somerset	7	Total	90		
Waldo	3				
Washington	8				
York	4				
State	90				

Appendicitis.—Of the deaths classified under this cause, 68 in number, 32 were males and 36 were females. The number of deaths in each month was: January, 5; February, 3; March, 9; April, 6; May, 9; June, 4; July, 4; August, 8; September, 6; October, 6; November, 6; December, 2.

Ages: Under 1, 1; 1-5, 4; 5-10, 5; 10-20, 19; 20-30, 16; 30-40, 7; 40-50, 6; 50-60, 5; 60-70, 3; over 70, 2.

Cirrhosis of the Liver.—Forty-four deaths were ascribed to cirrhosis of the liver—those of 26 men and 18 women. Of these 44 deaths, 8 were in the cities, and 36 in the rural parts of the State. The death-rate in the State from this one cause was 0.62 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899; 0.79 in 1900; 0.63 in 1901; 0.63 in 1902; 0.92 in 1903, and 0.66 in 1904).

Diseases of the Genito-Urinary System and its Adnexa.—There were 773 deaths referred to the diseases under this group, equivalent to a death-rate of 10.82.

Digitized by Google

Nephritis.—Acute nephritis caused the death of 47 persons, 23 males and 24 females. The death-rate from nephritis was, therefore, 0.66.

Ages: Under 1, 1; 1-5, 3; 5-10, 2; 10-20. 5; 20-30, 10; 30-40, 7; 40-50, 5; 50-60, 4; 60-70, 6; 70-80, 3, not stated, 1.

**Bright's Disease.*—This was the cause of 599 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, and 575 in 1904), 335 males and 264 females. Of these deaths, 217 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	1	-	1	5	12	12	20	62	97	91	33	1	335
Females	2	-	2	2	18	17	28	46	74	63	10	2	264
Total	3	-	3	7	30	29	48	108	171	154	43	3	599

* This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirum; uremic coma.

Digitized by Google

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	39	6.86	Oxford	24	7.26
Aroostook	29	4.37	Penobscot	58	7.44
Cumberland	125	11.84	Piscataquis	10	5.76
Franklin	20	10.45	Sagadahoc	24	11.56
Hancock	28	7.52	Somerset	27	7.84
Kennebec	50	8.31	Waldo	23	9.51
Knox	18	5.92	Washington	30	6.58
Lincoln	20	10 17	York	74	11.23
			State	599	8.38

The Puerperal State.—Under this class of accidents and diseases of reproduction, 51 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, and 72 in 1904). This is equivalent to a special death-rate of 0.71.

Deaths from External Causes.—Under this class there were 518 deaths.

Fractures caused 68 deaths—fracture of skull, 31; of thigh, 14; of hip, 11; of spine, 5; of ribs, 3; of neck, 2; of leg, 1; not stated, 1.

Burns and scalds caused 39 deaths—14 were from clothing taking fire; 7, explosion of lamp; 5, scalded with hot water; 2, lighting fire with kerosene; 1, playing with matches; 1, explosion of oil stove; 1, by overturning of oil stove; 1, by overturning lamp; the rest, unspecified.

Sunstroke caused 1 death. Four persons died from exposure to cold.

From accidental drowning, 87 deaths occurred.

Other accidental injuries caused the death of 142 persons; 33 were from railway injuries; 28, from falls; 25, from pistol and gunshot wounds; 11, working in a mill; 6, from falling

Digitized by Google

timber; 4, by electric cars; 4, from explosions; 3, run over by teams; 2, crushed by buildings; 2, by runaway horses; 1, crushed by cart; 1, tramped on by cow; 1, tramped on by horse; 1, crushed by logs; 1, by swallowing piece of glass; 1, working in shoe shop; and the rest were unspecified.

From acute poisoning there were 24 deaths.

Fifty people met their death from other external violence, including 14 murders.

The death-rate in the State under this class was 7.25.

Suicide.—Within the year 84 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, and 107 in 1904), 67 males and 17 females. Of the males, the occupation of 18 was farmer; of 8, laborer; of 6, carpenter; of 3, bookkeeper; of 2 each, merchant and soldier; of 1 each, barber, blacksmith, brakeman, clerk, dentist, doctor, engineer, expressman, foreman, lawyer, machinist, master mariner, packer, painter, potato buyer, railroad employee, sailor, shoe factory employee, spool maker, stone cutter, teamster, telegraph operator; while of 6 no occupation was given.

Of the females, the occupation of 7 was registered as housewife; 3, as housekeeper; 1, as teacher; 1, as domestic; and not stated, 5.

As to the means employed, 25 committed suicide by shooting; 23, by hanging; 11, by poisoning; 13, by drowning; 9, by cutting throat; 1, asphyxiation by illuminating gas; and not stated, 2.

Digitized by Google

SUICIDES BY AGES, MONTHS, AND COUNTIES—1905.

AGE-PERIODS.		Months.		Counties.		Rate per 10,000 of population.
10-20	1	January	3	Androscoggin	6	1.05
20-30	14	February	4	Aroostook	3	0.45
30-40	9	March	10	Cumberland	16	1.52
40-50	22	April	10	Franklin	5	2.61
50-60	16	May	8	Hancock	3	0.81
60-70	13	June	8	Kennebec	6	1.00
70-80	5	July	6	Knox	7	2.30
Over 80	4	August	6	Lincoln	2	1.02
Total	84	September	12	Oxford	6	1.81
		October	7	Penobscot	7	0.80
		November	5	Piscataquis	3	1.73
		December	5	Sagadahoc	3	1.44
		Total	84	Somerset	4	1.16
				Waldo	2	0.83
				Washington	2	0.43
				York	9	1.37
				State	84	1.18

The youngest suicide was a boy of 14 years; the oldest, a man of 87 years. The largest number of suicides in any month was 15 in September. By quarters, the suicides were 17, 26, 24, and 17. The largest number in any county was 16 in Cumberland. The highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.18.

Digitized by Google

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes...	6
Table No. 2.—Population in 1890 and 1900, and Estimated Population for 1905.....	7
Table No. 3.—Births, Marriages, and Deaths, 1897-1905...	7
Table No. 4.—Estimated Population of 1905; Births, Marriages and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1905.....	8
Table.—Summary of Births, Marriages and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns.....	12-61
Table No. 8.—Births, Marriages, and Deaths by Counties	62-63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1898-1905.....	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1905.....	65
Table No. 11.—Number of Births in each month of 1898-1905, with Monthly ratio compared with a Standard of 100.....	66
Table No. 12.—Births by Sex and Months by Counties, 1905.	67
Table No. 13.—Births in Cities, for 1905, with rate per 1,000 of population.....	68
Table No. 14.—Percentage of American and Foreign Births by Counties, 1905.....	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1905.....	70
Table No. 16.—Twin Births by Months and Counties, 1905..	71
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1905.....	72
Table. No 18.—Still-Births by Sex and Parentage, by Counties, 1905.....	73
Table No. 19.—Still-Births by Seasons, 1905.....	74
Table No. 20.—Marriages and Marriage Rates by Counties for the years 1898-1905.....	78
Table No. 21.—Marriages by Counties and Nativity, 1905...	79
Table No. 22.—Marriages by Months and Counties, 1905...	79

Digitized by Google

PAGE

Table No. 23.—Number of Marriages in each month of 1898-1905, with Monthly Ratio compared with a Standard of 100 80
Table No. 24.—Marriages by Ages and Counties, 1905 81
Table No. 25.—Interesting facts in Relation to Marriages .. 82-83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1905 86-87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1905 88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1898-1905 90
Table No. 29.—Number of Deaths in each Month of 1898-1905, with Monthly Ratio compared with a Standard of 100 91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties 92-97
Table No. 31.—Deaths from All Causes, by Months 98-101
Table No. 32.—Deaths from All Causes, by Age-Groups, 1901-1905 102-119
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases 120-137
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases 138-159
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties 160-161
Table No. 36.—Number of Deaths from Several Specified Causes, of each sex, in each month, which were registered during fourteen years, 1892-1905 162
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100; Fourteen years, 1892-1905 .. 163
Table.—Deaths in each Month for the years 1892-1905 166
Table.—Mortality from Ten Prominent Causes, 1898-1905 ... 168
Table.—Six Infectious Diseases by Counties, 1905 169
Table.—Six Infectious Diseases by Cities, 1905 170
Table.—Infectious Diseases, 1898-1905 171
Table.—Measles by Counties, Months, and Age-Periods, 1896-1905 172
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1905 173
Table.—Grippe by Counties and Months, 1905 174
Table.—Whooping Cough by Counties, Months and Age-Periods, 1905 175
Table.—Diphtheria by Counties and Months, 1905 176
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1905 177
Table.—Typhoid Fever by Counties and Months, 1905 178

Digitized by Google

PAGE

Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1905 179
Table.—Consumption by Counties and Months, 1905 181
Table.—Consumption by Sex and Age-Periods, 1905 181
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1905 182
Table.—Rheumatism by Counties, Months, and Age-Periods, 1905 184
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1905 185
Table.—Cancer by Sex and Age-Periods, 1905 186
Table.—Cancer by Counties and Age-Periods, 1905 and 1893-1905 186
Table.—Old Age by Counties, 1905 187
Table.—Apoplexy by Counties and Months, 1905 189
Table.—Apoplexy by Sex and Age-Periods, 1905 189
Table.—Apoplexy, 1905 and 1893-1905 190
Table.—Diseases of the Heart by Ages 191
Table.—Diseases of the Heart by Counties 192
Table.—Heart Disease by Sex and Age-Periods, 1905 192
Table.—Pneumonia by Sex and Age-Periods, 1905 193
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1905 194
Table.—Pneumonia by Counties Months, and Age-Periods, 1893-1905 195
Table.—Bronchitis by Counties and Months, 1905 196
Table.—Infantile Diarrhea by Counties and Months, 1905 198
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1905 199
Table.—Infantile Diarrhea in the Cities, 1898-1905 200
Table.—Peritonitis by Counties, Months, and Age-Periods, 1905 201
Table.—Brights' Disease by Sex and Age-Periods, 1905 202
Table.—Bright's Disease by Counties, 1905 203
Table.—Suicides by Ages, Months, and Counties, 1905 205

Digitized by Google

INDEX.

	PAGE
Age and Mortality	167
Appendicitis	201
Apoplexy	188
1905 and 1893-1905	190
by counties and months	189
by sex and age-periods, 1905	190
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years	64
by counties, showing proportion of males to females	65
by seasons	76
by sex and months, by counties	67
in cities, for 1905 with rate	68
in each month, by years	66
notes on	75
parentage of	75
percentage of American and foreign, by cities	70
by counties	69
relation to deaths	10
twin	77
by months and counties	71
by sex and parentage	72
marriages and deaths, in each town	12-63
Brain or membranes, inflammation of	188
softening of the	190
Bright's Disease	202
Bronchitis	195,196
Cancer	185
1905 and 1893-1905	186
by sex and age-periods, 1905	186
Centenarians	188
Cirrhosis of the liver	201

Digitized by Google

PAGE
Consumption, by counties and months..... 181
by counties, months, and age-periods, 1893-1905 182
by sex and age-periods, 1905..... 181
Deaths, age and mortality..... 167
causes of 167
by ages, sex and months, by counties..... 160-161
months, reduced to a standard mean for fourteen years 163
in each month, for the years 1892-1905..... 166
in each town, from special causes..... 120-138
from certain diseases and groups of diseases 138-160
in the State and Counties, by classes and counties... 92-97
from all Causes, by months..... 98-101
from all Causes, by age-groups, 1901-1905..... 102-119
from several specified causes in fourteen years..... 162
notes on, and the causes of death..... 164
number in each month, by years..... 91
seasons and mortality..... 164
sex and mortality..... 167
and death-rates, by counties and years..... 90
Death-rates 8, 9
compared 167
Diabetes 187
Diarrheal Diseases 197
Digestive system, diseases of the..... 197
Diphtheria 175
by counties and months..... 176
by counties, months, and age-periods, 1893-1905.. 177
Divorces by causes, sex of libellants, etc..... 88
decreed in 1905 86-87
notes on 89
Epilepsy 191
External causes, deaths from..... 203
Genito-Urinary system and its adnexa, diseases of the 201
Grippe 173
deaths from, by counties and months..... 174
Heart, diseases of the..... 191
Infantile Diarrhea..... 197
by counties and months..... 198
by counties, months, and age-periods, 1893-1905 199
in cities, 1898-1905..... 200
Infectious diseases..... 168
1898-1905 171
six by cities..... 170
six by counties..... 169

Digitized by Google

PAGE
Liver, cirrhosis of 201
Marriages, interesting facts relating to 82-83
rates 8, 9, 84
ages 84
and rates, by counties 78
by ages and counties 81
by counties and nativity 79
by months and counties 79
nativity 84
notes on 84
number of, in each month, by years 80
seasons 84
Malarial diseases 179
Measles 171
by counties, months, and age-periods, 1896-1905 172
Mortality from ten prominent causes, 1898-1905 168
Nephritis 202
Nervous system, diseases of the 188
Old Age 187
Paralysis 191
Peritonitis 200
by counties, months, and age-periods, 1905 201
Pluerisy 196
Pneumonia 193
1893-1905 195
by counties and months, with death-rates 194
by sex and age-periods, 1905 193
Population 7
Puerperal fever, by months and counties, 1905 183
Puerperal state, the 203
Respiratory system, diseases of the 192
Rheumatism 183
by counties, months and age-periods 184, 185
Scarlet fever 172
by counties, months, and age-periods 173
Sex and mortality 167
Smallpox 171
Still-births 77
by seasons 74
by sex and parentage 73
Suicide 204
by ages, months, and counties, 1905 205
Tetanus 191
Tuberculosis 179
mesenteric 182
other forms 182
pulmonary 180

Digitized by Google

PAGE

Typhoid fever..... 177
by counties and months, 1905..... 178
by counties, months, and age-periods, 1893-1905 179
Whooping cough..... 174
by counties, months, and age-periods..... 175

Digitized by Google

FIFTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1906

AUGUSTA
KENNEBEC JOURNAL PRINT
1907

Digitized by Google

Digitized by Google

614.179
M2

FIFTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES, DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December

Digitized by Google

Digitized by Google

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, MAINE, December 17, 1907.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Fifteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1906.

Very respectfully,
A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

Digitized by Google

Digitized by Google

REGISTRATION REPORT, 1906.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1906.

The number of births registered in that year is 580 more than in the preceding year. The number of births recorded in each of the registration years 1892-1906 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, and 16,585, respectively.

The number of marriages (number of couples married) in 1906 was 6,498, 234 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1906 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, and 6,498.

The number of deaths recorded in the State for the same year was 11,427, a number 46 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; and in 1906, 11,427.

Compared with 1905, among the chief causes of death there were in 1906, 119 more from diarrheal diseases, 73 more from measles, 71 more from whooping cough, 69 more from nephritis and Bright's disease, 67 more from tuberculosis in all forms, 24 more from diseases of heart, 9 more from diphtheria and croup, 6 more from diabetes.

On the other hand, there was a smaller number of deaths from following causes; from influenza, 134 fewer; from diseases of nervous system, 130; from pneumonia, 82; from cancer, 45; from bronchitis, 31; from peritonitis, 31; from typhoid fever, 23; from rheumatism, 6; and from scarlet fever, 2.

Digitized by Google

Bertillon Classification. The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1905 and 1906 from some of the leading causes of death.

TABLE No. 1.

Deaths from Some of the Leading Causes.

Diseases.	1905.	1906.	More in 1905.	More in 1906.
Measles	32	105	-	73
Scarlet fever	7	5	2	-
Influenza	243	109	134	-
Whooping cough	38	109	-	71
Diphtheria and croup	110	119	-	9
Typhoid fever	156	133	23	-
Tuberculosis	1,109	1,176	-	67
Diarrheal diseases	672	791	-	119
Rheumatism	60	54	6	-
Cancer	662	617	45	-
Diabetes	115	121	-	6
Diseases of nervous system	1,647	1,517	130	-
Diseases of heart	1,222	1,246	-	24
Pneumonia	1,053	971	82	-
Bronchitis	218	187	31	-
Peritonitis	90	59	31	-
Nephritis and Bright's disease	646	715	-	69

Population. The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1906.

Digitized by Google

TABLE No. 2.

Population in 1890 and 1900, and Estimated Population for 1906

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1906.
Androscoggin	48,968	54,242	57,406
Aroostook	49,589	60,744	67,437
Cumberland	90,949	100,689	106,583
Franklin	17,053	18,444	19,279
Hancock	37,312	37,241	37,241
Kennebec	57,012	59,117	60,380
Knox	31,473	30,406	30,406
Lincoln	21,996	19,669	19,669
Oxford	30,586	32,238	33,229
Penobscot	72,865	76,246	78,275
Piscataquis	16,134	16,949	17,438
Sagadahoc	19,452	20,330	20,857
Somerset	32,627	33,849	34,582
Waldo	27,759	24,185	24,185
Washington	44,482	45,232	45,682
York	62,829	64,885	66,119
Total	661,086	694,466	718,718

TABLE No. 3.

Births, Marriages and Deaths, 1898-1906.

State.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.
Number of births	14,473	13,895	14,095	14,021	14,508	14,453	14,673	15,294	15,878
Number of marriages	5,144	5,329	5,482	5,735	5,905	6,200	6,208	6,264	6,498
Number ofdeaths	10,956	11,370	11,389	11,133	10,673	11,009	11,346	11,381	11,427
Birth-rate	21.89	20.10	20.30	20.19	20.89	20.81	21.15	21.40	22.09
Marriage-rate	7.78	7.71	7.89	8.26	8.50	8.93	8.94	8.76	9.04
Death-rate	16.57	16.45	16.40	16.03	15.37	15.85	16 34	15.92	15.90

Digitized by Google

Birth, Marriage, and Death-Rates. In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1906, excepting Tables No. 7 and 8.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No 4.

Estimated Population for 1906, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year Ending December 31, 1906.

Counties.	Estimated population for 1906.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin	57,406	1,175	20.47	536	9.34	1,054	18.36
Aroostook	67,437	2,323	34.45	664	9.85	1,013	15.02
Cumberland	106,523	2,179	20.45	918	8.62	1,702	15.98
Franklin	19,279	404	20.96	184	9.54	293	15.20
Hancock	37,241	768	20.62	319	8.57	469	12.66
Kennebec	60,380	1,225	20.72	541	8.96	965	15.98
Knox	30,406	531	17.53	269	8.84	460	15.19
Lincoln	19,669	310	15.76	150	7.63	249	12.66
Oxford	33,229	880	26.48	366	11.01	580	17.45
Penobscot	78,275	1,722	22.00	812	10.37	1,397	17.85
Piscataquis	17,438	364	20.87	170	9.75	237	13.59
Sagadahoc	20,857	366	17.54	151	7.24	296	14.19
Somerset	34,582	692	20.01	331	9.57	471	13.62
Waldo	24,185	365	15.09	228	9.43	395	16.33
Washington	45,682	1,023	22.39	362	7.92	653	14.29
York	66,119	1,551	23.46	497	7.52	1,193	18.04
State	718,718	15,878	22.09	6,498	9.04	11,427	15.90

Digitized by Google

The following is a general summary of the births, marriages, and deaths in 1906.

BIRTHS.

Sex.		Parentage.	
Males	8,160	American	9,542
Females	7,695	Foreign	3,265
Not stated	23	One parent foreign	2,891
	15,878	Not stated	180
			15,878

Whole number of births	15,878
Birth-rate per 1,000	22.09

MARRIAGES.

Groom and bride both American	4,639
Groom and bride both foreign	696
Groom American, bride foreign	545
Groom foreign, bride American	582
Not stated	36
Whole number of marriages	6,498
Marriage-rate per 1,000	9.04

DEATHS.

Sex.		Nativity.	
Males	5,925	American	9,636
Females	5,497	Foreign	1,591
Not stated	5	Not stated	200
	11,427		11,427

Whole number of deaths	11,427
Death-rate per 1,000	15.90

Digitized by Google

Relation of Births to Deaths. As the total number of births registered in Maine in the year 1906 was 16,585, and the number of deaths was 11,427, the natural increase of births over deaths was 5,158.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa:

TABLE No. 5.

Counties.	Estimated population for 1906.	Births.	Deaths.	Difference.
Androscoggin	57,406	1,175	1,054	121 gain
Aroostook	67,437	2,323	1,013	1,310 gain
Cumberland	106,533	2,179	1,702	477 gain
Franklin	19,279	404	293	111 gain
Hancock	37,241	768	469	299 gain
Kennebec	60,380	1,225	965	260 gain
Knox	30,406	531	460	71 gain
Lincoln	19,669	310	249	61 gain
Oxford	33,229	880	580	300 gain
Penobscot	78,275	1,722	1,397	325 gain
Piscataquis	17,438	364	237	127 gain
Sagadahoc	20,857	366	296	70 gain
Somerset	34,582	692	471	221 gain
Waldo	24,185	365	395	30 loss
Washington	45,682	1,023	653	370 gain
York	66,119	1,551	1,193	358 gain
State	718,718	15,878	11,427	4,451 gain

Digitized by Google

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 7 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 7 the death-rates are per 1,000 of population as shown by the census of 1900.

TABLE No 6.

Cities.	Population in 1900.	Estimated population in 1906.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn	12,951	13,972	272	227	45 gain	19.47	16.25
Augusta	11,683	12,377	266	253	13 gain	21.49	*12.93
Bangor	21,850	23,496	343	412	69 loss	14.60	*16.66
Bath	10,477	11,529	219	154	65 gain	19.00	13.36
Belfast	4,615	5,378	51	91	40 loss	9.49	16.94
Biddeford	16,145	17,166	551	327	224 gain	32.10	19.05
Brewer	4,835	5,220	157	87	70 gain	30.08	16.67
Calais	7,655	7,874	172	113	59 gain	21.84	14.76
Eastport	5,311	6,448	150	90	60 gain	23.26	16.95
Ellsworth	4,297	4,297	68	48	20 gain	15.82	11.17
Gardiner	5,501	5,507	103	70	33 gain	18.70	12.71
Hallowell	2,714	2,714	40	52	12 loss	14.73	19.16
Lewiston	23,761	24,997	569	546	23 gain	22.76	*19.40
Old Town	5,763	6,084	166	146	20 gain	27.51	24.20
Portland	50,145	55,165	1,063	932	131 gain	19.27	*15.90
Rockland	8,150	8,150	160	156	4 gain	19.63	19.14
Saco	6,122	6,150	130	107	23 gain	21.14	17.40
South Portland	6,287	6,287	145	82	63 gain	23.06	13.04
Waterville	9,477	10,899	336	170	166 gain	30.83	15.60
Westbrook	7,283	7,674	223	100	123 gain	29.06	13.03
Total	225,022	241,331	5,184	4,164	1,020 gain	21.49	17.25

* Deaths of non-residents in public institutions: Augusta, 93; Bangor, 48; Lewiston, 61; Portland, 55; deducted from total in estimating death-rate.

Digitized by Google

TABLE

Births, Marriages, and Deaths

ANDROSCOGGIN

Towns.	Population in 1800	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	137	134	1	272	21.00	132	89	25	22	4
Durham	1,230	17	13	-	30	24.39	23	5	2	-	-
East Livermore	2,129	37	36	-	73	34.29	43	19	8	3	-
Greene	826	8	8	-	16	19.37	14	-	-	2	-
Leeds	1,065	8	13	-	21	19.72	14	5	2	-	-
Lewiston	23,761	290	279	-	569	23.95	133	308	68	56	4
Lisbon	3,603	25	26	-	51	14.15	21	16	6	7	1
Livermore	1,125	20	13	-	33	29.33	29	2	-	1	1
Mechanic Falls	1,687	17	15	-	32	18.97	24	3	2	3	-
Minot	808	2	11	-	13	16.09	10	1	1	1	-
Poland	1,648	11	8	-	19	11.53	16	-	1	2	-
Turner	1,842	9	15	-	24	13.03	21	1	-	2	-
Wales	436	2	7	-	9	20.64	9	-	-	-	-
Webster	1,131	5	8	-	13	11.41	11	-	-	2	-
Total	54,242	588	586	1	1,175	21.66	500	449	115	101	10

Digitized by Google

No. 7.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
94	14	9	7	1	125	103	123	1	227	202	23	2	17.53
2	2	1	1	-	6	6	15	-	21	19	1	1	17.07
19	1	-	1	-	21	18	16	-	34	30	2	2	15.37
8	-	-	1	-	9	10	10	-	20	19	1	-	24.21
15	-	-	-	-	15	11	9	-	20	18	-	2	18.78
110	86	35	25	1	257	275	270	1	546	387	157	2	22.98
13	9	7	2	1	32	18	34	1	53	47	5	1	14.71
4	-	-	1	-	5	7	6	-	13	12	1	-	11.56
20	-	-	2	-	22	8	20	-	28	27	1	-	16.60
3	-	-	1	-	4	5	7	-	12	11	1	-	14.85
12	-	-	1	-	13	18	13	-	31	27	3	1	18.82
10	-	1	-	-	11	12	19	-	31	29	2	-	16.83
4	-	-	-	-	4	2	2	-	4	4	-	-	9.17
10	-	-	2	-	12	11	3	-	14	14	-	-	12.38
324	112	53	44	3	536	504	547	3	1,054	846	197	11	19.43

Digitized by Google

TABLE

Births, Marriages and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	10	10	-	20	49.50	13	1	1	5	-
Ashland	1,080	41	28	-	69	63.89	37	11	15	3	3
Bancroft	318	7	3	-	10	31.45	5	2	3	-	-
Benedicta	350	5	4	-	9	25.71	5	1	-	3	-
Blaine	954	11	14	-	25	26.21	17	2	3	3	-
Bridgewater	1,179	24	21	-	45	38.17	15	13	9	7	1
Caribou	4,758	106	87	2	195	40.98	86	37	45	23	4
Castle Hill	567	11	9	-	20	35.27	15	1	-	4	-
Crystal	370	8	1	1	10	27.03	6	1	1	2	-
Dyer Brook	280	7	5	-	12	42.86	9	-	1	2	-
Easton	1,215	21	15	-	36	29.63	9	8	11	8	-
Fort Fairfield	4,181	68	56	-	124	29.66	47	25	13	29	10
Fort Kent	2,528	88	66	-	154	60.92	106	9	22	16	1
Frenchville	1,316	51	27	-	78	59.27	76	-	-	2	-
Grand Isle	1,104	12	19	-	31	28.08	21	2	5	3	-
Haynesville	316	3	6	-	9	28.48	4	-	5	-	-
Hersey	199	3	3	-	6	30.15	3	-	2	1	-
Hodgdon	1,130	15	6	-	21	18.58	15	1	2	1	2
Houlton	4,686	67	56	2	125	26.68	36	41	22	25	1
Island Falls	1,063	30	27	1	58	54.56	26	15	7	8	2
Limestone	1,131	27	31	-	58	51.28	24	11	8	15	-
Linneus	834	13	10	-	23	27.58	13	3	2	4	1
Littleton	956	9	10	-	19	19.87	5	4	5	4	1
Ludlow	394	8	5	-	13	32.99	4	-	3	6	-
Madawaska	1,698	32	33	-	65	38.28	59	-	-	6	-
Mapleton	853	11	13	-	24	28.14	16	2	6	-	-

Digitized by Google

No. 7—Continued.

for the year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	3	1	-	6	2	3	-	5	3	2	-	12.38
4	1	3	3	-	11	9	8	-	17	13	2	2	15.74
1	1	-	-	-	2	2	3	-	5	3	1	1	15.72
-	-	-	2	-	2	1	5	-	6	5	1	-	17.14
9	1	5	3	-	18	10	9	-	19	10	9	-	19.92
3	1	1	2	-	7	12	2	-	14	7	7	-	11.87
29	10	3	11	-	53	42	44	-	86	73	13	-	18.07
5	-	1	-	1	7	4	1	-	5	4	1	-	8.82
2	-	-	1	-	3	3	3	-	6	4	1	1	16.22
2	-	1	-	-	3	1	1	-	2	2	-	-	7.14
8	4	4	1	-	17	8	6	-	14	11	3	-	11.52
16	2	7	9	1	35	8	10	-	18	14	3	1	4.31
34	-	1	2	-	37	44	21	-	65	63	2	-	25.71
16	-	-	2	-	18	20	24	-	44	43	1	-	33.43
9	-	-	4	-	13	22	12	-	34	29	5	-	30.80
1	-	-	-	-	1	1	5	-	6	5	1	-	18.99
1	-	-	-	-	1	1	-	-	1	1	-	-	5.08
5	-	5	1	-	11	3	3	-	6	6	-	-	5.31
9	10	9	11	-	39	29	17	-	46	27	18	1	9.82
7	2	3	2	-	14	3	13	-	16	13	3	-	15.05
10	2	7	2	-	21	13	8	-	21	16	5	-	18.57
8	1	1	1	-	11	2	3	-	5	4	1	-	6.00
-	-	2	1	1	4	3	7	-	10	7	3	-	10.46
-	1	-	1	-	2	1	4	-	5	3	2	-	12.69
13	1	1	1	-	16	6	20	-	26	26	-	-	15.31
7	2	-	-	-	9	4	3	-	7	5	1	1	8.21

Digitized by Google

TABLE

Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	1,183	19	17	-	36	30.43	10	7	10	9	-
Masardis	438	15	13	-	28	63.93	16	4	2	6	-
Monticello	1,332	24	21	-	45	33.78	13	12	9	11	-
New Limerick	600	12	1	-	13	21.67	7	1	3	2	-
New Sweden	867	21	7	-	28	32.29	2	18	6	-	2
Oakfield	860	11	11	-	22	25.58	18	2	2	-	-
Orient	208	4	3	-	7	33.65	3	1	-	3	-
Perham	580	12	16	-	28	48.28	21	4	1	2	-
Presque Isle	3,804	63	59	-	122	32.07	63	18	25	14	2
St. Agatha	1,396	56	45	-	101	72.35	98	-	1	2	-
Sherman	980	14	16	-	30	30.61	18	2	9	1	-
Smyrna	411	11	5	-	16	38.93	5	3	6	2	-
Van Buren	1,878	59	50	-	109	58.04	52	15	19	22	1
Washburn	1,225	19	22	-	41	33.47	27	2	5	6	1
Westfield	259	8	10	-	18	69.50	9	6	1	2	-
Weston	367	7	6	-	13	35.42	7	-	2	4	-
Woodland	1,096	21	16	-	37	33.76	17	9	8	3	-
Allagash Pl	190	-	-	-	-	-	-	-	-	-	-
Cary Pl	400	2	4	-	6	15.00	2	1	-	3	-
Caswell Pl	368	16	4	-	20	54.35	8	8	2	2	-
Chapman Pl	285	8	7	-	15	52.63	10	2	1	2	-
Connor Pl	453	5	5	-	10	22.07	7	1	1	1	-
Cyr Pl	502	14	9	-	23	45.82	15	-	1	7	-
E Pl	44	2	2	-	4	90.91	2	-	2	-	-
Eagle Lake Pl	406	33	26	-	59	145.32	41	3	13	2	-
Garfield Pl	111	-	-	-	-	-	-	-	-	-	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	1	5	3	-	16	8	8	-	16	11	5	-	13.52
3	-	-	1	-	4	8	3	-	11	8	3	-	25.11
2	3	-	3	-	8	4	10	-	14	11	3	-	10.51
3	1	-	-	-	4	7	-	-	7	5	2	-	11.67
2	2	1	-	-	5	2	5	-	7	4	3	-	8.07
8	-	1	1	-	10	6	2	-	8	8	-	-	9.30
1	-	1	-	-	2	-	2	-	2	2	-	-	9.62
4	-	-	2	-	6	4	5	-	9	7	2	-	15.52
18	2	2	14	-	36	26	17	-	43	30	12	1	11.30
18	-	-	-	-	18	22	21	-	43	40	3	-	30.80
9	1	2	2	-	14	7	10	-	17	17	-	-	17.35
1	1	2	2	1	7	2	-	-	2	-	2	-	4.87
13	1	4	12	-	30	49	39	-	88	81	7	-	46.86
6	1	1	-	-	8	4	9	-	13	10	3	-	10.61
1	1	-	1	-	3	4	1	-	5	2	2	1	19.30
3	1	-	-	-	4	6	3	-	9	8	1	-	24.52
3	3	3	-	-	9	7	10	-	17	13	4	-	15.51
-	-	-	-	-	-	-	1	-	1	1	-	-	5.26
-	-	-	1	-	1	3	-	-	3	3	-	-	7.50
3	-	1	4	-	8	11	3	-	14	11	3	-	38.04
1	1	1	1	-	4	6	3	-	9	8	-	1	31.58
6	-	-	2	-	8	4	2	-	6	4	2	-	13 24
2	-	-	-	-	2	8	7	-	15	13	2	-	29.88
1	-	-	-	-	1	1	-	-	1	1	-	-	22.73
10	-	1	-	4	15	23	12	-	35	32	3	-	86.21
1	-	-	-	-	1	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Births, Marriages, and Deaths

ARCOSTOOK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Glenwood Pl	178	-	2	-	2	11.24	2	-	-	-	-
Hamlin Pl	574	14	13	-	27	47.04	16	-	4	7	-
Hammond Pl	116	1	1	-	2	17.24	1	-	1	-	-
Hill Pl	124	7	3	-	10	80.64	5	1	3	1	-
Macwahoc Pl	153	1	3	-	4	26.14	3	-	1	-	-
Merrill Pl	298	6	10	-	16	53.69	8	1	4	3	-
Moro Pl	217	3	1	-	4	18.43	3	-	1	-	-
Nashville Pl	32	-	-	-	-	-	-	-	-	-	-
New Canada Pl	419	11	8	-	19	45.34	10	1	4	4	-
Oxbow Pl	153	1	8	-	9	58.82	8	-	1	-	-
Portage Lake Pl	241	4	4	-	8	33.20	3	1	2	2	-
Reed Pl	399	7	6	-	13	32.58	8	2	2	1	-
St. Francis Pl	568	19	16	-	35	61.62	26	1	4	4	-
St. John Pl	371	5	5	-	10	26.95	6	-	2	2	-
Silver Ridge Pl	168	2	4	-	6	35.71	4	1	1	-	-
Stockholm Pl	191	7	8	-	15	78.53	13	1	1	-	-
Wade Pl	271	10	4	-	14	51.66	7	-	4	3	-
Wallagrass Pl	784	16	20	-	36	45.92	29	2	3	2	-
Westmanland Pl	100	1	1	-	2	20.00	-	1	-	1	-
No. 8, R. 4	111	-	1	-	1	9.01	-	-	1	-	-
Molunkus	74	-	-	-	-	-	-	-	-	-	-
No. 9, R. 4	23	-	-	-	-	-	-	-	-	-	-
Total	*59,672	1,259	1,058	6	2,323	38.93	1,295	321	359	316	32

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	-	1	-	1	1	-	-	5.62
3	-	-	3	-	6	10	6	-	16	16	-	-	27.87
-	1	-	-	-	1	2	-	-	2	2	-	-	17.24
-	-	-	2	-	2	2	2	-	4	2	2	-	32.26
2	-	-	-	-	2	3	1	-	4	3	1	-	26.14
2	-	-	-	-	2	3	2	-	5	3	2	-	16.78
3	-	-	-	-	3	2	2	-	4	3	1	-	18.43
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	-	1	-	-	4	9	7	-	16	16	-	-	38.19
2	-	-	-	-	2	4	-	-	4	1	3	-	26.14
4	-	-	2	-	6	2	2	-	4	1	3	-	16.60
3	3	4	5	-	15	3	5	-	8	4	4	-	20.05
5	-	-	1	-	6	4	4	-	8	8	-	-	14.08
3	-	2	1	-	6	-	5	-	5	4	1	-	13.48
-	-	1	-	-	1	-	1	-	1	1	-	-	5.95
5	2	-	-	-	7	6	7	-	13	11	2	-	68.06
2	-	-	1	-	3	2	-	-	2	1	1	-	7.38
9	-	-	2	-	11	13	15	-	28	26	2	-	35.71
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	-	1	1	18.02
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
-	-	-	-	-	-	-	1	-	1	1	-	-	43.48
375	64	90	127	8	664	543	470	-	1,013	832	170	11	16.98

Digitized by Google

TABLE

Births, Marriages, and Deaths

CUMBERLAND

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	821	9	9	-	18	21.92	17	-	1	-	-
Bridgton	2,868	38	21	-	59	20.57	52	3	3	-	1
Brunswick	6,806	83	84	-	167	24.54	46	85	23	11	2
Cape Elizabeth	887	11	7	-	18	20.29	10	4	2	2	-
Casco	783	8	5	-	13	16.60	12	1	-	-	-
Cumberland	1,404	15	14	-	29	20.66	23	3	2	1	-
Falmouth	1,511	12	14	-	26	17.20	20	3	2	1	-
Freeport	2,339	17	19	-	36	15.39	31	2	2	-	1
Gorham	2,540	22	19	-	41	16.14	34	2	3	1	1
Gray	1,388	19	11	-	30	21.61	26	1	-	1	2
Harpswell	1,750	24	19	-	43	24.57	37	1	3	2	-
Harrison	969	5	15	-	20	20.64	20	-	-	-	-
Naples	813	8	7	-	15	18.45	14	-	-	1	-
New Gloucester	1,162	11	13	-	24	20.65	19	1	3	1	-
North Yarmouth	642	7	2	-	9	14.02	7	2	-	-	-
Otisfield	728	5	5	-	10	13.74	7	1	-	2	-
Portland	50,145	534	528	1	1,063	21.20	484	373	82	98	26
Pownal	592	7	4	-	11	18.58	7	-	-	3	1
Raymond	823	11	5	-	16	19.44	16	-	-	-	-
Scarboro	1,865	19	18	-	37	19.84	27	5	-	3	2
Sebago	576	10	5	-	15	26.04	12	3	-	-	-
South Portland	6,287	78	66	1	145	23.06	101	19	16	8	1
Standish	1,504	16	19	-	35	23.27	34	-	-	1	-
Westbrook	7,283	112	111	-	223	30.62	84	71	34	33	1
Windham	1,929	19	12	-	31	16.07	24	3	2	2	-
Yarmouth	2,274	26	19	-	45	19.79	31	5	4	3	2
Total	100,689	1,126	1,051	2	2,179	21.64	1,195	588	182	174	40

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
6	-	1	-	-	7	12	7	-	19	18	1	-	23.14
15	-	-	1	-	16	20	21	-	41	36	5	-	14.30
28	8	7	9	-	52	47	58	-	105	81	23	1	15.43
5	-	-	-	-	5	7	5	-	12	8	4	-	13.53
3	-	2	-	-	5	5	5	-	10	10	-	-	12.77
5	-	1	-	1	7	13	9	-	22	21	1	-	15.67
5	1	1	-	-	7	7	9	-	16	15	1	-	10.59
21	-	-	-	1	22	15	23	-	38	37	1	-	16.25
19	-	1	3	-	23	25	24	-	49	48	1	-	19.30
11	-	-	-	-	11	9	8	-	17	15	1	1	12.25
13	-	4	2	-	19	14	18	-	32	32	-	-	18.29
5	-	-	-	-	5	11	6	-	17	16	-	1	17.54
5	-	1	-	-	6	6	3	-	9	9	-	-	11.07
7	-	-	-	-	7	7	10	-	17	17	-	-	14.63
5	-	-	-	-	5	3	4	-	7	6	1	-	10.90
3	-	-	-	-	3	6	7	-	13	13	-	-	17.86
323	106	59	48	2	538	468	464	-	932	702	199	31	18.59
3	-	-	1	-	4	4	6	-	10	10	-	-	16.89
6	-	1	-	-	7	7	5	-	12	12	-	-	14.58
8	-	1	-	-	9	14	12	-	26	19	7	-	13.94
6	-	-	-	-	6	5	6	-	11	11	-	-	19.10
41	1	8	5	-	55	43	39	-	82	72	9	1	13.04
14	-	-	1	-	15	13	22	-	35	35	-	-	23.27
32	9	3	8	1	53	53	47	-	100	82	16	2	13.73
11	-	-	-	-	11	15	16	-	31	29	2	-	16.07
17	-	2	1	-	20	17	22	-	39	36	3	-	17.15
617	125	92	79	5	918	846	856	-	1,702	1,390	275	37	16.90

Digitized by Google

TABLE
Births, Marriages, and Deaths
FRANKLIN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	3	1	-	4	8.93	4	-	-	-	-
Carthage	334	3	2	-	5	14.97	4	-	-	1	-
Chesterville	709	4	4	-	8	11.28	7	-	1	-	-
Eustis	436	7	9	-	16	35.70	12	2	2	-	-
Farmington	3,288	25	22	-	47	14.29	39	1	1	2	4
Freeman	397	1	3	-	4	10.08	3	-	-	1	-
Industry	553	3	7	-	10	18.08	9	-	1	-	-
Jay	2,758	60	57	-	117	42.42	27	74	10	5	1
Kingfield	693	3	6	-	9	12.99	6	2	1	-	-
Madrid	326	3	4	-	7	21.47	7	-	-	-	-
New Sharon	946	10	4	-	14	14.80	12	-	1	-	1
New Vineyard	584	7	3	-	10	17.12	10	-	-	-	-
Phillips	1,399	15	10	-	25	17.87	21	1	2	1	-
Rangeley	961	17	14	-	31	32.26	23	6	2	-	-
Salem	195	2	2	-	4	20 51	4	-	-	-	-
Strong	637	6	5	-	11	17.27	10	1	-	-	-
Temple	394	3	5	-	8	20.30	7	-	-	-	1
Weld	738	8	8	-	16	21.68	14	-	1	1	-
Wilton	1,647	17	20	-	37	22.47	33	-	3	1	-
Coplin Pl	70	1	2	-	3	42.86	3	-	-	-	-
Dallas Pl	172	2	7	-	9	52.33	7	1	1	-	-
Lang Pl	87	1	1	-	2	22.98	2	-	-	-	-
Rangeley Pl	98	1	1	-	2	20.41	2	-	-	-	-
Sandy River Pl	78	2	-	-	2	25.64	1	-	1	-	-
Jerusalem	35	-	-	-	-	-	-	-	-	-	-
Lowelltown	90	-	-	-	-	-	-	-	-	-	-
Perkins	63	-	-	-	-	-	-	-	-	-	-
Washington	20	-	-	-	-	-	-	-	-	-	-
No. 4. R. 3	33	1	2	-	3	90.90	2	-	1	-	-
Total	*18,189	205	199	-	404	22.07	269	88	28	12	7

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.
for the Year 1906.
COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	-	-	-	-	3	3	3	-	6	5	1	-	13.39
2	-	-	-	-	2	4	3	-	7	5	2	-	20.96
8	-	-	-	-	8	3	5	-	8	8	-	-	11.28
4	1	1	1	-	7	2	4	-	6	6	-	-	13.76
34	-	1	1	-	36	28	30	-	58	55	3	-	17.64
4	-	-	-	-	4	3	5	-	8	8	-	-	20.15
6	-	1	-	-	7	6	1	-	7	7	-	-	12.66
17	11	2	2	-	32	32	16	-	48	37	11	-	17.40
5	-	1	-	-	6	8	6	-	14	13	1	-	20.20
1	-	-	-	-	1	4	1	-	5	5	-	-	15.34
9	-	-	-	-	9	5	7	-	12	12	-	-	12.68
1	-	-	1	-	2	2	4	-	6	6	-	-	10.27
16	-	-	-	-	16	18	5	-	23	22	1	-	16.44
10	-	1	2	-	13	15	5	-	20	16	1	3	20.81
1	-	-	-	-	1	1	1	-	2	2	-	-	10.25
3	-	-	2	-	5	5	4	-	9	9	-	-	14.13
1	-	-	-	-	1	2	3	-	5	5	-	-	12.69
7	-	1	-	-	8	5	5	-	10	10	-	-	13.55
18	1	1	-	-	20	16	12	-	28	27	1	-	17.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	5.81
-	-	-	-	-	-	1	-	-	1	1	-	-	11.42
-	-	-	-	-	-	1	-	-	1	1	-	-	10.70
1	-	-	-	-	1	-	1	-	1	1	-	-	12.82
-	-	-	-	-	-	1	-	-	1	1	-	-	28.57
-	-	-	-	-	-	1	1	-	2	2	-	-	22.22
-	-	-	-	-	-	2	-	-	2	2	-	-	31.75
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	1	-	1	60.60
153	13	9	9	-	184	170	123	-	293	268	21	4	16.01

Digitized by Google

TABLE

Births, Marriages and Deaths

HANCOCK

Towns.	Population in 1800.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	3	4	-	7	19.23	7	-	-	-	-
Aurora	152	-	2	-	2	13.16	1	-	1	-	-
Bluehill	1,828	16	16	-	32	17.51	30	-	2	-	-
Brooklin	936	7	12	-	19	20.30	18	-	-	1	-
Brooksville	1,171	5	14	-	19	16.23	15	-	1	2	1
Bucksport	2,339	20	15	-	35	14.96	33	-	2	-	-
Castine	925	11	11	-	22	23.78	21	-	1	-	-
Cranberry Isles	374	7	4	-	11	29.41	9	-	-	2	-
Dedham	327	5	4	-	9	27.52	6	-	2	1	-
Deer Isle	2,047	18	32	-	50	24.43	46	-	2	2	-
Eastbrook	248	4	5	-	9	36.29	9	-	-	-	-
Eden	4,379	69	51	1	121	27.63	92	13	6	9	1
Ellsworth	4,297	41	27	-	68	16.82	60	-	5	3	-
Franklin	1,201	16	19	-	35	29.14	34	-	-	1	-
Gouldsboro	1,259	-	-	-	-	-	-	-	-	-	-
Hancock	900	10	13	-	23	25.56	22	-	-	1	-
Isle au Haut	182	2	1	-	3	16.48	3	-	-	-	-
Lamoine	594	8	4	-	12	20.20	9	2	1	-	-
Mariaville	218	2	1	-	3	13.76	3	-	-	-	-
Mount Desert	1,600	22	14	-	36	22.50	27	4	2	3	-
Orland	1,251	8	11	-	19	15.19	18	-	1	-	-
Otis	152	1	3	-	4	26.22	4	-	-	-	-
Penobscot	1,156	9	11	-	20	17.30	19	-	1	-	-
Sedgwick	902	9	12	-	21	23.28	17	-	1	2	1
Sorrento	117	2	3	-	5	42.73	5	-	-	-	-
South West Harbor	-	8	9	-	17	-	15	1	1	-	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	2	-	-	2	2	-	-	5.49
2	-	-	-	-	2	1	2	-	3	3	-	-	19.74
10	-	-	-	-	10	13	17	-	30	29	-	1	16.41
-	-	-	-	-	-	8	2	-	10	10	-	-	10.68
8	-	-	-	-	8	13	11	-	24	23	1	-	20.50
23	-	-	1	-	24	20	19	1	40	36	2	2	17.10
5	-	-	-	-	5	14	9	-	23	21	-	2	24.86
2	1	2	-	-	5	3	2	-	5	5	-	-	13.36
2	-	-	-	-	2	1	5	-	6	4	1	1	18.35
15	-	-	-	-	15	19	14	-	33	33	-	-	16.12
1	-	-	-	-	1	1	1	-	2	2	-	-	8.06
46	3	5	7	1	62	23	24	-	47	42	5	-	10.73
32	-	-	-	-	32	25	23	-	48	45	3	-	11.17
6	1	-	-	-	7	8	4	-	12	12	-	-	9.99
7	-	-	-	-	7	-	-	-	-	-	-	-	-
6	1	-	1	-	8	4	4	-	8	7	1	-	8.89
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	-	-	6	1	3	-	4	4	-	-	6.73
1	-	-	-	-	1	-	1	-	1	1	-	-	4.59
21	-	-	1	-	22	9	4	-	13	13	-	-	8.12
8	-	-	1	-	9	6	6	-	12	12	-	-	9.59
2	-	-	-	-	2	2	-	-	2	2	-	-	13.11
8	-	-	-	-	8	9	3	-	12	12	-	-	10.39
10	-	-	-	-	10	7	6	-	13	13	-	-	14.41
1	-	-	-	-	1	2	1	-	3	3	-	-	25.64
6	-	-	-	-	6	11	3	-	14	14	-	-	-

Digitized by Google

TABLE

Births, Marriages, and Deaths

HANCOCK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington	1,648	23	25	-	48	29.13	31	9	5	3	-
Sullivan	1,034	9	12	-	21	20.31	16	1	2	2	-
Surry	900	4	5	-	9	10.00	8	-	1	-	-
Swan's Island	758	6	6	-	12	15.83	12	-	-	-	-
Tremont	2,010	13	19	-	32	15.92	30	-	1	1	-
Trenton	459	4	5	-	9	19.61	8	-	-	1	-
Verona	234	4	1	-	5	21.36	5	-	-	-	-
Waltham	192	3	1	-	4	20.83	4	-	-	-	-
Winter Harbor	571	11	6	-	17	29.77	14	1	1	1	-
Long Island Pl.	174	2	5	-	7	40.22	7	-	-	-	-
No. 8 Pl.	17	-	-	-	-	-	-	-	-	-	-
No. 21 Pl.	58	-	-	-	-	-	-	-	-	-	-
No. 33 Pl.	82	-	2	-	2	24.39	2	-	-	-	-
Total	*37,056	382	385	1	768	20.73	660	31	39	35	3

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000
14	3	1	2	-	20	17	6	-	23	20	3	-	13.96
9	-	-	1	-	10	9	8	-	17	17	-	-	16.44
4	-	-	-	-	4	8	5	-	13	13	-	-	14.44
4	-	-	-	-	4	8	6	-	14	13	-	1	18 47
8	-	-	-	-	8	7	6	-	13	13	-	-	6.47
-	-	-	-	-	-	6	3	-	9	8	1	-	19.61
2	-	-	-	-	2	1	-	-	1	1	-	-	4.27
4	-	-	-	-	4	1	-	-	1	1	-	-	5.21
6	1	-	-	-	7	3	3	-	6	5	1	-	10.51
1	-	-	-	-	1	1	-	-	1	1	-	-	5.75
-	-	-	-	-	-	2	-	-	2	2	-	-	117.65
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	24.39
286	10	8	14	1	319	265	203	1	469	444	18	7	12.66

Digitized by Google

TABLE

Births, Marriages and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	9	8	-	17	19.32	16	-	1	-	-
Augusta	11,683	136	130	-	266	22.77	137	83	25	20	1
Belgrade	1,058	14	6	-	20	18.90	18	-	1	1	-
Benton	1,097	10	18	-	28	25.52	21	2	1	3	1
Chelsea	3,092	10	8	-	18	5.82	14	2	-	2	-
China	1,380	16	14	-	30	21.74	24	1	3	-	2
Clinton	1,398	13	9	-	22	15.74	22	-	-	-	-
Farmingdale	848	5	4	-	9	10.61	6	3	-	-	-
Fayette	560	2	7	-	9	16.07	7	2	-	-	-
Gardiner	5,501	55	48	-	103	18.72	69	13	11	10	-
Hallowell	2,714	18	22	-	40	14.74	26	7	6	1	-
Litchfield	1,057	4	6	-	10	9.46	9	-	-	1	-
Manchester	518	6	2	-	8	15.44	8	-	-	-	-
Monmouth	1,236	9	10	-	19	15.37	14	3	2	-	-
Mount Vernon	906	11	6	-	17	18.76	15	1	-	1	-
Oakland	1,913	8	20	-	28	14.64	23	1	2	2	-
Pittston	1,177	9	12	-	21	17.84	19	2	-	-	-
Randolph	1,077	5	9	-	14	13.00	7	3	2	1	1
Readfield	984	5	10	-	15	15.09	14	1	-	-	-
Rome	420	3	5	-	8	19.05	8	-	-	-	-
Sidney	1,068	9	8	-	17	15.92	14	2	-	1	-
Vassalboro	2,062	12	13	-	25	14.06	13	2	4	6	-
Vienna	406	5	5	-	10	24.63	9	-	-	1	-

Digitized by Google

No. 7—Continued.

for the year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	9	4	-	13	13	-	-	14.81
90	14	14	11	4	133	139	114	-	253	139	112	2	21.66
7	-	-	-	-	7	9	5	-	14	14	-	-	13.23
10	-	-	-	-	10	13	6	-	19	19	-	-	17.32
6	1	-	-	-	7	7	4	-	11	8	2	1	3.56
13	-	2	-	-	15	17	15	-	32	32	-	-	23.19
7	-	1	-	-	8	10	9	-	19	18	-	1	13.59
4	-	-	-	-	4	6	5	-	11	11	-	-	12.97
3	-	1	-	-	4	8	5	-	13	12	1	-	23.21
50	1	6	6	-	63	41	29	-	70	62	8	-	12.72
18	2	-	1	-	21	30	22	-	52	46	6	-	19.16
5	-	-	-	-	5	8	4	-	12	12	-	-	11.35
1	-	-	-	-	1	2	1	-	3	3	-	-	5.79
2	-	1	3	-	6	12	6	-	18	16	1	1	14.56
7	-	-	-	-	7	5	5	-	10	10	-	-	11.04
16	1	-	-	-	17	21	16	-	37	33	2	2	19.34
7	-	1	-	-	8	5	10	-	15	15	-	-	12.74
4	2	1	-	-	7	5	7	-	12	12	-	-	11.14
8	2	1	-	-	11	3	6	-	9	9	-	-	9.05
4	-	-	-	-	4	1	-	-	1	1	-	-	2.38
6	-	-	-	-	6	9	8	-	17	16	1	-	15.92
10	3	-	-	-	13	26	13	-	39	35	4	-	18.91
1	-	-	-	-	1	6	4	-	10	9	1	-	24.63

Digitized by Google

TABLE

Births, Marriages, and Deaths

KENNEBEC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville	9,477	178	158	-	336	35.45	125	110	54	43	4
Wayne	707	3	8	-	11	15.56	10	1	-	-	-
West Gardiner	693	3	3	-	6	8.66	6	-	-	-	-
Windsor	782	1	2	-	3	3.84	3	-	-	-	-
Winslow	2,277	37	28	-	65	28.55	21	27	13	3	1
Winthrop	2,088	23	26	-	49	23.47	31	16	-	2	-
Unity Pl	50	1	-	-	1	20.00	-	-	1	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	620	605	-	1,225	20.72	709	282	126	98	10

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
82	20	12	11	2	127	88	82	-	170	129	34	7	17.94
7	-	-	-	-	7	5	4	-	9	9	-	-	12.73
8	-	-	-	-	8	3	7	-	10	10	-	-	14.43
4	-	-	-	-	4	4	3	-	7	7	-	-	8.95
9	6	5	-	-	20	19	17	-	36	27	9	-	15.81
10	1	-	1	-	12	18	15	-	33	30	2	1	15.81
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	10	-	-	10	10	-	-	-
404	53	45	33	6	541	539	426	-	965	767	183	15	16.32

Digitized by Google

TABLE

Births, Marriages, and Deaths

KNOX

Towns.	Population in 1900	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	8	12	-	20	20.51	20	-	-	-	-
Camden	2,825	20	24	-	44	14.16	33	1	3	4	3
Cushing	604	5	4	-	9	14.90	9	-	-	-	-
Friendship	814	6	9	-	15	18.43	12	2	-	1	-
Hope	599	5	8	-	13	21.70	12	-	-	1	-
Hurricane Isle	257	2	4	-	6	23.35	1	4	1	-	-
North Haven	551	7	3	-	10	18.15	10	-	-	-	-
Rockland	8,150	85	75	-	160	19.63	115	27	11	6	1
Rockport	2,314	15	21	-	36	15.56	28	4	2	1	1
St. George	2,206	32	27	-	59	26.75	35	20	3	1	-
South Thomaston	1,426	11	16	-	27	18.93	19	2	4	2	-
Thomaston	2,688	15	9	-	24	8.93	19	2	2	1	-
Union	1,248	8	9	-	17	13.62	17	-	-	-	-
Vinalhaven	2,358	33	20	-	53	22.48	44	5	4	-	-
Warren	2,369	12	14	-	26	12.57	21	-	1	4	-
Washington	1,019	9	2	-	11	10.79	11	-	-	-	-
Matinicus Isle Pl.	184	1	-	-	1	5.43	1	-	-	-	-
Muscle Ridge Pl.	-	-	-	-	-	-	-	-	-	-	-
Total	*30,287	274	257	-	531	17.53	407	67	31	21	5

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	–	–	–	–	4	7	4	–	11	11	–	–	11.28
33	–	2	2	–	37	24	22	–	46	41	4	1	16.28
6	–	–	–	–	6	2	4	–	6	6	–	–	9.93
7	–	–	–	–	7	5	7	–	12	10	2	–	14.74
2	–	–	–	–	2	6	6	–	12	12	–	–	20.03
3	–	–	–	–	3	1	1	–	2	1	1	–	7.78
6	–	–	–	–	6	6	3	–	9	8	1	–	16.33
74	5	4	6	–	89	95	61	–	156	139	17	–	19.14
21	–	1	2	–	24	13	19	–	32	30	2	–	13.61
14	–	–	1	–	15	11	13	–	24	18	6	–	10.88
4	2	–	–	–	6	11	9	–	20	16	4	–	14.03
14	–	–	–	–	14	26	19	–	45	42	3	–	16.74
10	–	–	–	–	10	13	10	–	23	23	–	–	18.42
25	–	3	2	–	30	9	10	–	19	17	2	–	8.06
6	–	1	–	–	7	11	20	–	31	30	1	–	14.98
7	–	–	–	–	7	3	7	–	10	10	–	–	9.81
1	–	–	–	–	1	–	2	–	2	2	–	–	10.87
–	–	1	–	–	1	–	–	–	–	–	–	–	–
237	7	12	13	–	269	243	217	–	460	416	43	1	15.19

Digitized by Google

TABLE

Births, Marriages and Deaths

LINCOLN

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	4	7	-	11	24.77	11	-	-	-	-
Boothbay	1,766	14	16	-	30	16.99	28	-	1	-	1
Boothbay Harbor	1,926	23	25	-	48	24.92	44	1	-	2	1
Bremen	657	8	2	-	10	15.22	8	-	-	2	-
Bristol	2,572	19	15	-	34	13.21	32	-	1	1	-
Damariscotta	876	9	4	-	13	14.84	12	-	-	1	-
Dresden	882	8	4	-	12	13.61	10	-	1	1	-
Edgecomb	607	6	-	-	6	9.88	6	-	-	-	-
Jefferson	1,155	6	4	-	10	8.66	10	-	-	-	-
Newcastle	1,075	10	14	-	24	22.33	24	-	-	-	-
Nobleboro	810	6	7	-	13	16.05	13	-	-	-	-
Somerville	374	5	-	-	5	13.37	5	-	-	-	-
Southport	527	8	1	-	9	17.08	9	-	-	-	-
Waldoboro	3,145	34	17	1	52	16.53	46	3	2	1	-
Westport	330	1	2	-	3	9.09	3	-	-	-	-
Whitefield	1,156	6	1	-	7	6.06	7	-	-	-	-
Wiscasset	1,273	14	9	-	23	18.07	22	-	-	1	-
Monhegan Pl.	94	-	-	-	-	-	-	-	-	-	-
Total	19,669	181	128	1	310	15.76	290	4	5	9	2

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	-	-	-	2	4	4	-	8	8	-	-	18.02
19	-	1	2	-	22	11	5	-	16	15	1	-	9.06
16	-	1	-	-	17	11	13	-	24	22	2	-	12.46
3	-	1	-	-	4	4	1	-	5	5	-	-	7.61
17	-	1	1	-	19	15	16	-	31	28	3	-	12.05
7	-	-	-	-	7	9	6	-	15	15	-	-	17.12
5	-	-	-	-	5	3	6	-	9	8	1	-	10.20
1	-	-	-	-	1	4	3	-	7	7	-	-	11.53
11	-	-	-	-	11	12	11	1	24	23	-	1	20.78
10	-	-	-	-	10	11	12	-	23	22	1	-	21.39
1	-	-	-	-	1	8	5	-	13	13	-	-	16.05
4	-	-	-	-	4	3	1	-	4	4	-	-	10.70
3	-	-	-	-	3	3	1	-	4	3	-	1	7.59
17	-	-	-	-	17	13	22	-	35	34	1	-	11.13
5	-	-	-	-	5	4	1	-	5	5	-	-	15.15
12	-	1	1	-	14	8	8	-	16	15	1	-	13.84
6	-	1	-	-	7	6	4	-	10	10	-	-	7.86
1	-	-	-	-	1	-	-	-	-	-	-	-	-
140	-	6	4	-	150	129	119	1	249	237	10	2	12.66

Digitized by Google

TABLE

Births, Marriages, and Deaths

OXFORD

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	11	9	-	20	37.17	14	-	3	3	-
Andover	727	12	12	-	24	33.01	16	-	2	5	1
Bethel	1,835	19	21	-	40	21.80	32	3	3	2	-
Brownfield	1,019	6	6	-	12	11.78	9	-	-	3	-
Buckfield	1,139	8	7	-	15	13.17	13	1	-	1	-
Byron	204	2	1	-	3	14.71	1	-	-	2	-
Canton	946	9	13	-	22	23.26	19	1	2	-	-
Denmark	634	4	6	-	10	15.77	9	-	-	1	-
Dixfield	1,052	11	4	-	15	14.26	13	1	1	-	-
Fryeburg	1,376	7	11	-	18	13.08	17	-	1	-	-
Gilead	340	-	2	-	2	5.88	1	1	-	-	-
Grafton	81	1	1	-	2	24.69	1	-	1	-	-
Greenwood	741	8	7	-	15	20.24	12	-	1	2	-
Hanover	214	1	1	-	2	9.35	2	-	-	-	-
Hartford	660	6	4	-	10	15.15	7	1	1	1	-
Hebron	494	2	9	-	11	22.27	10	1	-	-	-
Hiram	1,015	12	12	-	24	23.65	24	-	-	-	-
Lovell	693	5	4	-	9	12.99	9	-	-	-	-
Mason	67	1	1	-	2	29.85	-	-	1	-	1
Mexico	816	47	33	-	80	98.04	25	38	9	8	-
Newry	286	4	4	-	8	27.97	5	1	2	-	-
Norway	2,902	31	21	-	52	17.92	42	2	4	4	-
Oxford	1,331	15	6	-	21	15.78	19	2	-	-	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
-	-	-	1	-	1	4	4	-	8	7	1	-	14.87
6	-	-	1	-	7	7	6	-	13	11	1	1	17.88
18	-	-	2	1	21	22	15	-	37	35	2	-	20.16
9	-	-	-	-	9	4	12	-	16	16	-	-	15.70
10	-	1	-	-	11	16	14	-	30	30	-	-	26.34
1	-	1	1	-	3	-	1	-	1	-	-	1	4.90
11	-	-	-	-	11	6	9	-	15	15	-	-	15.86
3	-	-	-	-	3	7	6	-	13	11	2	-	20.50
10	1	1	1	-	13	10	7	-	17	17	-	-	16.14
7	-	-	-	1	8	9	15	-	24	20	4	-	17.44
1	-	1	-	-	2	2	-	-	2	2	-	-	5.88
1	-	-	-	-	1	-	-	-	-	-	-	-	-
11	-	-	-	-	11	3	3	-	6	6	-	-	8.09
2	-	-	-	-	2	2	2	-	4	3	-	1	18.69
7	-	1	2	-	10	5	10	-	15	14	1	-	22.72
4	-	1	-	-	5	4	6	-	10	10	-	-	20.24
11	-	-	-	-	11	1	11	-	12	12	-	-	11.82
5	-	-	-	-	5	8	12	-	20	20	-	-	28.66
1	-	-	-	-	1	-	1	-	1	1	-	-	14.93
10	1	1	5	-	17	18	11	-	29	23	6	-	35.54
-	-	-	1	-	1	2	2	-	4	4	-	-	13.98
12	1	1	1	-	15	19	23	-	42	36	6	-	14.47
13	-	1	-	-	14	8	12	-	20	19	1	-	15.03

Digitized by Google

TABLE

Births, Marriages, and Deaths

OXFORD

Towns.	Population in 1900	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris	3,225	32	22	1	55	17.06	47	2	3	3	-
Peru	773	5	10	-	15	19.40	12	-	1	2	-
Porter	886	7	10	-	17	19.19	16	-	1	-	-
Roxbury	238	3	4	-	7	29.41	4	1	1	1	-
Rumford	3,770	133	133	-	266	70.56	54	168	27	17	-
Stoneham	284	5	3	-	8	28.17	8	-	-	-	-
Stow	270	2	6	-	8	29.63	5	-	-	-	3
Sumner	802	10	10	-	20	24.94	18	1	1	-	-
Sweden	282	2	3	-	5	17.73	4	-	-	1	-
Upton	242	2	1	-	3	12.40	2	-	1	-	-
Waterford	917	9	13	-	22	23.99	22	-	-	-	-
Woodstock	816	10	12	-	22	26.96	17	1	-	3	1
Lincoln Pl	73	2	-	-	2	27.40	2	-	-	-	-
Magalloway Pl	77	-	2	-	2	25.97	2	-	-	-	-
Milton Pl	202	3	6	-	9	44.55	7	-	2	-	-
Batchelders Grant	173	-	1	-	1	5.78	-	1	-	-	-
Riley	13	1	-	-	1	76.92	1	-	-	-	-
No. 4, R 2	-	-	-	-	-	-	-	-	-	-	-
Total	*32,153	448	431	1	880	27.37	521	226	68	59	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
34	8	-	-	-	42	28	21	-	49	49	-	-	15.19
6	1	1	-	-	8	6	6	-	12	11	1	-	15.52
3	-	-	-	-	3	9	7	-	16	16	-	-	18.06
2	-	-	-	-	2	-	1	-	1	1	-	-	4.20
34	36	9	9	-	88	56	50	-	106	93	13	-	28.12
3	-	-	-	-	3	1	3	-	4	4	-	-	14.08
4	-	-	-	-	4	1	2	-	3	3	-	-	11.11
5	-	-	-	-	5	3	7	-	10	10	-	-	12.47
4	-	-	1	-	5	2	1	-	4	4	-	-	14.18
3	-	-	-	-	3	5	1	-	6	5	1	-	24.80
8	-	-	-	-	8	4	6	-	10	10	-	-	10.91
6	-	1	1	-	8	8	7	-	15	13	2	-	18.38
-	-	-	-	-	-	-	1	-	1	1	-	-	13.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	4	-	1	-	1	1	-	-	4.95
-	1	-	-	-	1	1	-	-	1	1	-	-	5.78
-	-	-	-	-	-	1	-	-	1	-	1	-	76.92
-	-	-	-	-	-	1	-	-	1	1	-	-	-
269	49	20	26	2	366	284	296	-	580	535	42	3	18.04

Digitized by Google

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	2	1	-	3	9.55	3	-	-	-	-
Argyle	320	1	3	-	4	12.50	2	1	-	-	1
Bangor	21,850	162	175	6	343	15,70	179	82	28	48	6
Bradford	954	10	8	-	18	18.87	15	1	2	-	-
Bradley	682	6	4	-	10	14.57	8	-	1	1	-
Brewer	4,885	74	83	-	157	32.47	70	52	16	19	-
Burlington	394	-	6	-	6	15.23	5	-	1	-	-
Carmel	932	11	11	-	22	23.60	19	1	2	-	-
Carroll	487	5	3	-	8	16.43	7	-	-	-	1
Charleston	842	6	9	-	15	17.81	14	-	1	-	-
Chester	363	2	1	-	3	8.27	3	-	-	-	-
Clifton	236	3	3	-	6	25.42	6	-	-	-	-
Corinna	1,170	12	7	-	19	16.23	16	2	1	-	-
Corinth	1,042	5	11	-	16	15.36	15	-	1	-	-
Dexter	2,941	55	34	-	89	30.26	57	11	10	11	-
Dixmont	843	10	10	-	20	23.72	19	-	-	1	-
Eddington	663	6	5	-	11	16.59	6	1	1	3	-
Edinburg	65	-	1	-	1	15.38	1	-	-	-	-
Enfield	1,062	17	17	-	34	32.02	23	2	5	4	-
Etna	527	4	2	-	6	11.35	6	-	-	-	-
Exeter	879	9	6	-	15	17.06	15	-	-	-	-
Garland	857	6	3	-	9	10.50	9	-	-	-	-
Glenburn	461	5	2	-	7	15.18	6	1	-	-	-
Greenbush	586	3	6	-	9	15.36	6	-	2	1	-
Greenfield	160	-	-	-	-	-	-	-	-	-	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	1	3	-	4	4	-	-	12.74
-	-	-	-	-	-	3	2	-	5	5	-	-	15.62
154	21	34	33	2	244	224	188	-	412	297	80	35	18.86
9	-	-	-	-	9	11	5	-	16	16	-	-	16.77
3	-	-	1	-	4	7	5	-	12	9	3	-	17.60
30	14	5	6	-	55	41	46	-	87	67	20	-	17.91
1	-	-	-	-	1	3	1	-	4	4	-	-	10.15
4	-	-	1	-	5	5	11	-	16	14	1	1	17.17
2	-	-	-	-	2	2	3	-	5	5	-	-	10.26
4	-	-	1	-	5	6	7	-	13	12	1	-	15.44
-	-	-	-	-	-	4	-	-	4	4	-	-	11.02
1	-	-	-	-	1	6	2	-	8	8	-	-	33.90
14	-	-	1	-	15	11	12	-	23	22	1	-	19.66
12	-	1	-	-	13	13	8	-	21	19	2	-	20.15
28	1	2	4	-	35	40	28	-	68	60	8	-	23.12
3	-	-	-	-	3	8	5	-	13	13	-	-	15.42
2	-	1	-	-	3	8	4	-	12	10	2	-	18.10
1	-	-	-	-	1	1	-	-	1	1	-	-	15.38
7	1	1	1	-	10	5	7	-	12	11	1	-	11.30
4	-	-	-	-	4	7	7	-	14	13	1	-	26.57
8	-	1	-	-	9	8	5	-	13	13	-	-	14.79
4	-	-	-	-	4	6	6	-	12	11	1	-	14.00
1	-	-	-	-	1	2	2	-	4	2	2	-	8.68
2	-	-	-	-	2	5	9	-	14	14	-	-	23.89
-	-	-	-	-	-	1	-	-	1	-	1	-	6.25

Digitized by Google

TABLE

Births, Marriages and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,182	20	19	-	39	17.87	30	2	3	4	-
Hermon	1,183	5	5	-	10	8 45	8	1	1	-	-
Holden	602	7	4	-	11	18.27	9	-	1	1	-
Howland	519	9	6	-	15	28.90	9	3	2	1	-
Hudson	430	5	7	-	12	27.91	11	-	1	-	-
Kenduskeag	423	3	4	-	7	16.55	6	1	-	-	-
Kingman	936	21	13	-	34	36.32	18	6	7	3	-
Lagrange	574	7	4	-	11	19.16	9	-	1	1	-
Lee	801	8	8	-	16	19.98	14	-	2	-	-
Levant	789	9	5	-	14	17.67	14	-	-	-	-
Lincoln	1,731	37	20	-	57	32.93	41	7	3	6	-
Lowell	300	1	-	-	1	3.33	1	-	-	-	-
Mattamiscontis	28	-	-	-	-	-	-	-	-	-	-
Mattawamkeag	527	4	9	-	13	24.67	8	1	3	1	-
Maxfield	115	-	-	-	-	-	-	-	-	-	-
Medway	297	6	3	1	10	33.67	7	1	1	-	1
Milford	838	2	3	-	5	5.97	4	1	-	-	-
Millinocket	1,144	65	58	-	123	107.52	36	59	17	11	-
Mt. Chase	299	3	5	-	8	26.76	6	1	1	-	-
Newburgh	734	3	7	-	10	13.62	9	-	1	-	-
Newport	1,533	20	18	-	38	24.79	33	1	3	1	-
Old Town	5,763	89	77	-	166	28.80	66	48	31	21	-
Orono	3,257	68	50	-	118	36.23	39	53	14	11	1
Orrington	1,266	9	11	1	21	16.60	17	2	-	2	-
Passadumkeag	409	3	6	-	9	22.00	7	-	-	2	-
Patten	1,172	24	24	-	48	40.96	43	-	2	3	-

Digitized by Google

No. 7—Continued.

for the year 1906.

COUNTY—CONTINUED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
17	1	-	-	-	18	19	21	-	40	35	5	-	18.33
16	-	3	-	-	19	6	8	-	14	14	-	-	11.84
4	-	1	1	-	6	9	1	-	10	10	-	-	16.61
3	-	-	1	-	4	2	1	-	3	2	1	-	5.78
4	-	-	1	-	5	1	1	-	2	2	-	-	4.65
3	-	2	-	-	5	4	3	-	7	6	1	-	16.55
6	-	-	1	-	7	4	8	-	12	11	1	-	12.82
7	-	1	1	-	9	2	1	-	3	3	-	-	5.23
4	-	1	2	-	7	4	4	-	8	6	2	-	9.99
8	-	-	-	-	8	5	6	-	11	11	-	-	13.94
11	1	7	-	-	19	25	9	-	34	30	3	1	13.86
3	-	-	-	-	3	1	3	-	4	4	-	-	13.33
-	-	-	-	-	-	1	-	-	1	-	1	-	35.71
7	-	1	1	-	9	4	2	-	6	6	-	-	11.39
-	-	1	-	-	1	1	2	-	3	3	-	-	26.08
5	-	-	-	-	5	5	3	-	8	7	1	-	26.94
10	1	2	2	-	15	4	7	-	11	9	1	1	13.13
14	19	2	9	1	45	37	16	-	53	37	16	-	46.33
-	-	1	-	-	1	-	1	-	1	1	-	-	3.34
7	-	-	1	-	8	9	4	-	13	12	1	-	17.71
15	-	-	-	-	15	11	15	-	26	24	1	1	16.96
42	14	4	8	-	68	86	60	-	146	110	31	5	25.33
14	8	9	7	-	38	39	38	-	77	68	7	2	23.64
6	-	-	-	-	6	12	17	-	29	28	-	1	22.91
5	-	-	1	-	6	1	2	-	3	2	-	1	7.33
17	-	1	-	-	18	5	2	-	7	5	2	-	5.97

Digitized by Google

TABLE

Births, Marriages, and Deaths

PENOBSCOT

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Plymouth	658	10	5	-	15	22.80	15	-	-	-	-
Prentiss	502	9	2	-	11	21.91	11	-	-	-	-
Springfield	532	1	12	-	13	24.44	11	1	1	-	-
Stetson	503	1	3	-	4	7.91	4	-	-	-	-
Veazie	555	2	2	-	4	7.21	4	-	-	-	-
Winn	688	6	5	-	11	15.99	9	1	1	-	-
Woodville	160	1	3	-	4	25.00	3	-	-	1	-
Drew Pl	120	3	1	-	4	33.33	4	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl	129	-	-	-	-	-	-	-	-	-	-
Seboeis Pl	96	3	4	-	7	72.92	5	2	-	-	-
Stacyville Pl	347	8	7	-	15	43.23	8	2	4	1	-
Webster Pl	124	3	-	-	3	24.19	3	-	-	-	-
No. 1, R. 7	42	1	-	-	1	23.81	-	-	1	-	-
No. 2, R. 6	-	-	2	-	2	-	1	-	1	-	-
Indian Township	-	-	1	-	1	-	1	-	-	-	-
Total	*75,825	890	824	8	1,722	22.71	1,034	347	173	158	10

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
6	-	-	-	-	6	5	13	-	18	17	-	1	27.20
-	-	1	-	-	1	6	3	-	9	6	1	2	17.93
7	1	-	-	-	8	7	3	-	10	8	-	2	18.80
3	-	-	-	-	3	3	4	-	7	7	-	-	13.92
6	-	-	-	-	6	9	2	-	11	8	3	-	19.82
5	-	-	-	-	5	1	3	-	4	3	1	-	5.81
-	-	-	-	-	-	1	-	-	1	1	-	-	6.25
4	-	-	-	-	4	-	-	-	-	-	-	-	-
-	1	-	-	-	1	1	-	-	1	1	-	-	19.23
-	-	-	-	-	-	1	-	-	1	1	-	-	7.75
1	-	-	-	-	1	1	-	-	1	-	1	-	10.42
3	-	-	1	-	4	4	-	-	4	3	1	-	11.53
-	-	-	-	-	-	1	-	-	1	1	-	-	8.06
-	-	-	-	-	-	2	-	-	2	2	-	-	47.62
-	-	1	-	-	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
558	83	83	85	3	812	768	629	-	1,397	1,139	205	53	18.42

Digitized by Google

TABLE

Births, Marriages, and Deaths

PISCATAQUIS

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	6	8	-	14	19.55	13	-	-	1	-
Atkinson	495	8	2	-	10	20.20	10	-	-	-	-
Blanchard	248	-	1	-	1	4.03	-	1	-	-	-
Brownville	1,570	17	26	-	43	27.39	17	20	3	3	-
Dover	1,889	17	16	-	33	17.47	32	-	-	1	-
Foxcroft	1,629	7	14	-	21	12.89	14	3	2	2	-
Greenville	1,117	28	21	-	49	43.87	19	11	10	9	-
Guilford	1,544	10	17	-	27	17.49	22	2	2	1	-
Medford	282	1	5	-	6	21.28	6	-	-	-	-
Milo	1,150	35	31	-	66	57.39	45	4	8	8	1
Monson	1,116	10	17	-	27	24.19	19	1	4	1	2
Orneville	325	2	3	-	5	15.38	4	1	-	-	-
Parkman	718	11	6	-	17	23.68	15	1	1	-	-
Sangerville	1,294	8	5	-	13	10.04	12	-	1	-	-
Sebec	593	2	-	-	2	3.37	2	-	-	-	-
Shirley	248	4	5	-	9	36.29	5	2	1	1	-
Wellington	413	7	3	-	10	24.21	10	-	-	-	-
Williamsburg	117	1	1	-	2	17.09	2	-	-	-	-
Willimantic	419	1	-	-	1	2.39	1	-	-	-	-
Barnard Pl.	98	1	1	-	2	20.41	1	-	-	1	-
Bowerbank Pl.	66	1	-	-	1	15.15	1	-	-	-	-
Elliottsville Pl.	86	1	-	-	1	11.63	1	-	-	-	-
Kingsbury Pl.	106	1	1	-	2	18.87	2	-	-	-	-
Lake View Pl.	173	-	2	-	2	11.56	2	-	-	-	-
Katahdin Iron Works	114	-	-	-	-	-	-	-	-	-	-
Total	*16,526	179	185	-	364	22.03	255	46	32	28	3

* Population of county omitting that of unorganized plantations and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000
6	-	-	-	-	6	2	2	-	4	4	-	-	5.59
7	-	-	-	-	7	5	2	-	7	6	1	-	14.14
3	-	-	-	-	3	-	-	-	-	-	-	-	-
7	1	-	2	-	10	13	16	-	29	22	6	1	18.47
14	-	1	2	-	17	7	14	-	21	20	-	1	11.12
12	2	-	-	-	14	10	7	-	17	16	1	-	10.44
10	1	2	8	-	21	27	13	-	40	25	13	2	35.80
21	-	-	1	-	22	6	9	-	15	14	1	-	9.72
3	-	-	2	-	5	1	1	-	2	2	-	-	7.09
16	-	1	3	-	20	14	15	-	29	26	3	-	25.22
9	1	-	-	-	10	10	6	-	16	16	-	-	14.34
5	-	-	1	-	6	1	3	-	4	4	-	-	12.31
4	-	-	-	-	4	8	5	-	13	13	-	-	18.11
9	-	1	1	-	11	10	4	-	14	14	-	-	10.82
2	-	-	-	-	2	2	3	-	5	5	-	-	8.43
2	-	-	-	1	3	1	4	-	5	5	-	-	20.16
3	-	-	-	-	3	3	2	-	5	4	1	-	12.11
-	-	-	-	-	-	1	-	-	1	1	-	-	8.55
1	-	-	-	-	1	1	2	-	3	3	-	-	7.16
-	1	-	-	-	1	1	-	-	1	-	-	1	10.20
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	23.26
-	-	-	-	-	-	-	2	-	2	2	-	-	18.87
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	2	-	-	2	2	-	-	17.54
137	6	6	20	1	170	127	110	-	237	206	26	5	14.34

Digitized by Google

TABLE

Births, Marriages, and Deaths

SAGADAHOC

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	-	-	-	-	-	-	-	-	-	-
Bath	10,477	115	104	-	219	20.90	133	42	25	17	2
Bowdoin	937	10	5	-	15	16.01	14	1	-	-	-
Bowdoinham	1,305	7	14	-	21	16.09	15	1	3	-	2
Georgetown	799	8	8	-	16	20.03	13	-	2	1	-
Phippsburg	1,254	6	9	-	15	11.96	13	-	1	1	-
Richmond	2,049	9	14	-	23	11.23	19	-	3	-	1
Topsham	2,097	24	15	-	39	18.60	15	11	-	11	2
West Bath	291	2	3	-	5	17.18	3	2	-	-	-
Woolwich	880	6	7	-	13	14.77	11	-	1	1	-
Total	20,330	187	179	-	366	18.01	236	57	35	31	7

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
1	1	-	-	-	2	1	2	-	3	3	-	-	16.67
55	11	5	3	-	74	83	71	-	154	128	24	2	14.70
4	-	-	1	-	5	11	4	-	15	14	1	-	16.01
13	-	-	-	-	13	11	7	-	18	17	-	1	13.79
9	-	-	-	-	9	5	4	-	9	9	-	-	11.2
7	-	-	-	-	7	10	11	-	21	17	3	1	16.75
13	-	-	1	-	14	21	21	-	42	35	6	1	20.50
12	2	-	-	3	17	11	12	-	23	19	3	1	10.97
4	-	-	-	-	4	3	3	-	6	6	-	-	20.62
3	-	1	2	-	6	3	2	-	5	5	-	-	5.68
121	14	6	7	3	151	159	137	-	296	253	37	6	14.56

Digitized by Google

TABLE

Births, Marriages and Deaths

SOMERSET

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	31	33	-	64	34.97	39	12	5	8	-
Athens	896	12	15	-	27	30.13	25	1	-	-	1
Bingham	841	13	9	-	22	26.16	18	-	2	1	1
Cambridge	364	4	3	-	7	19.23	5	1	-	1	-
Canaan	977	10	7	-	17	17.40	17	-	-	-	-
Concord	291	1	3	-	4	13.75	4	-	-	-	-
Cornville	689	1	4	-	5	7.26	5	-	-	-	-
Detroit	527	4	3	-	7	13.28	7	-	-	-	-
Embden	567	7	9	-	16	28.22	14	2	-	-	-
Fairfield	3,878	27	37	1	65	16.76	35	15	12	3	-
Harmony	571	10	5	-	15	26.27	15	-	-	-	-
Hartland	1,115	8	15	-	23	20.63	18	1	2	1	1
Madison	2,764	35	32	-	67	24.24	33	25	4	3	2
Mercer	493	3	4	-	7	14.30	6	-	-	1	-
Moscow	378	4	6	-	10	26.46	6	-	3	-	1
New Portland	913	6	6	-	12	13.14	10	-	1	1	-
Norridgewock	1,495	10	14	-	24	16.05	18	2	2	1	1
Palmyra	915	5	4	-	9	9.84	8	-	1	-	-
Pittsfield	2,891	26	28	-	54	18.68	51	-	1	2	-
Ripley	449	3	4	-	7	15.59	7	-	-	-	-
St. Albans	1,037	9	10	-	19	18.32	17	-	1	-	1
Skowhegan	5,180	59	49	-	108	20.85	61	16	15	11	5
Smithfield	449	4	3	-	7	15.57	7	-	-	-	-
Solon	996	14	15	-	29	29.11	29	-	-	-	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
17	2	-	5	-	24	17	15	-	32	31	1	-	17.48
5	-	-	-	-	5	4	5	-	9	8	-	1	10.04
5	-	-	1	-	6	8	4	-	12	9	1	2	14.27
1	-	-	-	-	1	1	7	-	8	7	-	1	21.98
6	-	-	-	-	6	4	5	-	9	9	-	-	9.21
2	-	1	-	-	3	2	1	-	3	3	-	-	10.31
2	-	-	-	-	2	4	6	-	10	8	1	1	14.51
8	-	-	-	-	8	4	7	-	11	11	-	-	20.87
5	1	-	-	-	6	6	3	-	9	9	-	-	15.87
20	1	4	2	1	28	28	24	-	52	46	6	-	13.41
4	-	1	-	-	5	10	9	-	19	19	-	-	33.27
17	-	-	1	-	18	6	8	-	14	14	-	-	12.56
27	8	4	5	-	44	18	19	-	37	33	4	-	13.39
4	-	-	-	-	4	1	1	-	2	2	-	-	4.06
4	-	-	1	-	5	5	1	-	6	6	-	-	15.87
10	-	-	1	-	11	9	4	-	13	12	-	1	14.24
8	1	-	1	-	10	24	11	-	35	32	2	1	23.41
9	-	-	-	-	9	6	7	-	13	13	-	-	14.21
25	-	1	2	-	28	16	23	-	39	36	3	-	13.49
1	-	-	-	-	1	1	1	-	2	2	-	-	4.45
7	-	-	-	-	7	6	1	-	7	6	1	-	17.67
46	1	7	6	-	60	29	41	-	70	56	13	1	13.51
2	-	1	-	-	3	3	4	-	7	6	1	-	15.57
6	-	-	-	-	6	8	7	-	15	15	-	-	15.06

Digitized by Google

TABLE

Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1900	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	3	7	-	10	15.72	10	-	-	-	-
Bigelow Pl	57	-	2	-	2	35.08	2	-	-	-	-
Brighton Pl	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl	218	2	2	-	4	18.35	4	-	-	-	-
Dead River Pl	91	1	1	-	2	21.98	2	-	-	-	-
Dennistown Pl	96	-	2	-	2	20.83	-	-	-	2	-
Flagstaff Pl	115	3	2	-	5	43.48	5	-	-	-	-
Highland Pl	67	1	-	-	1	14.93	1	-	-	-	-
Jackman Pl	352	5	5	-	10	28.41	-	6	2	2	-
Lexington Pl	231	3	5	-	8	34.63	8	-	-	-	-
Mayfield Pl	89	1	-	-	1	11.24	1	-	-	-	-
Moose River Pl	239	4	6	-	10	41.84	1	5	2	2	-
Pleasant Ridge Pl	114	4	-	-	4	35.08	4	-	-	-	-
The Forks Pl	157	1	2	-	3	19.11	2	-	-	1	-
West Forks Pl	160	2	2	-	4	25.00	-	2	1	1	-
Rockwood	76	-	-	-	-	-	-	-	-	-	-
Holeb	30	-	1	-	1	33.33	1	-	-	-	-
Total	*33,602	336	355	1	692	20.59	496	88	54	41	13

* Population in county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the year 1906.

COUNTY—CONCLUDED

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	1	-	-	2	4	4	-	8	8	-	-	12.58
-	2	-	1	-	3	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	9.17
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	1	-	2	1	1	-	2	2	-	-	17.39
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	4	-	1	-	8	6	3	-	9	7	2	-	25.57
4	-	-	-	-	4	1	4	-	5	5	-	-	21.64
-	-	-	-	-	-	-	1	-	1	1	-	-	11.24
-	2	1	-	-	3	2	1	-	3	2	1	-	12.55
-	-	-	-	-	-	2	-	-	2	2	-	-	17.54
-	-	-	-	-	-	1	2	-	3	2	1	-	19.11
2	-	-	-	-	2	-	1	-	1	-	1	-	6.25
-	1	-	1	-	2	1	-	-	1	1	-	-	13.16
-	-	-	-	-	-	-	-	-	-	-	-	-	-
255	24	22	29	1	331	239	232	-	471	425	38	8	14.02

Digitized by Google

TABLE

Births, Marriages, and Deaths

WALDO

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	27	24	-	51	11.05	49	-	-	2	-
Belmont	352	3	5	-	8	22.73	7	-	-	1	-
Brooks	669	4	4	-	8	11.96	7	-	-	1	-
Burnham	766	6	7	-	13	16.97	13	-	-	-	-
Frankfort	1,211	8	6	-	14	11.56	8	3	3	-	-
Freedom	479	4	5	-	9	18.79	8	-	-	1	-
Islesboro	923	12	3	-	15	16.25	11	1	3	-	-
Jackson	439	3	5	-	8	18.22	8	-	-	-	-
Knox	558	7	4	-	11	18.74	11	-	-	-	-
Liberty	737	3	3	-	6	8.14	6	-	-	-	-
Lincolnville	1,223	14	9	-	23	18.81	22	-	-	1	-
Monroe	958	9	9	-	18	18.78	16	-	1	1	-
Montville	982	9	9	-	18	18.33	17	-	-	1	-
Morrill	420	1	-	-	1	2.38	1	-	-	-	-
Northport	545	3	5	-	8	14.68	8	-	-	-	-
Palermo	757	4	5	-	9	11.90	9	-	-	-	-
Prospect	648	7	3	-	10	15.43	6	1	3	-	-
Searsmont	949	10	10	-	20	21.07	15	-	1	4	-
Searsport	1,349	12	10	-	22	16.31	17	2	1	2	-
Stockton Springs	872	6	10	-	16	18.35	12	2	1	1	-
Swanville	502	4	4	-	8	15.94	7	-	-	1	-
Thorndike	497	4	7	-	11	22.13	10	-	-	1	-
Troy	766	9	9	-	18	23.50	18	-	-	-	-
Unity	877	5	6	-	11	12.54	10	-	1	-	-
Waldo	468	3	6	-	9	19.23	9	-	-	-	-
Winterport	1,623	10	10	-	20	12.32	15	-	2	3	-
Total	24,185	187	178	-	365	15.09	320	9	16	20	-

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
58	-	1	-	-	59	49	42	-	91	86	4	1	19.72
5	-	-	-	-	5	2	1	-	3	3	-	-	8.52
7	-	-	-	-	7	3	2	-	5	5	-	-	7.47
11	-	-	-	-	11	8	2	-	10	10	-	-	13.05
10	1	1	-	-	12	6	9	-	15	10	3	2	12.39
3	-	-	-	-	3	2	3	-	5	5	-	-	10.42
3	-	-	-	-	3	7	6	-	13	13	-	-	14.08
7	-	-	1	-	8	5	5	-	10	10	-	-	22.78
3	-	-	-	-	3	5	2	-	7	7	-	-	12.54
4	-	-	-	-	4	5	4	-	9	8	1	-	12.21
7	-	-	-	-	7	10	8	-	18	18	-	-	14.72
9	-	1	1	-	11	6	14	-	20	20	-	-	20.88
2	-	1	-	-	3	5	11	-	16	16	-	-	16.29
1	-	-	-	-	1	2	3	-	5	5	-	-	11.90
4	-	2	-	-	6	4	8	-	12	11	1	-	22.02
3	-	-	-	-	3	4	2	-	6	6	-	-	7.93
4	1	-	-	-	5	4	6	-	10	9	1	-	15.43
9	-	-	-	-	9	8	8	-	16	16	-	-	16.86
9	-	1	2	-	12	6	14	-	20	18	1	1	14.83
14	1	-	2	-	17	8	5	-	13	13	-	-	14.91
6	-	-	-	-	6	3	3	-	6	6	-	-	11.93
2	-	-	-	-	2	5	8	-	13	12	1	-	26.16
8	-	-	-	-	8	5	7	-	12	12	-	-	15.67
9	-	-	-	-	9	8	15	-	23	21	2	-	26.23
1	-	-	-	-	1	8	4	-	12	12	-	-	25.64
11	-	1	-	1	13	13	12	-	25	22	3	-	15.40
210	3	8	6	1	228	191	204	-	395	374	17	4	16.33

Digitized by Google

TABLE

Births, Marriages, and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,059	8	10	-	18	17.00	18	-	-	-	-
Alexander	333	1	11	-	12	36.04	10	-	1	1	-
Baileyville	215	6	13	-	19	88.37	4	7	3	5	-
Baring	231	4	2	-	6	25.97	2	-	2	2	-
Beddington	86	-	1	-	1	11.63	1	-	-	-	-
Brookton	285	2	3	-	5	17.54	4	-	-	1	-
Calais	7,655	92	80	-	172	22.47	55	35	30	43	9
Centerville	91	-	-	-	-	-	-	-	-	-	-
Charlotte	315	3	3	-	6	19.05	5	-	-	1	-
Cherryfield	1,859	10	7	-	17	9.14	16	-	-	1	-
Columbia	516	7	11	-	18	34.88	18	-	-	-	-
Columbia Falls	569	8	8	-	16	28.12	13	1	-	-	2
Cooper	207	5	1	-	6	28.99	5	-	1	-	-
Crawford	112	-	1	-	1	8.93	1	-	-	-	-
Cutler	565	2	5	-	7	12.39	7	-	-	-	-
Danforth	1,092	12	13	-	25	22.89	16	3	5	1	-
Deblois	73	1	-	-	1	13.70	1	-	-	-	-
Dennysville	482	4	7	-	11	22.82	9	-	1	1	-
East Machias	1,521	6	6	-	12	7.89	12	-	-	-	-
Eastport	5,311	76	74	-	150	28.24	69	18	38	25	-
Edmunds	492	9	10	1	20	40.65	15	-	1	4	-
Forest City	151	1	-	-	1	6.62	-	-	1	-	-
Harrington	1,165	7	8	-	15	12.88	13	1	1	-	-
Jonesboro	606	10	9	-	19	31.35	18	-	-	-	1
Jonesport	2,124	27	28	-	55	25.89	46	1	4	3	1
Lubec	3,005	59	46	1	106	35.27	51	16	14	25	-
Machias	2,082	21	15	-	36	17.29	28	2	1	3	2

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	-	3	-	10	10	9	-	19	19	-	-	23.81
1	-	-	-	-	1	1	3	-	4	3	-	1	12.01
1	-	-	2	-	3	3	5	-	8	5	3	-	37.21
1	-	-	-	-	1	1	1	-	2	2	-	-	8.65
2	-	-	-	-	2	-	1	-	1	1	-	-	11.63
2	-	-	-	-	2	1	2	-	3	1	2	-	10.52
21	5	7	9	-	42	57	56	-	113	74	39	-	14.76
1	-	-	-	-	1	-	2	-	2	2	-	-	21.98
2	-	1	-	-	3	3	2	-	5	5	-	-	15.87
16	1	-	1	-	18	5	2	-	7	5	2	-	3.77
2	-	-	-	-	2	4	1	-	5	5	-	-	9.69
7	-	-	-	-	7	7	6	-	13	11	2	-	22.85
1	-	-	-	-	1	2	-	-	2	1	1	-	9.66
2	-	-	-	-	2	1	1	-	2	2	-	-	17.86
2	1	-	-	-	3	5	6	-	11	9	2	-	19.47
8	1	1	4	-	14	10	18	-	28	22	6	-	25.64
-	-	-	-	-	-	1	1	-	2	2	-	-	27.40
6	-	-	-	-	6	4	5	-	9	7	1	1	19.67
12	-	-	-	-	12	10	18	-	28	22	2	4	18.41
21	6	8	10	-	45	40	50	-	90	65	25	-	16.95
7	-	-	-	1	8	4	-	-	4	4	-	-	8.13
-	-	-	-	-	-	1	-	-	1	-	1	-	6.62
10	-	1	-	-	11	10	5	-	15	15	-	-	12.88
5	-	-	-	-	5	7	5	-	12	12	-	-	19.80
18	-	2	2	-	22	16	10	-	26	24	2	-	12.24
8	6	5	6	-	25	36	21	-	57	42	14	1	18.87
19	-	1	2	-	22	16	18	-	34	29	3	2	16.33

Digitized by Google

TABLE

Births, Marriages and Deaths

WASHINGTON

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machiasport	1,218	15	11	-	26	21.35	22	-	2	2	-
Marion	95	3	-	-	3	31.58	2	-	-	1	-
Marshfield	227	1	1	-	2	8.81	2	-	-	-	-
Meddybemps	154	1	2	-	3	19.48	2	-	-	-	1
Milbridge	1,921	17	14	-	31	16.14	30	-	-	1	-
Northfield	126	1	3	-	4	31.74	3	-	-	1	-
Pembroke	1,652	13	17	-	30	18.16	26	-	1	3	-
Perry	1,245	14	15	-	29	23.29	17	3	2	6	1
Princeton	1,094	17	10	-	27	24.68	21	1	-	4	1
Robbinston	844	8	9	-	17	20.14	11	-	3	2	1
Roque Bluffs	168	3	6	-	9	53.57	9	-	-	-	-
Steuben	901	5	10	-	15	16.65	14	-	-	-	1
Talmage	93	1	1	-	2	21.51	2	-	-	-	-
Topsfield	282	9	3	-	12	42.55	8	1	2	-	1
Trescott	463	4	8	-	12	25.92	8	-	1	3	-
Vanceboro	550	5	4	-	9	16.36	4	4	1	-	-
Waite	135	3	4	-	7	51.85	5	-	1	1	-
Wesley	198	2	2	-	4	20.20	4	-	-	-	-
Whiting	399	4	4	-	8	20.05	6	-	2	-	-
Whitneyville	424	2	3	-	5	11.79	5	-	-	-	-
Codyville Pl	68	-	-	-	-	-	-	-	-	-	-
Grand Lake Stream Pl	221	5	4	-	9	40.72	7	1	1	-	-
No. 14 Pl	77	-	2	-	2	25.97	2	-	-	-	-
No. 21 Pl	86	-	2	-	2	23.26	1	-	-	1	-
Total	*44,843	514	507	2	1,023	22.81	648	24	119	141	21

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

Marriages.						Deaths.							
						Sex.				Nativity.			Death-rate per 1,000
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	2	1	-	14	10	5	-	15	12	3	-	12.32
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	8.81
1	-	-	-	-	1	3	1	-	4	3	1	-	25.97
10	-	1	-	-	11	11	15	-	26	26	-	-	13.53
2	-	-	-	-	2	-	2	-	2	1	1	-	15.87
8	-	-	1	-	9	9	11	-	20	17	3	-	12.11
5	-	-	1	-	6	5	7	-	12	8	4	-	9.64
7	-	-	1	-	8	8	6	-	14	14	-	-	12.80
2	-	-	-	-	2	6	5	-	11	10	1	-	13.03
2	-	-	-	-	2	1	3	-	4	4	-	-	23.81
12	-	-	-	-	12	8	4	-	12	12	-	-	13.32
-	-	-	-	-	-	1	2	-	3	3	-	-	32.25
1	-	-	-	-	1	1	1	-	2	2	-	-	7.09
4	-	-	-	-	4	-	3	-	3	3	-	-	6.48
1	-	-	1	-	2	2	1	-	3	1	2	-	5.45
1	-	-	-	-	1	-	2	-	2	2	-	-	14.81
1	-	-	-	-	1	1	1	-	2	2	-	-	10.10
6	-	-	-	-	6	4	-	-	4	4	-	-	10.02
-	-	-	1	-	1	2	4	-	6	4	2	-	14.15
1	-	-	1	-	2	-	-	-	-	-	-	-	-
5	-	-	1	-	6	1	-	-	1	1	-	-	4.52
-	-	-	-	-	-	1	-	-	1	1	-	-	12.98
-	-	-	-	-	-	1	-	-	1	1	-	-	11.63
265	20	29	47	1	362	330	323	-	653	522	122	9	14.56

Digitized by Google

TABLE
Births, Marriages, and Deaths
YORK

Towns.	Population in 1900.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	7	6	-	13	16.71	11	-	2	-	-
Alfred	937	5	2	-	7	7.47	5	1	1	-	-
Berwick	2,280	18	20	-	38	16.67	29	2	4	2	1
Biddeford	16,145	283	268	-	551	34.25	98	345	55	48	5
Buxton	1,838	17	12	-	29	15.77	29	-	-	-	-
Cornish	984	9	6	-	15	15.25	14	-	-	1	-
Dayton	473	4	2	-	6	12.68	6	-	-	-	-
Eliot	1,458	14	21	-	35	24.01	25	5	1	4	-
Hollis	1,274	9	10	-	19	14.91	17	1	-	1	-
Kennebunk	3,228	26	19	-	45	13.94	33	3	7	2	-
Kennebunkport	2,123	27	21	-	48	22.61	34	-	7	7	-
Kittery	2,872	27	31	-	58	20.19	43	3	9	3	-
Lebanon	1,335	13	13	-	26	19.48	16	6	2	-	2
Limerick	874	7	6	-	13	14.87	10	2	-	1	-
Limington	1,001	13	6	-	19	18.98	14	3	1	1	-
Lyman	687	4	5	-	9	13.10	7	2	-	-	-
Newfield	676	5	1	-	6	8.87	5	-	1	-	-
North Berwick	1,748	19	13	-	32	18.31	29	2	-	-	1
Old Orchard	964	4	5	-	9	9.34	6	1	1	1	-
Parsonsfield	1,131	5	8	-	13	11.49	12	-	1	-	-
Saco	6,122	67	63	-	130	21.23	83	26	7	14	-
Sanford	6,078	119	134	-	253	41.63	67	136	22	28	-
Shapleigh	847	3	3	-	6	7.08	6	-	-	-	-
South Berwick	3,188	30	36	-	66	20.70	29	22	5	10	-
Waterboro	1,169	8	5	-	13	11.12	11	-	1	1	-
Wells	2,007	16	14	-	30	14.95	26	-	1	3	-
York	2,668	25	37	-	62	23.24	42	8	6	4	2
Total	64,885	784	767	-	1,551	23.90	707	568	134	131	11

Digitized by Google

No. 7—Concluded.
for the Year 1906.
COUNTY.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	7	5	-	12	12	-	-	15.42
5	-	1	-	-	6	4	8	-	12	12	-	-	12.81
12	-	-	1	-	13	15	12	-	27	27	-	-	11.84
35	63	19	19	-	136	169	158	-	327	221	102	4	20.25
13	-	1	-	-	14	21	18	-	39	31	1	7	21.22
10	-	-	-	-	10	7	12	-	19	19	-	-	19.31
1	-	1	-	-	2	4	3	-	7	6	1	-	14.80
4	-	-	1	-	5	8	13	-	21	19	-	2	14.40
7	-	-	-	-	7	12	20	-	32	31	-	1	24.33
24	1	2	1	-	28	27	29	-	56	51	5	-	17.35
11	3	3	-	-	17	30	19	-	49	43	6	-	23.08
14	-	-	-	-	14	28	33	-	61	57	3	1	21.24
5	-	2	-	-	7	12	9	-	21	15	2	4	15.73
5	1	1	-	-	7	7	10	-	17	16	1	-	19.45
5	-	-	-	-	5	6	7	-	13	12	1	-	12.99
6	-	1	-	-	7	3	3	-	6	6	-	-	8.73
1	-	2	-	-	3	11	6	-	17	15	2	-	25.15
7	1	1	-	-	9	16	15	-	31	30	1	-	17.73
4	-	-	-	-	4	6	11	-	17	17	-	-	17.63
10	-	1	-	-	11	8	16	-	24	22	1	1	21.22
25	3	4	2	-	34	58	49	-	107	90	15	2	17.48
31	38	14	13	-	96	53	54	-	107	78	29	-	17.60
2	-	-	-	-	2	5	10	-	15	15	-	-	17.71
11	1	-	2	-	14	21	31	-	52	40	12	-	16.31
7	-	-	-	-	7	12	8	-	20	20	-	-	17.11
8	-	-	-	-	8	17	21	-	38	33	4	1	18.93
20	2	3	-	1	26	21	25	-	46	44	1	1	17.24
288	113	56	39	1	497	588	605	-	1,193	982	187	24	18.39

Digitized by Google

TABLE

Recapitulation

Counties.	Population in 1908.	Births.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	588	586	1	1,175	21.66	500	449	115	101	10
Aroostook	*59,672	1,269	1,058	6	2,323	38.93	1,295	321	359	316	32
Cumberland	100,689	1,126	1,051	2	2,179	21.64	1,195	588	182	174	40
Franklin	*18,189	205	199	-	404	22.07	269	88	28	12	7
Hancock	*37,056	382	385	1	768	20.73	660	31	39	35	3
Kennebec	59,117	620	605	-	1,225	20.72	709	282	126	98	10
Knox	*30,287	274	257	-	531	17.53	407	67	31	21	5
Lincoln	19,669	181	128	1	310	15.76	290	4	5	9	2
Oxford	*32,153	448	431	1	880	27.37	521	226	68	59	6
Penobscot	*75,825	890	824	8	1,722	22.71	1,034	347	173	158	10
Piscataquis	*16,526	179	185	-	364	22.03	255	46	32	28	3
Sagadahoc	20,330	187	179	-	366	18.01	236	57	35	31	7
Somerset	*33,602	336	355	1	692	20.59	496	88	54	41	13
Waldo	24,185	187	178	-	365	15.09	320	9	16	20	-
Washington	*44,843	514	507	2	1,023	22.81	648	94	119	141	21
York	64,885	784	767	-	1,551	23.90	707	568	134	131	11
Total	*691,270	8,160	7,695	23	15,878	22.97	9,542	3,265	1516	1375	180

*Population omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

Digitized by Google

No. 8.

by Counties.

Marriages.						Deaths.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
324	112	53	44	3	536	504	547	3	1,054	846	197	11	19.43
375	64	90	127	8	664	543	470	–	1,013	832	170	11	16.98
617	125	92	79	5	918	846	856	–	1,702	1,390	275	37	16.90
153	13	9	9	–	184	170	123	–	293	268	21	4	16.01
286	10	8	14	1	319	265	203	1	469	444	18	7	12.66
404	53	45	33	6	541	539	426	–	965	767	183	15	16.32
237	7	12	13	–	269	243	217	–	460	416	43	1	15.19
140	–	6	4	–	150	129	119	1	249	237	10	2	12.66
269	49	20	26	2	366	284	296	–	580	535	42	3	18.04
558	83	83	85	3	812	768	629	–	1,397	1,139	205	53	18.42
137	6	6	20	1	170	127	110	–	237	206	26	5	14.34
121	14	6	7	3	151	159	137	–	296	253	37	6	14.56
255	24	22	29	1	331	239	232	–	471	425	38	8	14.02
210	3	8	6	1	228	191	204	–	395	374	17	4	16.33
265	20	29	47	1	362	330	323	–	653	522	122	9	14.56
288	113	56	39	1	497	588	605	–	1,193	982	187	24	18.39
4,639	696	545	582	36	6,498	5,925	5,497	5	11,427	9,636	1,591	200	16.53

Digitized by Google

TABLE No. 9.

Births and Birth-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	13,895	20.10	14,095	20.30	14,021	20.19	14,508	20.89	14,458	20.81	14,673	21.13	15,294	21.40	15,878	22.09
Androscoggin	1,116	20.78	1,099	20.26	1,060	19.54	1,117	20.59	1,050	19.36	1,059	19.52	1,164	20.47	1,175	20.47
Aroostook	1,822	31.23	1,843	32.77	1,845	32.62	2,080	35.12	2,095	35.45	2,223	37.27	2,241	34.60	2,323	34.45
Cumberland	1,974	19.79	2,074	20.60	1,877	18.64	1,951	19.37	2,029	20.15	2,011	19.97	2,066	19.06	2,179	20.45
Franklin	381	21.04	392	21.63	406	22.32	416	23.19	383	21.20	376	20.60	432	22.60	404	20.96
Hancock	720	19.41	689	18.62	666	18.01	700	18.92	676	18.27	695	18.76	733	19.05	768	20.62
Kennebec	1,086	17.59	1,166	19.72	1,123	19.00	1,227	20.76	1,084	18.34	1,174	19.86	1,177	19.14	1,225	20.72
Knox	510	16.74	446	14.79	498	16.41	437	14.42	450	14.86	452	14.92	465	15.32	531	17.53
Lincoln	334	16.78	339	17.24	335	17.03	307	15.61	303	15.40	288	14.64	345	17.42	310	15.76
Oxford	561	17.59	555	17.26	627	19.45	689	21.44	729	22.85	730	22.88	792	23.36	880	26.48
Penobscot	1,413	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,598	21.09	1,541	20.34	1,578	20.04	1,722	22.00
Piscataquis	310	18.83	323	19.49	289	17.28	347	21.11	351	21.30	343	20.64	353	20.29	364	20.87
Sagadahoc	381	18.82	422	20.76	420	20.66	382	18.79	352	17.31	399	19.63	344	15.95	366	17.54
Somerset	580	17.37	603	17.99	600	17.90	583	17.34	591	17.60	634	18.88	638	19.95	692	20.01
Waldo	335	13.65	348	14.38	364	15.05	282	11.66	272	11.25	319	13.19	352	14.52	365	15.09
Washington	1,062	23.75	1,059	23.53	975	21.67	991	22.10	1,061	22.99	988	22.06	1,013	21.87	1,023	22.39
York	1,360	21.06	1,421	21.90	1,431	22.05	1,412	21.76	1,459	22.49	1,441	22.21	1,541	23.06	1,551	23.46

Digitized by Google

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1906.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	588	586	1	1,175	2	-	100.3
Aroostook	1,259	1,058	6	2,323	201	-	119.0
Cumberland	1,126	1,051	2	2,179	75	-	107.1
Franklin	205	199	-	404	6	-	103.0
Hancock	382	385	1	768	-	3	99.2
Kennebec	620	605	-	1,225	15	-	102.4
Knox	274	257	-	531	17	-	106.6
Lincoln	181	128	1	310	53	-	141.4
Oxford	448	431	1	880	17	-	103.9
Penobscot	890	824	8	1,722	66	-	108.0
Piscataquis	179	185	-	364	-	6	96.8
Sagadahoc	187	179	-	366	8	-	104.5
Somerset	336	355	1	692	-	19	94.6
Waldo	187	178	-	365	9	-	105.1
Washington	514	507	2	1,023	7	-	101.4
York	784	767	-	1,551	17	-	102.2
Total	8,160	7,695	23	15,878	493	28	106.0

Digitized by Google

TABLE No. 11.

Number of Births in Each Month of 1899-1906, with a Monthly Ratio Compared with a Standard of 100.

Months.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,093	92.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6	1,219	97.8	1,178	90.8	1,173	87.0
February	1,104	103.7	1,083	100.2	1,128	104.8	1,111	99.8	1,151	103.9	1,207	107.2	1,180	100.6	1,206	99.0
March	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7	1,333	102.1
April	1,295	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6	1,385	106.1
May	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,336	107.2	1,365	105.2	1,335	99.0
June	1,201	105.3	1,146	106.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4	1,310	100.3
July	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0	1,297	104.1	1,439	110.9	1,454	107.8
August	1,197	101.3	1,255	104.1	1,199	100.6	1,252	101.6	1,223	99.7	1,216	97.6	1,328	102.3	1,450	107.5
September	1,163	101.8	1,213	104.7	1,252	108.7	1,207	101.2	1,205	101.5	1,203	99.8	1,259	100.2	1,364	104.5
October	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4	1,217	97.7	1,163	89.6	1,230	94.9
November	979	85.8	1,055	89.1	983	85.3	1,064	89.2	1,026	86.4	1,037	85.9	1,057	84.1	1,260	96.5
December	1,098	93.0	1,035	86.5	1,048	88.0	1,119	90.8	990	80.6	1,057	84.8	1,143	88.1	1,325	98.2
Unknown	7	-	6	-	6	-	10	-	9	-	6	-	4	-	3	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

Digitized by Google

TABLE No. 12.

Births, by Sex and Months, by Counties, 1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	57	41	41	54	46	46	64	57	46	43	48	45	-	588	-
females...	44	51	39	55	53	48	52	53	61	39	54	37	-	586	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1175
Aroostook, males....	81	110	124	130	105	116	134	104	85	100	83	87	-	1259	-
females...	71	95	85	100	103	98	84	100	91	77	74	79	1	1058	-
not stated	-	-	-	-	1	1	-	2	1	1	-	-	-	6	2323
Cumberland, males..	79	88	85	92	86	96	119	90	98	86	105	102	-	1126	-
females...	75	76	99	101	89	87	93	94	84	97	82	74	-	1051	-
not stated	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2179
Franklin, males	9	18	17	16	20	19	21	16	20	14	18	17	-	205	-
females...	16	20	14	25	16	18	14	13	12	19	13	19	-	199	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Hancock, males.....	19	29	26	34	34	31	40	35	35	30	37	32	-	382	-
females...	32	33	32	34	33	25	33	37	40	38	23	25	-	385	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	768
Kennebec, males	54	53	54	45	45	51	62	64	54	46	42	50	-	620	-
females...	49	46	49	51	64	47	48	49	63	40	50	49	-	605	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1225
Knox, males..	17	10	24	23	23	30	26	34	30	14	17	26	-	274	-
females...	19	15	24	22	13	23	23	31	15	27	22	23	-	257	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	531
Lincoln, males.....	17	10	11	19	13	14	12	13	16	20	13	22	1	181	-
females...	8	10	12	10	9	8	11	11	16	10	12	11	-	128	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	1	310
Oxford, males.....	36	27	38	35	38	40	47	38	46	29	31	43	-	448	-
females...	39	27	38	39	36	36	32	38	39	37	36	34	-	431	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	880
Penobscot, males....	69	68	60	69	71	75	90	86	83	67	60	92	-	890	-
females...	65	64	74	54	55	66	83	83	68	75	69	67	1	824	-
not stated	-	-	-	1	1	1	-	1	-	2	1	1	-	8	1722
Piscataquis, males ..	11	12	18	13	16	15	16	14	14	17	21	12	-	179	-
females...	14	8	16	14	13	14	9	21	18	15	21	22	-	185	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364
Sagadahoc, males ...	17	18	18	16	7	20	17	18	15	17	14	10	-	187	-
females...	15	14	13	5	18	14	14	16	13	22	12	23	-	179	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366
Somerset, males.....	26	22	28	32	28	29	30	30	25	27	21	38	-	336	-
females...	27	22	34	29	39	24	32	26	27	38	30	27	-	355	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	692
Waldo, males	9	13	15	16	17	10	19	20	17	16	22	13	-	187	-
females...	10	10	10	12	26	15	16	12	16	13	21	17	-	178	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	365
Washington, males..	39	29	55	47	45	45	46	38	37	42	45	46	-	514	-
females...	33	43	49	46	40	38	37	47	41	45	36	52	-	507	-
not stated	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1023
York, males.....	56	67	67	57	75	51	64	94	74	50	57	72	-	784	-
females...	60	55	63	88	57	58	63	64	64	67	70	58	-	767	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1551
Total, males.....	596	615	681	698	669	688	807	751	695	618	634	707	1	8160	-
females...	577	589	651	685	664	619	644	695	668	659	625	617	2	7695	-
not stated	-	2	1	2	2	3	3	4	1	3	1	1	-	23	-
Grand total.....	1173	1206	1333	1385	1335	1310	1454	1450	1364	1280	1260	1325	3	15878	15878

Digitized by Google

TABLE No. 13.

Births in Cities for 1906, with Rate per 1,000 of Population.

Cities.	Estimated population for 1906.	Males born.	Females born.	Sex not stated.	Total	Birth-rate per 1,000.	Males to each 100 females.
Auburn	13,972	137	134	1	272	19.47	102.2
Augusta	12,377	136	130	-	266	21.49	104.6
Bangor	23,498	162	175	6	343	14.60	92.6
Bath	11,529	115	104	-	219	19.00	110.6
Belfast	5,373	27	24	-	51	9.49	112.5
Biddeford	17,166	283	268	-	551	32.10	105.6
Brewer	5,220	74	83	-	157	30.08	89.2
Calais	7,874	92	80	-	172	21.84	115.0
Eastport	6,448	76	74	-	150	23.26	102.7
Ellsworth	4,297	41	27	-	68	15.82	151.9
Gardiner	5,507	55	48	-	103	18.70	114.6
Hallowell	2,714	18	22	-	40	14.73	81.8
Lewiston	24,997	290	279	-	569	22.76	103 9
Old Town	6,034	89	77	-	166	27.51	115.6
Portland	55,165	534	528	1	1,063	19.27	101.1
Rockland	8,150	85	75	-	160	19.63	113.3
Saco	6,150	67	63	-	130	21.14	106.3
South Portland	6,287	78	66	1	145	23.06	118.2
Waterville	10,899	178	158	-	336	30.83	112.7
Westbrook	7,674	112	111	-	223	29.06	100.9
Total	241,331	2,649	2,526	9	5,184	21.49	104.9

Digitized by Google

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1906.

Counties.	Parents.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	42.55	38.21	18.39	0.85
Aroostook	55.75	13.82	29.06	1.37
Cumberland	54.84	26.98	16.34	1.84
Franklin	66.59	21.78	9.90	1.73
Hancock	85.94	4.04	9.74	0.38
Kennebec	57.88	23.02	18.28	0.82
Knox	76.65	12.62	9.79	0.94
Lincoln	93.54	1.29	4.52	0.65
Oxford	59.20	25.69	14.43	0.68
Penobscot	60.05	20.15	19.22	0.58
Piscataquis	70.06	12.64	16.48	0.82
Sagadahoc	64.48	15.57	18.03	1.92
Somerset	71.68	12.72	13.73	1.87
Waldo	87.67	2.47	9.86	–
Washington	63.34	9.19	25.42	2.05
York	45.58	36.62	17.09	1.71
State	60.10	20.56	18.21	1.13

Digitized by Google

TABLE No. 15.

Percentage of American and Foreign Births by Cities, 1906.

Cities.	Parents.			Births with parentage not stated.
	American born.	Foreign-born.	One foreign-born.	
Auburn	48.53	32.72	17.28	1.47
Augusta	51.51	31.20	16.92	0.37
Bangor	52.33	23.84	22.09	1.74
Bath	60.73	19.18	19.18	0.91
Belfast	96.07	-	3.93	-
Biddeford	17.72	62.75	18.63	0.90
Brewer	44.59	33.12	22.29	-
Calais	31.98	20.35	42.44	5.23
Eastport	46.00	12.00	42.00	-
Ellsworth	88.24	-	11.76	-
Gardiner	66.99	12.62	20.39	-
Hallowell	65.00	17.50	17.50	-
Lewiston	22.37	54.13	21.79	0.71
Old Town	39.76	28.92	31.32	-
Portland	45.53	35.09	16.93	2.45
Rockland	71.87	16.87	10.63	0.63
Saco	63.84	20.00	16.16	-
South Portland	69.66	13.10	16.55	0.69
Waterville	37.20	32.74	28.87	1.19
Westbrook	37.67	31.84	30.04	0.45
Collectively	43.74	33.74	21.28	1.24

Digitized by Google

TABLE No. 16.

Twin Births by Months and Counties, 1906.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	1	-	-	3	1	1	1	1	1	-	1	3	13
Aroostook	2	2	-	2	1	1	1	1	2	-	1	2	15
Cumberland	1	2	2	1	1	-	2	1	1	1	3	1	16
Franklin	-	-	-	3	-	-	-	1	1	-	-	2	7
Hancock	-	-	-	-	1	-	1	3	1	2	-	1	9
Kennebec	2	1	1	1	2	1	-	1	2	-	-	-	11
Knox	-	-	-	-	1	2	1	1	-	-	-	1	6
Lincoln	-	-	-	-	-	1	-	-	-	-	-	-	1
Oxford	1	-	-	-	2	-	2	-	2	2	-	1	10
Penobscot	2	2	-	2	1	-	3	3	1	3	-	5	22
Piscataquis	1	-	2	1	-	-	1	-	-	-	-	2	7
Sagadahoc	1	1	-	-	-	1	-	-	1	-	-	1	5
Somerset	-	-	1	-	-	-	1	1	1	1	1	-	6
Waldo	-	1	1	-	-	-	-	-	1	-	-	-	3
Washington	1	2	2	1	4	1	2	-	1	1	-	1	16
York	1	-	-	1	4	2	2	1	1	-	3	1	16
Total	13	11	9	15	18	10	17	14	16	10	9	21	163

Digitized by Google

TABLE No. 17.

Twin Births by Sex and Parentage, by Counties, 1906.

Counties.	Sex.				Parentage.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	6	2	5	-	4	5	2	2	-	13	26	-	26
Aroostook	6	1	8	-	10	3	1	1	-	15	28	2	30
Cumberland	3	4	9	-	6	6	3	1	-	16	31	1	32
Franklin	2	3	2	-	6	1	-	-	-	7	12	2	14
Hancock	2	3	4	-	6	2	-	1	-	9	14	4	18
Kennebec	3	4	4	-	5	3	2	1	-	11	22	-	22
Knox	4	1	1	-	4	2	-	-	-	6	11	1	12
Lincoln	-	-	1	-	1	-	-	-	-	1	2	-	2
Oxford	3	4	3	-	6	3	-	-	1	10	15	5	20
Penobscot	8	5	9	-	10	6	2	3	1	22	41	3	44
Piscataquis	1	3	3	-	2	1	1	2	1	7	14	-	14
Sagadahoc	1	-	4	-	2	-	1	2	-	5	10	-	10
Somerset	1	2	3	-	4	2	-	-	-	6	11	1	12
Waldo	-	2	1	-	2	-	-	-	1	3	4	2	32
Washington	2	4	10	-	12	2	-	2	-	16	32	-	
York	4	7	5	-	4	6	2	3	1	16	25	7	32
Total	46	45	72	-	84	42	14	18	5	163	298	28	326

Digitized by Google

TABLE No. 18.

Still-Births by Sex and Parentage by Counties, 1906.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	20	12	2	34	21	13	-
Aroostook	53	35	5	93	70	23	-
Cumberland	54	34	3	91	61	30	-
Franklin	6	12	-	18	14	3	1
Hancock	24	21	-	45	36	8	1
Kennebec	34	24	3	61	43	18	-
Knox	17	8	3	28	23	5	-
Lincoln	6	1	1	8	7	1	-
Oxford	25	16	2	43	27	16	-
Penobscot	46	27	-	73	57	16	-
Piscataquis	11	7	-	18	15	2	1
Sagadahoc	7	7	-	14	10	4	-
Somerset	14	18	-	32	26	6	-
Waldo	9	6	-	15	13	2	-
Washington	27	19	-	46	35	11	-
York	55	33	-	88	43	45	-
Total	408	280	19	707	501	203	3

Digitized by Google

TABLE No. 19.

Still-Births by Seasons, 1906.

Months.			
January	67		
February	48		
March	62	Total for first quarter	177
April	65		
May	65		
June	52	Total for second quarter	182
July	58		
August	54		
September	73	Total for third quarter	185
October	57		
November	50		
December	56	Total for fourth quarter	163
Total	707		707

Digitized by Google

NOTES ON BIRTHS.

In the year 1906, 16,585 births were registered in the State, including still-births, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, and 16,005 in 1905).

The number of living children born was 15,878, and the number of still-births was 707.

Of the whole number of living children of which the sex was certified 8,160 were males and 7,695 were females. In 23 births the sex was not stated. For each 100 girls born there were 106 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, and 104.1 in 1905).

Birth-rate.—The birth-rate of living children for the State was 22.09 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.49 as compared with 22.40, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.45, and the lowest in Waldo, 15.09. In four counties, Aroostook, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.10 per cent. were of native parents; 20.56 per cent. were of foreign parentage; 18.21 per cent. were of parents one of whom was foreign; while of 1.13 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 93.54 per cent., and only 1.29 per cent. in which both parents were foreign-born. Waldo followed with 87.67 per cent. of native parentage, and only 2.47 per cent. in which both parents were foreign-born.

Digitized by Google

In Hancock county in 85.94 per cent. of the births the parents were native-born, and in 4.04 per cent. foreign-born.

In Knox, the percentage of native-born parents was 76.65; in Somerset, 71.68; in Piscataquis, 70.06; and in Franklin, 66.59.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 38.21; in York, 36.62; in Cumberland, 26.98; in Oxford, 25.69; in Kennebec, 23.02; and in Penobscot, 20.15 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 43.74 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 68.02.

The largest percentage of foreign-born parents was in Biddeford, 62.75; and in Lewiston, 54.13.

In Belfast and Ellsworth there were no foreign births. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1906 was 1,454 in July; the smallest was 1,173 in January; the largest quarterly total was 4,268 in the third quarter; the smallest, 3,712 in the first quarter. The three consecutive months in which the largest number of births occurred were July, August and September, 4,268.

The following is a tabular statement of the number of births in each month of the fifteen years 1892-1906.

Digitized by Google

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,906
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,187	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,184	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878

Twin-births.—In 1906, 163 twin-births occurred, in 46 instances the twins were both boys; in 45, both girls; in 72, a boy and a girl. In 84 cases the parentage was American; in 42, foreign; in 32 instances the parentage was mixed; and in 5 it was not stated. Of the 326 children, 298 were born alive, and 28 were still-born.

Triplets. In Hancock a triple birth occurred in which all the children were living. There were also triplets in Sanford in which only one was living.

Still-births. Of the 707 still-born children, 408 were males and 280 were females. In 19 the sex was not stated. With the exception of three still-births as to which the nativity of the mother was not stated, 501 were of American mothers, and 203 were of foreign mothers.

The largest number of still-births occurred in Aroostook county, 93; while the minimum number, 8, was reported in Lincoln county.

The largest number of still-births, 73, was returned in September; the smallest number was 48 in February. See Tables No. 18 and 19 for other details.

Digitized by Google

TABLE No. 20.

Marriages and Marriage-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,329	7.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.93	6,208	8.94	6,264	8.76	6,498	9.04
Androscoggin	398	7.41	463	8.54	492	9.07	462	8.52	485	8.94	465	8.57	500	8.79	536	9.34
Aroostook	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16	623	10.26	564	8.70	664	9.85
Cumberland	722	7.24	731	7.26	791	7.86	846	8.40	903	8.97	848	8.42	876	8.07	918	8.62
Franklin	191	10.43	149	8.08	189	10.25	162	8.78	172	9.33	167	9.05	177	9.31	184	9.54
Hancock	300	8.05	269	7.22	332	8.92	322	8.65	323	8.67	333	8.94	337	8.75	319	8.57
Kennebec	479	8.13	477	8.07	456	7.71	504	8.53	508	8.59	554	9.37	529	8.70	541	8.96
Knox	198	6.49	255	8.38	276	9.08	273	8.98	280	9.21	261	8.58	282	9.29	269	8.84
Lincoln	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71	166	8.44	117	5.91	150	7.63
Oxford	243	7.58	241	7.48	285	8.84	319	9.90	345	10.70	317	9.83	371	10.94	366	11.01
Penobscot	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25	754	9.89	732	9.29	812	10.37
Piscataquis	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74	171	10.09	157	9.03	170	9.75
Sagadahoc	155	7.65	145	7.13	144	7.08	158	7.77	152	7.48	183	9.00	152	7.05	151	7.24
Somerset	288	8.54	328	9.69	333	9.83	308	9.10	349	10.31	337	9.96	350	10.00	331	9.57
Waldo	173	7.05	167	6.91	177	7.32	161	6.66	182	7.53	154	6.37	206	8.50	228	9.43
Washington	398	8.81	359	7.94	327	7.23	344	7.61	360	7.96	332	7.34	368	7.95	362	7.97
York	424	6.55	448	6.90	445	6.87	480	7.40	522	8.05	543	8.37	546	8.16	497	7.52

Digitized by Google

TABLE No. 21.

Marriages by Counties and Nativity, 1906.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	324	112	53	44	3	536
Aroostook	375	64	90	127	8	664
Cumberland	617	125	92	79	5	918
Franklin	158	13	9	9	-	184
Hancock	286	10	8	14	1	319
Kennebec	404	53	45	33	6	541
Knox	237	7	12	13	-	269
Lincoln	140	-	6	4	-	150
Oxford	269	49	20	26	2	366
Penobscot	558	83	83	85	3	812
Piscataquis	137	6	6	20	1	170
Sagadahoc	121	14	6	7	3	151
Somerset	255	24	22	29	1	331
Waldo	210	3	8	6	1	228
Washington	265	20	29	47	1	362
York	288	113	56	39	1	497
Total	4,639	696	545	552	36	6,498

TABLE No. 22.

Marriages by Months and Counties, 1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	50	28	21	49	37	79	41	54	46	57	47	27	-	536
Aroostook	52	49	30	53	54	93	56	50	44	73	68	42	-	664
Cumberland	61	52	38	59	51	151	60	70	118	115	76	67	-	918
Franklin	16	15	8	6	8	27	14	13	16	14	29	18	-	184
Hancock	24	20	17	20	18	35	18	21	25	40	41	40	-	319
Kennebec	43	32	26	26	43	78	47	45	68	49	48	36	-	541
Knox	32	18	17	21	17	35	22	21	19	20	18	29	-	269
Lincoln	10	4	7	8	9	18	8	15	19	18	22	12	-	150
Oxford	28	18	21	36	33	46	25	17	35	40	33	34	-	366
Penobscot	54	66	46	53	57	107	52	68	92	85	68	64	-	812
Piscataquis	5	9	18	10	9	18	6	8	25	24	21	17	-	170
Sagadahoc	12	8	11	10	14	18	11	14	17	13	14	9	-	151
Somerset	22	23	23	27	26	38	22	22	33	33	36	26	-	331
Waldo	21	8	13	12	17	31	20	19	17	26	22	22	-	228
Washington	24	20	21	24	25	37	30	23	36	36	40	46	-	362
York	33	24	19	36	35	62	35	34	55	53	63	48	-	497
Total	487	394	336	450	453	873	467	494	665	696	646	537	-	6,498

Digitized by Google

TABLE No. 23.

Number of Marriages in Each Month of 1899-1906, with Monthly Ratio Compared with a Standard of 100.

Months.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4	439	83.3	423	79.5	487	87.9
February	286	70.0	313	74.4	288	65.5	351	77.5	331	69.7	352	73.9	325	67.7	394	78.8
March	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2	331	62.8	347	65.2	336	60.7
April	446	101.8	382	84.7	409	86.8	442	91.1	437	85.9	463	90.8	357	69.5	450	84.0
May	346	76.5	373	82.8	371	76.2	380	75.6	401	76.2	404	76.7	427	80.3	453	81.8
June	628	143.4	674	149.6	745	158.1	707	145.8	813	159.7	829	162.5	786	154.9	873	162.9
July	362	80.1	415	89.1	409	84.0	394	78.5	408	77.6	390	74.0	449	84.4	467	84.3
August	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1	449	85.2	500	94.0	494	89.2
September	521	115.3	543	120.5	606	128.6	595	122.7	630	123.8	644	126.2	686	135.4	665	124.1
October	581	128.5	615	132.1	694	142.5	649	129.3	670	127.4	675	128.1	688	131.2	696	125.7
November	567	129.2	562	124.7	652	138.3	682	140.6	690	135.6	663	130.0	677	131.7	646	120.5
December	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2	568	107.8	567	106.6	557	96.1
Unknown	3	-	1	-	3	-	1	-	1	-	1	-	2	-	-	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

Digitized by Google

TABLE No. 24.

Marriages by Ages and Counties—1906.

Counties.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin	males	-	21	217	132	70	36	16	13	11	8	6	3	-	3	536
	females	2	104	220	105	36	29	13	12	3	7	1	1	-	3	536
Aroostook	males	-	24	289	182	73	39	14	14	9	8	7	3	1	1	664
	females	4	266	237	81	27	17	12	8	5	3	3	1	-	-	664
Cumberland	males	-	31	292	297	144	60	34	15	20	11	9	4	1	-	918
	females	3	148	354	216	100	44	18	22	3	4	6	-	-	-	918
Franklin	males	-	6	58	50	28	10	13	4	7	7	1	-	-	-	184
	females	1	45	65	29	16	12	6	5	3	1	1	-	-	-	184
Hancock	males	-	13	140	78	31	23	10	12	1	5	6	-	-	-	319
	females	1	107	109	56	15	11	6	7	3	1	3	-	-	-	319
Kennebec	males	-	32	195	149	62	38	20	13	13	4	9	4	1	1	541
	females	1	139	198	89	46	27	14	11	6	3	6	1	-	-	541
Knox	males	-	10	90	69	34	22	14	8	7	6	4	5	-	-	269
	females	-	62	100	37	25	17	5	8	3	8	3	1	-	-	269
Lincoln	males	-	5	51	43	19	12	8	8	1	1	2	-	-	-	150
	females	-	31	61	33	9	11	1	2	-	2	-	-	-	-	150
Oxford	males	-	11	122	116	52	16	17	8	10	6	4	2	-	2	366
	females	1	107	136	58	19	12	6	10	10	2	3	-	-	2	366
Penobscot	males	-	35	279	215	119	79	30	16	10	13	10	6	-	-	812
	females	1	215	292	146	71	37	14	17	7	3	8	1	-	-	812
Piscataquis	males	-	4	64	48	22	15	10	3	3	-	1	-	-	-	170
	females	-	51	66	25	13	8	3	4	-	-	-	-	-	-	170
Sagadahoc	males	-	5	60	36	19	14	7	6	-	3	-	1	-	-	151
	females	1	32	61	31	8	10	5	-	-	3	-	-	-	-	151
Somerset	males	-	15	117	76	46	23	21	8	10	7	4	3	1	-	331
	females	1	114	107	42	26	14	10	6	3	5	3	-	-	-	331
Waldo	males	-	13	80	64	18	19	8	10	7	4	5	-	-	-	228
	females	2	54	90	34	14	9	10	8	1	5	1	-	-	-	228
Washington	males	-	16	142	93	51	19	19	8	5	4	5	-	-	-	362
	females	1	127	133	47	29	6	6	4	3	4	-	1	-	1	362
York	males	-	2	210	116	57	26	19	19	8	10	10	2	-	-	497
	females	-	12	187	83	40	29	13	7	4	3	3	-	-	-	497
Total	males	-	261	2,406	1,764	845	451	260	165	122	97	83	33	4	7	6,498
	females	19	1,730	2,416	1,112	494	293	142	131	54	54	41	6	-	6	6,498
Grand total		19	1,991	4,822	2,876	1,339	744	402	296	176	151	124	39	4	13	12,996

Digitized by Google

TABLE

Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F
Androscoggin	95	72	56	21	21	440	455	83	69	9	7
Aroostook	64	77	51	7	13	580	600	79	61	4	3
Cumberland	193	84	77	30	41	804	800	102	112	10	6
Franklin	33	27	19	16	24	141	141	33	37	8	5
Hancock	44	30	30	13	9	276	280	41	38	2	1
Kennebec	105	65	64	27	31	449	446	85	84	7	8
Knox	61	39	30	29	24	201	215	63	45	4	7
Lincoln	27	12	14	6	6	132	130	15	19	3	1
Oxford	51	39	33	20	28	305	303	51	53	7	6
Penobscot	134	96	96	40	40	676	675	124	125	10	10
Piscataquis	22	17	16	8	11	145	143	22	33	3	4
Sagadahoc	27	15	11	6	11	130	129	20	22	1	-
Somerset	52	54	39	28	27	250	264	70	60	11	7
Waldo	39	28	28	13	12	186	189	31	34	10	5
Washington	66	37	26	17	12	308	324	47	34	6	1
York	100	69	31	16	20	412	446	76	46	9	5
Total	1,113	761	621	297	330	5,435	5,540	942	862	104	76

Digitized by Google

No. 25.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Sixth marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.	M.	F.		M	F.	M.	F.	M.	F.	M.	F.
1	-	-	1	-	-	3	4	1,072	77	71	16	14	74	71	17	17
1	-	-	-	-	-	-	-	1,328	80	72	17	13	73	72	18	13
2	-	-	-	-	-	-	-	1,836	84	67	15	12	84	67	15	12
2	1	-	-	-	-	-	-	368	61	60	15	14	61	60	15	17
-	-	-	-	-	-	-	-	638	68	66	18	13	68	61	18	17
-	3	-	-	-	-	-	-	1,082	84	72	15	14	84	72	16	15
1	2	-	-	-	-	-	-	538	76	70	17	15	74	70	17	18
-	-	-	-	-	-	-	-	300	63	58	17	15	63	56	17	16
1	2	-	-	-	-	2	2	732	79	68	18	14	78	68	18	16
1	1	-	-	1	-	-	1	1,624	74	73	17	14	74	73	18	15
-	-	-	-	-	-	-	-	340	67	49	19	16	67	36	19	17
-	-	-	-	-	-	-	-	302	70	58	19	14	70	58	19	14
-	-	-	-	-	-	-	-	662	81	68	17	13	71	68	17	16
-	-	1	-	-	-	-	-	456	69	60	16	13	69	59	16	13
1	3	-	-	-	-	-	-	724	66	70	17	13	62	70	17	17
-	-	-	-	-	-	-	-	994	74	67	17	15	74	67	17	15
10	12	1	1	1	-	5	7	12,996								

Digitized by Google

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1906 was 6,498 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, and 6,264 in 1905). We have, therefore, for the year 1906, a marriage-rate of 18.08 (persons married) to every 1,000 of population, or at the rate of 9.04 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 11.01 per 1,000. The lowest marriage-rate, that of 7.24 per 1,000, was in Sagadahoc county. See Table No. 4.

Nativity.—Of the 6,462 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 873, was solemnized in June, while the smallest number in any one month, 336, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 19 brides were married; in the age-period 15-20 years there were 261 grooms and 1,730 brides; in the period 20-25 years 2,406 men and 2,416 women were married; from 25-30, 1,764 men and 1,112 women; from 30-35, 845 men and 494 women; from 35-40, 451 men and 293 women; from 40-45, 260 men and 142 women; from 45-50, 165 men and 131 women; from 50-55, 122 men and 54 women; from 55-60, 97 men and 54 women; from 60-70, 83 men and 41 women; from 70-80, 33 men and 6 women; over 80, 4 men. The age of 7 grooms and 6 brides was not stated. See Table No. 24.

Digitized by Google

In 5,385 marriages the groom was older than the bride; while in 1,113 the bride was the elder; 761 widowers and 621 widows were remarried; 297 men and 330 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,435 men and 5,540 women were married for the first time; that 942 men and 862 women were married the second time; that 104 men and 76 women were united in the third marriage; that 10 men and 12 women contracted marriage a fourth time; that 1 man and 1 woman were married a fifth time, and 1 man was married the sixth time. The oldest groom was 84 years of age, and the oldest bride was 73. The youngest groom was 15 years of age, and the youngest bride was 12.

At the age of 15 years 3 grooms were married; at 16 years, 3; at 17 years, 17; at 18 years, 71; and at 19 years, 159. At the age of 12 years 1 bride was married; at 13 years, 7; at 14 years, 11; at 15, 50; at 16, 157; and at 17, 289.

One man was married for the sixth time at the age of 70 years; and 1 for the fifth time at 49. One bride was married a second time at the age of 17 years; and 1 at 18, who had been divorced. In one instance the bride was married a third time when 27 years of age, having been divorced twice; while in another case the bride was married a fifth time when but 28 years old. One woman contracted marriage for the first time at the age of 72 years.

Digitized by Google

TABLE

Divorces Decreed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery and intoxication.	Cruelty.	Extreme cruelty.	Extreme cruelty and utter desertion.	Desertion.	Intoxication.	Intoxication and extreme cruelty.	Intoxication and failure to support.
Androscoggin	61	17	9	1	-	-	-	17	6	-	1
Aroostook	19	14	2	-	-	-	-	9	2	-	-
Cumberland	81	20	11	-	-	2	-	27	16	-	-
Franklin	24	9	9	-	-	-	-	11	4	-	-
Hancock	17	8	5	-	-	1	-	11	1	-	-
Kennebec	66	25	12	-	38	-	-	17	19	-	-
Knox	46	8	2	-	-	-	-	11	8	-	-
Lincoln	9	4	1	-	-	-	-	2	-	-	-
Oxford	31	14	7	-	-	-	-	15	3	1	-
Penobscot	62	20	7	-	-	1	-	17	19	-	-
Piscataquis	13	2	2	-	-	-	-	4	1	-	-
Sagadahoc	24	9	2	-	-	1	1	13	1	-	-
Somerset	39	15	8	-	-	-	-	8	8	-	-
Waldo	16	7	6	-	-	-	-	6	3	-	-
Washington	30	13	6	-	-	-	-	13	2	-	-
York	54	10	6	-	-	1	-	14	11	-	-
Total	592	195	95	1	38	6	1	195	104	1	1

Digitized by Google

No. 26.

Year, 1906, as returned by Clerks of the Several Counties.

Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty and non-support	Cruel and abusive treatment, gross and confirmed habits of intoxication, non-support and adultery.	Failure to support.	Neglecting to provide suitable maintenance.	Gross and wanton, or cruel, refusing to provide.	Impotence.	Marriage annulled.	Total.
36	-	2	5	-	-	-	1	-	-	-	-	78
19	-	-	-	-	-	-	-	1	-	-	-	33
36	-	2	1	-	-	1	2	-	-	2	1	101
9	-	-	-	-	-	-	-	-	-	-	-	33
7	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	5	-	-	-	-	91
30	-	-	2	1	-	-	-	-	-	-	-	54
9	-	-	1	-	-	-	-	-	-	-	-	13
17	-	-	1	-	-	-	1	-	-	-	-	45
32	-	-	3	-	-	-	-	-	3	-	-	82
6	-	-	1	-	-	-	1	-	-	-	-	15
10	-	-	3	2	-	-	-	-	-	-	-	33
14	-	1	5	6	3	-	1	-	-	-	-	54
8	-	-	-	-	-	-	-	-	-	-	-	23
21	-	-	-	-	-	-	1	-	-	-	-	43
27	1	-	-	-	-	-	4	-	-	-	-	64
281	1	5	22	9	3	1	16	1	3	2	1	787

Digitized by Google

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1906.

Causes.	Libellants.			Number of Years Married.							
	Number.	Sex.		Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	95	Males	57		20	20	14	3	-	-	-
		Females	38	1	9	18	6	4	-	-	-
Adultery and intoxication	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	1	-	-	-	-
Cruelty	38	Males	6	-	-	-	2	4	-	-	-
		Females	32	-	1	9	12	8	1	1	-
Extreme cruelty	6	Males	-	-	-	-	-	-	-	-	-
		Females	6	-	1	2	1	2	-	-	-
Extreme cruelty and utter desertion	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	1	-	-	-	-	-
Desertion	195	Males	69	-	-	4	22	30	8	3	2
		Females	126	-	-	18	42	39	17	8	2
Intoxication	104	Males	9	-	-	2	-	7	-	-	-
		Females	95	-	2	30	22	26	11	3	1
Intoxication and extreme cruelty	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	1	-	-	-	-	-
Intoxication and failure to support	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	1	-	-	-	-	-
Cruel and abusive treatment	281	Males	51	-	4	17	13	12	4	1	-
		Females	230	2	7	60	58	74	21	8	-
Cruel and abusive treatment and adultery	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	-	-	1	-	-
Cruel and abusive treatment and failure to support	5	Males	-	-	-	-	-	-	-	-	-
		Females	5	-	-	3	-	2	-	-	-
Cruel and abusive treatment and intoxication	22	Males	2	-	-	1	1	-	-	-	-
		Females	20	-	-	8	4	5	2	-	1
Cruel and abusive treatment and extreme cruelty	9	Males	-	-	-	-	-	-	-	-	-
		Females	9	-	-	5	2	2	-	-	-
Cruel and abusive treatment, extreme cruelty and non-support	3	Males	-	-	-	-	-	-	-	-	-
		Females	3	-	-	1	-	1	-	1	-
Cruel and abusive treatment, gross and confirmed habits of intoxication, non-support and adultery	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	-	1	-	-	-
Failure to support	16	Males	-	-	-	-	-	-	-	-	-
		Females	16	-	-	7	5	1	1	1	1
Neglecting to provide suitable maintenance	1	Males	-	-	-	-	-	-	-	-	-
		Females	1	-	-	-	-	1	-	-	-
Gross or wanton and cruel treatment, refusing to provide	3	Males	-	-	-	-	-	-	-	-	-
		Females	3	-	-	-	2	1	-	-	-
Impotence	2	Males	-	-	-	-	-	-	-	-	-
		Females	2	-	-	1	1	-	-	-	-
Marriage annulled	1	Males	1	-	-	-	1	-	-	-	-
		Females	-	-	-	-	-	-	-	-	-
Total	787	Males	195	-	24	44	53	56	12	4	2
		Females	592	3	20	165	156	167	54	22	5

Digitized by Google

NOTES ON DIVORCES.

Seven hundred and eighty-seven divorces were decreed in the year 1906 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, and 848 in 1905). In 1906, there was decreed in Maine one divorce for every 12.1 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 95, or 12.1 per cent. of the whole number; cruelty, 38, or 4.8 per cent.; desertion, 195, or 24.8 per cent.; intoxication, 104, or 13.2 per cent.; cruel and abusive treatment, 281, or 35.7 per cent.; failure to support, 16, or 2.3 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 592 divorces, and the husband in 195.

In the divorces granted for adultery, the husband was the libellant 57 times, and the wife 38 times.

On account of cruelty, the wife was the libellant in 32 cases, and the husband in 6 cases.

For desertion, the husband was the libellant 69 times, and the wife 126.

For intoxication, the husband was the libellant in 9 cases, and the wife in 95.

For cruel and abusive treatment, the husband was the libellant in 51 instances, and the wife in 230.

For failure to support, the wife was the libellant in the 16 divorces decreed for that cause.

Three divorces were granted before the marriage life had lasted six months; 44 before 1 year's marriage; 209 after from 1 to 5 years' marriage; 209 after 5 to 10 years; 223 after 10 to 20 years; 66 after 20 to 30 years; 26 after more than 30 years of married life; while in 7 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

Digitized by Google

TABLE No. 28.

Deaths and Death-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	11,370	16.45	11,389	16.40	11,133	16.03	10,673	15.37	11,009	15.85	11,346	16.34	11,381	15.92	11,427	15.90
Androscoggin	1,054	19.62	963	17.75	848	15.63	806	14.86	745	13.73	833	15.36	900	15.83	1,054	18.36
Aroostook	766	13.13	763	12.74	804	13.48	736	12.37	773	13.08	805	13.50	802	12.38	1,013	15 02
Cumberland	1,778	17.83	1,828	18.15	1,746	17.34	1,682	16.70	1,712	17.00	1,810	17.98	1,788	16.47	1,702	15.98
Franklin	310	17.12	311	17.16	275	15.12	258	14.38	277	15.33	306	16.77	283	14.80	293	15.20
Hancock	572	15.42	511	13.81	511	13.72	468	12.66	531	14.35	492	13.28	544	14.14	469	12.66
Kennebec	1,063	18.05	1,073	18.15	1,070	18.10	1,020	17.25	1,092	18.47	1,086	18.37	1,115	18.13	965	15.98
Knox	468	15.36	519	17.14	491	16.18	445	14.69	483	15.95	487	16.08	478	15.75	460	15.19
Lincoln	316	15.88	293	14.88	322	16.37	253	12.86	327	16.63	319	16.22	269	13.58	249	12.66
Oxford	478	14.99	545	16.95	537	16.70	557	17.33	541	16.99	572	17.93	506	14.92	580	17.45
Penobscot	1,184	15.70	1,127	14.91	1,257	16.58	1,224	16.14	1,282	16.93	1,361	17.96	1,305	16.57	1,397	17.85
Piscataquis	277	16.83	244	14.73	254	15.19	217	13.20	214	12.99	252	15.17	270	15.52	237	13.59
Sagadahoc	299	14.77	335	16.48	293	14.41	310	15.25	339	16.67	312	15.35	322	14.93	296	14.19
Somerset	548	16.42	478	14.26	495	14.76	534	15.85	547	16.29	560	16.68	561	16.03	471	13.62
Waldo	432	17.60	417	17.24	399	16.50	368	15.22	358	14.80	394	16.29	407	16.79	395	16.33
Washington	618	13.82	700	15.55	648	14.40	579	12.91	611	13.63	581	12.96	673	14.58	653	14.29
York	1,207	18.66	1,282	17.26	1,183	18.23	1,216	18.74	1,177	18.14	1,176	18.12	1,158	17.30	1,198	18.04

Digitized by Google

TABLE No. 29.

Number of Deaths in Each Month of 1899-1906, with Monthly Ratio Compared with a Standard of 100.

Months.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Deaths.	Ratio *	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6	985	102.2	981	101.4	822	84.7
February	1,049	130.5	881	100.8	1,091	85.4	900	110.0	944	111.8	1,035	118.9	1,009	115.6	853	97.2
March	935	96.9	1,095	110.1	1,132	119.7	929	102.5	996	106.5	1,080	117.8	1,197	123.8	1,060	109.2
April	965	103.3	1,196	127.7	955	104.4	939	107.1	989	109.3	1,116	119.7	1,023	109.4	985	104.8
May	899	93.2	1,068	107.3	944	99.9	919	101.4	930	99.5	1,038	107.7	957	99.0	961	99.0
June	768	82.2	793	84.3	789	86.2	805	91.8	786	86.9	807	86.5	830	88.8	848	90.2
July	783	81.1	839	84.4	836	88.4	837	92.4	901	96.4	800	83 0	768	79.4	885	91.2
August	1,031	106.8	1,033	103.8	831	87.9	861	95.0	865	92.4	896	93.0	1,006	104.0	1,133	116.8
September	953	102.0	1,037	110.8	970	105.6	911	103.9	957	105.7	907	97.2	1,012	108.2	1,117	118.9
October	882	91.4	911	91.6	882	93.3	854	94.3	865	92.5	909	94.3	958	99.1	920	94.8
November	781	83.6	769	82.1	831	90.8	820	93.5	831	91.8	817	87.6	824	88.1	885	94.2
December	881	91.3	856	83.1	897	94.9	998	110.1	919	98.3	944	97.9	799	82.6	942	97.2
Unknown	11	-	8	-	20	-	24	-	20	-	12	-	17	-	16	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

Digitized by Google

TABLE

Showing the Number of Deaths in the State, and in

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature births)	11,646	1,071	1,027	1,738
I. General diseases	2,853	263	265	418
II. Diseases of nervous system and organs of special sense	1,524	126	71	211
III. Diseases of circulatory system	1,384	103	55	221
IV. Diseases of respiratory system	1,830	173	117	197
V. Diseases of digestive system	1,366	162	252	167
VI. Diseases of genito-urinary system and its adnexa	853	73	28	180
VII. The puerperal state	101	12	10	9
VIII. Diseases of skin and cellular tissue	88	10	3	11
IX. Diseases of organs of locomotion	17	3	1	4
X. Malformations	86	10	5	11
XI. Early infancy	489	39	32	90
XII. Old age	535	33	34	83
XIII. Deaths from external causes	586	38	51	84
XIV. Deaths from ill-defined causes	434	26	103	52

Digitized by Google

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
299	479	982	465	251	599	1,433	239	300	487	399	673	1,204
64	130	215	114	48	152	384	63	52	144	94	160	287
42	63	188	63	44	55	178	28	40	71	65	86	198
40	65	130	91	47	69	136	29	52	51	75	97	123
29	47	93	29	18	80	166	16	48	37	35	75	170
31	34	87	33	15	74	174	25	27	60	26	76	123
33	39	72	40	23	29	89	22	29	27	32	37	100
-	5	5	7	3	7	13	3	3	6	2	4	12
3	2	10	5	1	5	12	3	2	4	3	7	7
-	-	1	-	-	1	4	-	-	1	1	-	1
2	2	8	8	1	7	6	2	6	4	1	5	8
11	21	36	17	5	41	58	6	10	24	12	31	56
12	26	53	25	21	37	65	8	12	24	24	35	43
22	24	51	21	15	24	103	17	16	16	13	35	56
10	21	33	12	10	18	45	17	3	18	16	25	25

Digitized by Google

TABLE No. 30.—Continued.
Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,853	263	265	418	64	130	215	114	48	152	384	63	52	144	94	160	287
Typhoid fever	133	10	12	14	2	3	9	4	1	-	39	5	2	3	2	12	15
Intermittent fever and malarial cachexia	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
Measles	105	32	27	8	6	-	1	1	-	8	6	-	-	5	3	-	8
Scarlatina	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Whooping cough	109	3	38	18	2	4	2	3	1	9	7	1	1	8	4	1	7
Diphtheria and croup	119	10	14	20	3	3	6	7	-	5	31	2	1	6	2	5	4
Influenza	109	6	29	9	5	7	8	3	1	9	7	2	-	8	3	1	11
Cholera nostras	31	2	2	1	1	-	5	-	1	-	5	2	-	1	1	9	1
Dysentery	46	2	3	7	2	3	3	4	-	4	1	2	-	10	-	2	3
Erysipelas	21	2	1	1	1	1	2	1	-	1	5	1	1	-	2	1	1
Other epidemic affections	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Purulent and septicemic affections	40	4	2	8	-	1	6	4	2	1	6	-	1	1	1	2	1
Glanders and farcy	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rabies	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of larynx	12	-	1	5	-	-	-	-	-	-	3	-	1	1	-	-	1
Tuberculosis of lungs	915	75	69	140	14	44	76	38	13	40	120	24	16	54	31	69	92
Tuberculosisof meninges	109	13	9	15	2	6	7	2	-	6	20	1	3	5	2	4	14
Tuberculosis of peritoneum	54	2	7	3	-	2	4	-	4	3	12	1	1	3	4	-	8
Pott's disease	14	1	1	2	1	2	1	1	-	1	-	1	1	-	-	1	1
Cold abscess	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White swelling	5	1	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-
Tuberculosis of other organs	16	1	1	3	-	-	1	1	-	1	2	1	-	-	1	2	2
General tuberculosis	50	2	3	9	-	2	3	1	2	3	16	1	-	3	2	1	2
Scrofula	7	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	1
Syphilis	14	-	-	4	-	-	1	1	1	1	3	-	1	-	1	-	1
Cancer of mouth	29	4	1	8	-	4	3	1	-	-	2	1	1	1	-	1	2
Cancer of stomach and liver	215	22	9	34	6	9	15	9	7	12	28	5	3	9	7	14	26
Cancer of peritoneum, intestines and rectum	101	9	3	20	-	8	9	3	1	5	5	1	3	6	5	4	19
Cancer of female genital organs	92	11	2	16	2	2	6	5	2	2	15	1	4	6	3	4	11
Cancer of breast	49	7	1	9	3	2	3	2	2	3	3	2	1	2	2	4	3
Cancer of skin	30	1	1	2	2	1	3	1	1	3	6	-	1	-	1	4	3
Cancer of other organs and organs not specified	101	10	9	19	2	10	8	7	2	6	9	-	-	2	3	3	11
Other tumors	12	2	2	2	-	1	-	-	-	2	-	-	-	1	1	-	1
Acute articular rheumatism	30	2	1	5	-	2	4	4	1	2	1	1	1	1	1	-	4
Chronic rheumatism and gout	24	1	3	4	2	2	1	-	-	2	3	-	-	1	-	2	3
Diabetes	121	11	7	14	3	8	12	6	4	11	10	4	4	3	4	5	15
Addison's disease	8	3	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-
Leukemia	8	-	-	3	-	1	-	-	-	1	1	1	-	-	-	1	-
Anemia, chlorosis	53	6	1	7	3	2	5	2	-	3	8	1	1	3	4	1	6
Other general diseases	9	1	-	-	-	-	3	-	1	1	1	-	-	-	1	-	1
Alcoholism, acute or chronic	43	3	3	6	1	-	5	2	-	2	4	2	2	1	1	3	8
Chronic lead poisoning	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other chronic poisonings	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
II.—Diseases of the nervous system and of the organs of special sense	1,524	126	71	211	42	63	188	63	44	55	178	28	40	71	65	86	123
Encephalitis	9	1	-	-	-	-	1	-	-	-	2	1	-	3	-	1	-
Simple meningitis	159	24	11	16	2	6	13	1	3	2	25	5	-	5	4	12	30
Progressive locomotor ataxia	24	-	1	3	2	1	-	2	-	3	3	-	3	-	1	3	2

Digitized by Google

TABLE No. 30—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Other diseases of the spinal cord	45	2	4	8	-	4	5	1	-	1	2	1	1	2	2	5	7
Congestion and hemorrhage of brain	718	62	20	112	28	31	76	38	19	34	78	11	26	38	28	35	82
Softening of the brain	33	4	-	4	-	1	1	2	3	3	6	-	-	2	-	1	6
Paralysis without specified cause	233	16	12	28	6	7	22	12	11	4	25	6	7	11	17	14	35
General paralysis	12	-	-	-	-	-	5	-	-	-	5	-	-	-	2	-	-
Other forms of mental alienation	84	2	3	12	-	1	50	1	2	1	3	-	1	1	2	4	1
Epilepsy	31	3	2	5	1	3	4	-	1	-	4	-	-	3	-	2	3
Eclampsia (non-puerperal)	8	-	1	2	-	-	-	-	-	-	2	1	1	1	-	-	-
Convulsions of children	93	5	14	10	2	4	3	3	2	5	14	1	1	3	1	7	18
Tetanus	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases of nervous system	63	6	1	8	1	4	5	3	3	2	9	1	-	2	8	2	8
Diseases of the eye and its adnexa	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of the ear	5	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1
III.—Diseases of the circulatory system	1,384	103	55	221	40	65	130	91	47	69	136	29	52	51	75	97	123
Pericarditis	15	3	3	-	-	-	2	1	-	1	3	-	-	-	-	-	2
Acute endocarditis	37	2	3	3	2	3	10	1	-	1	5	-	1	1	-	2	3
Organic diseases of heart	1,113	80	43	179	38	53	100	73	37	60	106	19	41	43	63	77	106
Angina pectoris	81	5	4	11	3	2	7	8	6	3	4	5	3	1	8	4	7
Affections of the arteries (atheroma, aneurism, etc.)	67	4	1	13	1	7	6	4	1	2	8	2	2	3	2	9	2
Embolism and thrombosis	47	4	1	11	-	-	2	4	3	1	5	2	5	2	2	3	2
Affections of the veins (varices, hemorrhoids, phlebitis, etc.)	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Affections of the lymphatic system	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhages	18	5	-	2	1	-	3	-	-	1	3	-	-	1	-	1	1
Other affections of the circulatory system	3	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
IV.—Diseases of the respiratory system	1,330	173	117	197	29	47	93	23	18	80	166	16	48	37	35	75	170
Affections of the larynx	15	2	1	1	-	-	2	-	-	1	3	1	-	-	-	4	-
Affections of the thyroid body	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis	95	14	2	13	3	1	7	1	-	9	12	1	8	4	2	6	12
Chronic bronchitis	92	7	4	18	-	5	6	7	4	2	10	2	3	4	2	4	14
Broncho pneumonia	181	53	8	33	6	4	15	1	-	16	13	2	7	1	3	8	11
Pneumonia	789	73	87	111	17	31	53	18	10	48	107	9	26	27	21	45	106
Pleurisy	17	3	3	2	-	-	2	-	1	-	1	-	-	-	2	1	2
Congestion of the lungs, pulmonary apoplexy	74	13	3	9	3	1	6	2	1	2	12	-	4	-	2	3	13
Gangrene of the lungs	10	5	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-
Asthma	30	1	5	4	-	2	2	-	-	1	2	1	-	1	3	3	5
Emphysema of the lungs	6	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	1
Other diseases of the respiratory system	20	2	3	3	-	2	-	-	-	-	4	-	-	-	-	-	6
V.—Diseases of the digestive system	1,366	162	252	167	31	34	87	33	15	74	174	25	27	60	26	76	123
Affections of the mouth and its adnexa	4	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Affections of the pharynx	11	2	-	-	1	-	-	-	1	-	4	-	-	1	-	1	1
Affections of the esophagus	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

Digitized by Google

TABLE No. 30—Continued.

Deaths by Classes and Counties.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Ulcer of the stomach	23	1	1	3	1	-	3	1	1	3	3	-	1	5	-	-	-
Other affections of the stomach (cancer excepted)	146	13	7	19	6	4	11	6	6	7	15	3	4	9	3	9	24
Infantile diarrhea (under two years)	652	74	191	70	7	17	43	7	-	24	79	10	12	17	3	40	58
Diarrhea and enteritis (two years and over)	139	13	23	17	2	5	9	4	1	9	15	7	3	9	4	13	5
Hernias and other intestinal obstructions	84	14	7	10	2	3	6	3	1	4	12	1	1	4	3	4	9
Other affections of the intestines	30	5	1	7	-	-	-	-	1	4	3	-	1	1	-	1	6
Acute yellow atrophy of liver	4	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
Hydatid tumors of the liver	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Cirrhosis of the liver	43	5	1	3	2	2	4	-	1	4	7	2	1	1	5	1	4
Biliary calculi	19	4	-	3	2	-	-	-	-	1	4	-	-	1	1	1	2
Other affections of the liver	65	3	7	10	3	2	5	4	1	8	9	-	-	4	3	1	5
Affections of the spleen	5	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-
Inflammatory peritonitis (puerperal excepted)	59	4	8	12	3	-	3	1	1	4	8	1	1	5	2	2	4
Other affections of the digestive system (cancer and tuberculosis excepted)	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	75	22	5	9	2	1	1	7	-	3	13	-	3	2	-	3	4
VI.—Diseases of the genito-urinary system and its adnexa	853	73	28	180	33	39	72	40	23	29	99	22	29	27	32	37	100
Acute nephritis	63	6	1	13	2	4	5	1	-	6	6	3	-	2	4	2	8
Bright's disease	652	55	18	151	24	32	49	30	19	20	67	13	25	20	22	28	79
Other diseases of the kidneys and their adnexa	21	1	2	2	-	-	2	3	2	-	2	1	1	1	-	1	3
Calculi of the urinary tract	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the bladder	39	3	4	3	4	-	7	1	-	1	1	1	2	2	3	4	3
Diseases of the urethra, urinary abscess, etc.	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Diseases of the prostate	24	-	2	4	2	1	4	1	1	1	3	1	1	-	-	-	3
Non-venereal diseases of the male genital organs	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Uterine hemorrhage, (non-puerperal)	4	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
Uterine tumor (non-cancerous)	11	2	-	-	-	-	1	1	-	1	2	1	-	-	1	1	1
Other diseases of the uterus	13	1	-	5	1	-	1	-	-	-	3	-	-	1	1	-	-
Cysts and other tumors of ovary	6	1	-	-	-	-	1	1	-	-	-	1	-	1	-	1	-
Other diseases of female genital organs	11	3	-	-	-	1	-	-	1	-	2	1	-	-	-	-	3
Non-puerperal diseases of the breast (cancer excepted)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Metritis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.—The puerperal state	101	12	10	9	-	5	5	7	3	7	13	3	3	6	2	4	12
Accidents of pregnancy	17	2	1	1	-	1	1	-	-	2	4	-	-	-	-	-	5
Puerperal hemorrhage	6	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	2
Other accidents of labor	12	2	1	1	-	-	2	-	-	1	2	-	-	-	-	2	1

Digitized by Google

TABLE No. 30—Concluded.

Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Puerperal septicemia....	25	3	4	3	-	2	-	2	-	-	1	1	2	4	-	-	3
Puerperal albuminuria and eclampsia.....	27	4	1	3	-	2	2	3	2	2	2	1	-	1	2	1	1
Other puerperal accidents, sudden death ...	14	1	2	1	-	-	-	2	1	2	2	1	1	-	-	1	-
VIII.—Diseases of the skin and cellular tissue	88	10	3	11	3	2	10	5	1	5	12	3	2	4	3	7	7
Gangrene	67	9	2	8	3	2	7	4	1	4	7	-	2	2	3	6	7
Furuncle, boil, carbuncle	8	-	-	1	-	-	2	-	-	-	2	2	-	1	-	-	-
Phlegmon, acute abscess	7	1	1	1	-	-	1	1	-	1	-	1	-	-	-	-	-
Other diseases of the skin and its adnexa....	6	-	-	1	-	-	-	-	-	-	3	-	-	1	-	1	-
IX.—Diseases of the organs of locomotion . ..	17	3	1	4	-	-	1	-	-	1	4	-	-	1	1	-	1
Non-tuberculous diseases of the bones	14	2	1	2	-	-	1	-	-	1	4	-	-	1	1	-	1
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of organs of locomotion	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.....	86	10	5	11	2	2	8	8	1	7	6	2	6	4	1	5	8
Malformations, congenital (still-births excepted)	86	10	5	11	2	2	8	8	1	7	6	2	6	4	1	5	8
XI.—Early infancy.....	488	39	32	90	11	21	36	17	5	41	58	6	10	24	12	31	55
Congenital icterus, debility and sclerema	388	31	29	65	8	18	29	13	5	27	51	5	8	20	10	27	42
Other diseases of early infancy.....	39	4	3	8	-	1	6	1	-	3	4	-	2	2	-	1	4
Lack of care.....	61	4	-	17	3	2	1	3	-	11	3	1	-	2	2	3	9
XII.—Old age																	
Senile debility.....	535	33	34	83	12	26	53	25	21	37	65	8	12	24	24	35	43
XIII.—Deaths from external causes	586	38	51	84	22	24	51	21	15	24	103	17	16	16	13	35	56
Suicide by poison..	12	2	-	4	1	-	2	-	-	-	2	-	-	-	-	-	1
Suicide by asphyxia	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	21	-	-	2	2	-	4	-	2	-	6	-	-	-	1	1	3
Suicide by drowning	11	-	1	2	-	-	1	-	1	-	-	1	1	1	-	2	1
Suicide by firearms.....	32	-	1	6	-	4	2	5	-	2	2	2	1	-	1	1	5
Suicide by cutting instruments	5	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
Suicide by jumping from high places	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other suicides.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Fractures	44	3	1	13	2	-	3	1	2	4	7	2	-	2	-	1	3
Other accidental injuries	191	12	19	28	10	8	16	9	4	8	35	5	6	5	3	8	15
Burns and scalds	41	4	6	4	1	2	6	2	1	1	4	-	3	-	1	2	4
Sunstroke.....	6	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	2
Freezing	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-
Electric shock.....	14	-	-	2	-	1	1	-	-	-	3	-	1	1	-	2	3
Accidental drowning....	126	7	7	9	3	6	9	3	3	5	30	7	3	5	3	13	13
Inhalation of deleterious gases (suicide excepted)	12	1	5	3	-	-	-	-	-	-	2	-	-	-	-	-	1
Other acute poisonings..	31	3	6	4	1	1	5	-	1	1	5	-	-	-	2	1	1
Other external violence..	32	3	4	3	1	1	2	1	1	1	6	-	1	1	1	3	3
XIV.—Deaths from ill-defined causes.....	435	26	103	52	10	21	33	12	10	18	45	17	3	18	16	25	26
Dropsy	8	-	3	-	-	-	1	1	-	-	1	-	-	-	-	1	1
Sudden death.....	40	2	2	5	4	3	2	2	1	1	10	3	-	-	2	1	2
Unspecified or ill-defined causes of death	387	24	98	47	6	18	30	9	9	17	34	14	3	18	14	23	23

Digitized by Google

TABLE No. 31.

Deaths from All Causes by Months—1906.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including premature births)	11,646	834	870	1077	1003	980	874	906	1146	1129	944	904	960	19
I.—General diseases	2,853	211	220	247	222	238	231	231	241	273	253	237	245	4
II.—Diseases of nervous system and organs of special sense	1,524	103	123	152	136	139	117	120	152	124	102	131	124	1
III.—Diseases of circulatory system	1,384	109	104	134	126	119	113	118	120	102	114	107	114	4
IV.—Diseases of respiratory system	1,330	81	129	212	179	139	104	56	33	44	91	119	143	-
V.—Diseases of digestive system	1,366	55	62	72	55	66	66	103	322	300	127	71	66	1
VI.—Diseases of genito-urinary system and its adnexa	853	84	56	86	90	66	63	70	69	74	64	58	71	2
VII.—The puerperal state	101	10	11	13	7	8	7	11	6	8	7	6	7	-
VIII.—Diseases of skin and cellular tissue	88	9	4	11	13	5	7	6	7	5	6	8	7	-
IX.—Diseases of organs of locomotion	17	2	3	2	1	3	2	-	-	1	3	-	-	-
X.—Malformations	86	11	6	6	10	5	6	7	5	8	5	7	10	-
XI.—Early infancy	488	38	40	36	48	44	41	36	37	46	46	38	36	2
XII.—Old age	535	53	50	36	38	53	36	49	39	42	47	42	50	-
XIII.—Deaths from external causes	586	36	36	33	44	54	54	65	76	49	47	44	46	2
XIV.—Deaths from ill-defined causes	435	32	26	37	34	41	27	34	39	53	32	36	41	3

Digitized by Google

TABLE No. 31—Continued.

Deaths from All Causes by Months—1906.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
.—General diseases	2,853	211	220	247	222	238	231	231	241	273	253	237	245	4
Typhoid fever	133	9	11	11	6	6	8	7	10	16	18	20	10	1
Intermittent fever and malarial cachexia	3	-	-	-	-	-	-	1	-	-	2	-	-	-
Measles	105	6	3	5	8	2	5	7	6	13	16	24	10	-
Scarlatina	5	-	-	-	-	1	1	-	-	1	-	2	-	-
Whooping cough	109	4	3	5	5	4	11	9	13	22	7	14	11	1
Diphtheria and croup	119	16	6	8	14	4	11	6	5	9	10	14	16	-
Influenza	109	11	6	18	18	18	4	5	9	2	8	7	3	-
Cholera nostras	31	-	1	-	1	1	8	-	-	8	8	2	1	1
Dysentery	46	1	-	-	-	-	1	3	9	17	11	3	1	-
Erysipelas	21	1	-	2	1	3	3	1	2	-	2	4	2	-
Other epidemic affections	3	-	-	-	1	2	-	-	-	-	-	-	-	-
Purulent and septicemic affections	40	5	1	3	1	6	2	2	4	4	4	2	6	-
Glanders and farcy	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Rabies	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of larynx	12	2	3	-	3	-	-	-	3	1	-	-	-	-
Tuberculosis of lungs	915	74	79	86	69	92	76	82	73	72	75	61	76	-
Tuberculosis of meninges	109	8	9	8	4	15	13	14	10	10	7	7	4	-
Tuberculosis of peritoneum	54	1	6	6	6	5	4	6	4	2	2	8	4	-
Potts' disease	14	-	1	2	1	-	2	-	3	2	-	-	3	-
Cold abscess	1	-	-	-	-	-	-	-	-	-	-	1	-	-
White swelling	5	1	1	1	-	-	-	-	-	-	2	-	-	-
Tuberculosis of other organs	16	1	1	2	2	1	1	3	1	1	2	1	-	-
General tuberculosis	50	4	4	2	7	4	5	5	5	6	4	3	1	-
Scrofula	7	1	1	1	-	1	1	-	-	1	-	-	1	-
Syphilis	14	-	2	4	2	2	1	-	1	1	-	1	-	-
Cancer of mouth	29	2	3	1	1	2	4	6	2	4	-	-	4	-
Cancer of stomach and liver	215	10	24	15	17	10	16	20	27	22	19	12	23	-
Cancer of peritoneum, intestines and rectum	101	7	6	9	5	10	8	9	8	14	8	9	8	-
Cancer of female genital organs	92	10	6	3	11	11	6	7	8	6	9	5	10	-
Cancer of breast	49	4	3	5	4	4	3	2	4	5	5	5	5	-
Cancer of skin	30	2	2	4	3	1	2	3	2	4	1	4	2	-
Cancer of other organs and organs not specified	101	7	10	14	9	5	10	13	6	4	9	5	9	-
Other tumors	12	2	1	-	-	-	1	3	1	1	1	2	-	-
Acute articular rheumatism	30	3	7	2	1	5	-	1	2	1	3	1	4	-
Chronic rheumatism and gout	24	2	2	2	-	2	2	1	1	4	1	3	4	-
Diabetes	121	10	10	16	10	6	12	8	9	9	12	7	11	1
Addison's disease	8	-	-	-	-	3	2	1	-	-	-	-	2	-
Leukemia	8	-	1	2	1	1	-	2	1	-	-	-	-	-
Anemia, chlorosis	53	3	3	6	6	6	6	2	7	5	3	2	4	-
Other general diseases	9	1	-	-	1	2	-	-	1	1	1	-	2	-
Alcoholism, acute or chronic	43	3	3	4	4	2	2	2	4	4	2	7	6	-
Chronic lead poisoning	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other chronic poisonings	4	-	-	-	-	-	-	-	-	1	-	1	2	-
II.—Diseases of the nervous system and of the organs of special sense	1,524	103	123	152	136	139	117	120	152	124	102	131	124	1
Encephalitis	9	1	2	-	-	1	1	2	-	-	1	1	-	-
Simple meningitis	159	11	10	15	23	13	8	9	26	17	6	10	11	-
Progressive locomotor ataxia	24	1	3	3	1	1	1	4	2	2	1	4	1	-
Other diseases of the spinal cord	45	1	3	4	2	6	3	4	3	5	2	6	6	-
Congestion and hemorrhage of brain	718	46	66	77	60	69	54	57	69	48	53	63	56	-
Softening of the brain	33	5	5	4	1	4	1	-	2	3	1	4	3	-
Paralysis without specified cause	233	19	9	23	25	21	20	20	15	20	15	22	24	-
General paralysis	12	1	2	-	2	1	-	1	1	1	-	2	1	-
Other forms of mental alienation	84	6	9	8	6	3	7	5	9	8	6	8	8	1
Epilepsy	31	3	-	1	4	3	6	-	5	2	3	3	1	-
Eclampsia (non puerperal)	8	1	1	-	-	2	-	1	1	-	-	-	2	-
Convulsions of children	93	3	8	8	8	9	5	7	9	12	12	5	7	-
Tetanus	4	-	-	-	-	-	-	3	1	-	-	-	-	-
Chorea	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of nervous system	63	5	4	9	3	4	8	7	9	5	2	3	4	-
Diseases of the eye and its adnexa	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the ear	5	-	-	-	1	1	3	-	-	-	-	-	-	-

Digitized by Google

TABLE No. 31—Continued.
Deaths from all Causes by Months—1906.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
III.—Diseases of the circulatory system	1,304	109	104	134	126	119	113	118	120	102	114	107	114	4
Pericarditis	15	2	1	2	1	3	-	-	-	2	2	1	1	-
Acute endocarditis	37	6	2	3	1	5	2	3	3	3	3	2	3	1
Organic diseases of heart	1,113	85	80	110	108	91	97	103	96	79	84	85	92	3
Angina pectoris	81	8	9	9	5	5	4	5	8	6	11	5	6	-
Affections of the arteries (atheroma aneurism, etc)	67	2	4	6	6	6	4	4	6	6	6	8	9	-
Embolism and thrombosis	47	3	6	1	5	6	5	2	5	4	5	3	2	-
Affections of the veins (varices, hemorrhoids, phlebitis, etc)	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Affections of the lymphatic system	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhages	18	3	2	2	-	3	-	1	1	1	2	3	-	-
Other affections of the circulatory system	3	-	-	1	-	-	-	-	1	-	1	-	-	-
IV.—Diseases of the respiratory system	1,330	81	129	212	179	139	104	56	33	44	91	119	143	-
Affections of the larynx	15	1	3	3	-	-	-	-	3	1	1	2	1	-
Affections of the thyroid body	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis	95	6	6	20	7	13	12	3	2	5	6	4	11	-
Chronic bronchitis	92	7	5	18	15	9	6	3	3	3	7	4	12	-
Broncho pneumonia	181	8	17	23	21	18	11	5	7	8	27	14	22	-
Pneumonia	789	53	86	126	122	87	64	31	9	14	39	83	75	-
Pleurisy	17	-	1	3	1	2	3	1	1	-	2	1	2	-
Congestion of the lungs	74	3	8	8	7	6	5	5	3	7	4	8	10	-
Gangrene of the lungs	10	1	-	2	2	-	-	1	-	-	2	1	1	-
Asthma	30	1	1	7	3	2	1	4	1	3	2	-	5	-
Emphysema of the lungs	6	1	-	-	1	2	-	-	-	-	-	-	2	-
Other diseases of the respiratory system	20	-	2	2	-	-	2	3	4	3	1	2	1	-
V.—Diseases of the digestive system	1,366	55	62	72	55	66	66	103	322	300	127	71	66	
Affections of the mouth and its adnexa	4	1	-	-	-	-	-	1	1	-	-	-	1	-
Affections of the pharynx	11	-	2	3	-	-	-	-	2	1	-	3	-	-
Affections of the esophagus	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Ulcer of the stomach	23	-	2	1	1	1	3	2	3	1	4	3	2	-
Other affections of the stomach (cancer excepted)	146	7	13	13	11	13	8	19	13	12	9	14	14	-
Infantile diarrhea (under 2 years)	652	11	5	10	5	7	14	48	244	210	70	18	10	-
Diarrhea and enteritis (two years and over)	139	4	5	11	5	6	8	10	24	39	17	2	8	-
Hernias and other intestinal obstructions	84	7	7	6	5	7	6	8	9	7	9	7	6	-
Other affections of the intestines	30	2	1	3	2	4	1	-	5	4	4	4	-	-
Acute yellow atrophy of liver	4	1	-	-	1	-	1	1	-	-	-	-	-	-
Hydatid tumors of the liver	3	-	-	-	-	1	1	-	-	1	-	-	-	-
Cirrhosis of the liver	43	4	1	2	4	3	6	2	4	4	3	1	8	1
Biliary calculi	19	1	1	4	2	-	1	1	1	2	1	3	2	-
Other affections of the liver	65	9	9	7	4	10	6	3	4	4	2	2	5	-
Affections of the spleen	5	-	-	-	-	2	-	1	-	-	-	2	-	-
Inflammatory peritonitis (puerperal excepted)	59	4	9	6	4	6	2	2	9	4	4	6	3	-
Other affections of the digestive system (cancer and tuberculosis excepted)	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Appendicitis and abscess of the iliac fossa	75	4	7	6	10	6	9	5	3	10	4	5	6	-
VI.—Diseases of the genito-urinary system and its adnexa	853	84	56	86	90	66	63	70	69	74	64	58	71	2
Acute nephritis	63	7	6	9	8	5	3	1	1	3	6	6	8	-
Bright's disease	652	55	41	61	71	53	55	63	55	58	45	44	49	2
Other diseases of the kidneys and their adnexa	21	3	1	2	4	1	-	2	1	2	2	1	2	-
Calculi of the urinary tract	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Diseases of the bladder	39	6	2	4	2	2	2	-	3	5	4	4	5	-
Diseases of the urethra, urinary abscess, etc	3	1	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of the prostate	24	1	2	4	-	3	1	1	3	3	2	-	4	-
Non-venereal diseases of the male genital organs	2	1	-	-	-	-	-	-	-	-	-	-	1	-

Digitized by Google

TABLE No. 31—Concluded.
Deaths from all Causes by Months—1906.

Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Metritis	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	4	-	-	2	1	-	-	-	-	-	1	-	-	-
Uterine tumors (non-cancerous)	11	1	1	1	-	1	-	1	2	1	1	-	2	-
Other diseases of the uterus	13	5	1	1	1	-	1	-	1	1	-	2	-	-
Cysts and other tumors of ovary	6	2	-	1	1	-	-	-	-	-	2	-	-	-
Other diseases of female genital organs	11	2	1	1	2	1	1	1	-	1	1	-	-	-
Non-puerperal diseases of the breast (cancer excepted)	1	-	-	-	-	-	-	-	1	-	-	-	-	-
VII.—The puerperal state	101	10	11	13	7	8	7	11	6	8	7	6	7	-
Accidents of pregnancy	17	2	3	1	-	2	-	3	2	1	1	-	2	-
Puerperal hemorrhage	6	-	-	-	1	-	2	1	-	-	2	-	-	-
Other accidents of labor	12	-	3	2	-	2	1	-	-	-	2	2	-	-
Puerperal septicemia	25	5	1	4	2	2	1	1	-	3	1	3	2	-
Puerperal albuminuria and eclampsia	27	3	3	3	1	2	2	3	3	3	1	1	2	-
Other puerperal accidents, sudden death	14	-	1	3	3	-	1	3	1	1	-	-	1	-
VIII.—Diseases of the skin and cellular tissue	88	9	4	11	13	5	7	6	7	5	6	8	7	-
Gangrene	67	6	4	8	10	4	6	3	6	1	6	7	6	-
Furuncle, boil, carbuncle	8	1	-	-	-	-	1	2	-	3	-	-	1	-
Phlegmon, acute abscess	7	-	-	2	2	1	-	1	-	1	-	-	-	-
Other diseases of the skin and its adnexa	6	2	-	1	1	-	-	-	1	-	-	1	-	-
IX.—Diseases of the organs of locomotion	17	2	3	2	1	3	2	-	-	1	3	-	-	-
Non-tuberculous diseases of the bones	14	2	2	2	1	3	1	-	-	1	2	-	-	-
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Other diseases of organs of locomotion	1	-	1	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.														
Malformations, congenital (still-births excepted)	86	11	6	6	10	5	6	7	5	8	5	7	10	-
XI.—Early infancy	488	38	40	36	48	44	41	36	37	46	46	38	36	2
Congenital icterus, debility and sclerema	388	34	29	28	36	34	29	30	31	37	37	31	30	2
Other diseases of early infancy	39	-	4	2	8	5	5	1	3	3	3	3	2	-
Lack of care	61	4	7	6	4	5	7	5	3	6	6	4	4	-
XII.—Old age.														
Senile debility	535	53	50	36	38	53	36	49	39	42	47	42	50	-
XIII.—Deaths from external causes	586	36	36	33	44	54	54	65	76	49	47	44	46	2
Suicide by poison	12	1	2	2	2	1	1	-	1	-	1	-	1	-
Suicide by asphyxia	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Suicide by hanging or strangulation	21	-	-	2	4	-	2	2	3	2	1	3	2	-
Suicide by drowning	11	1	-	-	1	-	2	-	2	2	2	1	-	-
Suicide by firearms	32	-	2	2	1	3	1	3	3	9	-	4	3	1
Suicide by cutting instruments	5	-	-	1	1	-	-	1	-	-	-	1	1	-
Suicide by jumping from high places	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other suicides	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Fractures	44	1	7	5	3	3	5	3	3	5	2	5	2	-
Other accidental injuries	191	20	12	8	10	23	12	8	21	20	18	15	23	-
Burns and scalds	41	5	1	4	7	1	2	2	3	2	6	3	5	-
Sunstroke	6	-	-	-	-	-	-	2	3	1	-	-	-	-
Freezing	4	2	1	-	-	-	-	-	-	-	-	-	1	-
Electric shock	14	-	-	1	1	1	-	3	5	1	2	-	-	-
Accidental drowning	126	1	-	2	3	18	23	30	28	3	8	7	2	1
Inhalation of deleterious gases (suicide excepted)	12	-	6	-	1	-	-	-	-	-	3	-	2	-
Other acute poisonings	31	2	1	5	4	1	4	5	4	-	1	2	2	-
Other external violence	32	2	3	1	6	3	1	5	-	4	3	3	1	-
XIV.—Deaths from ill-defined causes	435	32	26	37	34	41	27	34	39	53	32	36	41	3
Dropsy	8	-	-	1	2	1	-	1	-	-	-	2	1	-
Sudden death	40	3	1	3	1	5	3	3	5	2	3	5	6	-
Unspecified or ill-defined causes of death	367	29	25	33	31	35	24	30	34	51	29	29	34	3

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Total.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
All causes	Totals	68,262	10,641	1834	857	514	439	14,285
	Males	35,020	5,928	960	444	278	227	7,837
	Females	33,189	4,677	874	413	236	212	6,412
	Not stated	53	36	-	-	-	-	36
Typhoid fever	Totals	1,142	6	3	10	4	10	33
	Males	664	1	1	5	1	5	13
	Females	478	5	2	5	3	5	20
Typhus fever	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Intermittent fever and malarial cachexia	Totals	67	-	-	1	-	-	1
	Males	65	-	-	1	-	-	1
	Females	2	-	-	-	-	-	-
Smallpox	Totals	22	4	-	1	-	-	5
	Males	14	4	-	-	-	-	4
	Females	8	-	-	1	-	-	1
Measles	Totals	249	70	56	19	8	2	155
	Males	117	41	25	8	5	1	80
	Females	131	28	31	11	3	1	74
	Not stated	1	1	-	-	-	-	1
Scarlatina	Totals	71	4	5	8	8	13	38
	Males	30	1	3	5	3	6	18
	Females	41	3	2	3	5	7	20
Whooping cough	Totals	390	253	75	25	14	6	373
	Males	193	123	39	12	6	2	182
	Females	197	130	36	13	8	4	191
Diphtheria and croup	Totals	748	85	82	91	82	81	421
	Males	405	50	46	54	46	48	244
	Females	343	35	36	37	36	33	177
Influenza	Totals	1,102	139	34	10	8	8	199
	Males	496	83	16	5	4	3	111
	Females	606	56	18	5	4	5	88
Cholera nostras	Totals	106	11	1	8	3	5	28
	Males	51	7	-	3	1	2	13
	Females	55	4	1	5	2	3	15
Dysentery	Totals	206	38	13	10	13	9	83
	Males	90	19	7	3	10	6	45
	Females	116	19	6	7	3	3	38
Erysipelas	Totals	138	18	-	1	-	-	19
	Males	74	9	-	-	-	-	9
	Females	64	9	-	1	-	-	10
Other epidemic affections	Totals	5	1	1	-	1	-	3
	Males	3	-	1	-	-	-	1
	Females	2	1	-	-	1	-	2
Purulent and septicemic affections	Totals	278	19	1	1	1	2	24
	Males	154	7	-	-	1	-	8
	Females	124	12	1	1	-	2	16
Glanders and farcy	Totals	3	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Malignant pustule and anthrax	Totals	4	1	-	-	-	-	1
	Males	3	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Rabies	Totals	1	-	-	1	-	-	1
	Males	-	-	-	-	-	-	-
	Females	1	-	-	1	-	-	1
Actinomycosis, trichinosis, etc	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Tuberculosis of larynx	Totals	69	-	1	1	-	-	2
	Males	46	-	1	-	-	-	1
	Females	23	-	-	1	-	-	1
Tuberculosis of lungs	Totals	5,729	77	34	21	18	11	161
	Males	2,559	48	17	7	10	6	88
	Females	3,170	29	17	14	8	5	73

Digitized by Google

No. 32.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
1308	1003	1810	2406	2339	2115	2052	2097	2405	2778	3342	4076	5259	5643	5842	4664	2877	1107	276	32	546
686	488	882	1165	1069	972	975	1014	1219	1446	1733	2182	2718	2963	3065	2355	1354	450	92	11	344
622	515	928	1241	1270	1143	1077	1083	1186	1332	1609	1894	2541	2680	2777	2308	1523	657	184	21	186
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	16
76	78	178	205	148	97	82	54	60	33	28	21	18	11	10	1	-	-	-	-	9
34	33	89	125	98	62	56	34	41	22	14	14	10	7	5	-	-	-	-	-	7
42	45	89	80	50	35	26	20	19	11	14	7	8	4	5	1	-	-	-	-	2
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	3	2	1	-	-	1	1	5	21	14	8	4	5	1	-	-	-	-
-	-	-	3	2	-	-	-	1	1	5	21	14	8	4	4	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	-	-	1	1	3	-	1	5	1	1	1	-	-	-	-	-	-	-	-	1
2	-	-	-	-	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	1
-	-	-	1	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
18	8	6	6	6	11	8	3	5	3	4	2	4	3	1	2	2	-	-	-	2
10	4	2	1	-	3	3	1	3	2	1	2	2	1	-	1	-	-	-	-	1
8	4	4	5	6	8	5	2	2	1	3	-	2	2	1	1	2	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	10	1	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	7	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
11	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2
7	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
189	69	25	12	10	2	6	3	3	1	1	1	2	1	-	-	-	-	-	-	2
96	32	11	7	6	-	4	-	2	1	-	-	-	-	-	-	-	-	-	-	2
93	37	14	5	4	2	2	3	1	-	1	1	2	1	-	-	-	-	-	-	-
25	11	9	11	15	13	11	14	27	20	33	48	74	123	165	174	89	30	7	1	3
13	2	4	4	6	5	4	8	13	10	13	18	33	53	74	79	36	7	1	-	2
12	9	5	7	9	8	7	6	14	10	20	30	41	70	91	95	53	23	6	1	1
7	3	-	-	1	1	-	1	3	2	1	4	6	9	21	7	8	-	1	-	3
4	2	-	-	1	-	-	1	2	2	1	2	-	2	11	3	4	-	-	-	3
3	1	-	-	-	1	-	-	1	-	-	2	6	7	10	4	4	-	1	-	-
9	1	1	1	3	3	2	-	6	2	7	6	11	24	19	10	10	8	-	-	-
2	1	-	-	1	1	1	-	1	-	-	5	3	13	10	3	2	2	-	-	-
7	-	1	1	2	2	1	-	5	2	7	1	8	11	9	7	8	6	-	-	-
-	2	2	3	3	7	5	3	9	11	11	6	9	14	15	8	5	5	1	-	-
-	1	1	1	1	7	4	1	2	5	6	2	8	6	10	6	2	2	-	-	-
-	1	1	2	2	-	1	2	7	6	5	4	1	8	5	2	3	3	1	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	7	12	10	19	20	13	14	21	18	17	22	26	22	13	12	2	1	-	-	1
3	4	9	4	6	9	7	8	13	13	9	13	16	13	9	7	1	1	-	-	1
1	3	3	6	13	11	6	6	8	5	8	9	10	9	4	5	1	-	-	-	-
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	3	9	11	11	10	3	2	3	4	4	3	2	1	-	-	-	-	-	-
-	-	2	5	7	8	8	1	1	3	4	3	2	-	1	-	-	-	-	-	-
-	1	1	4	4	3	2	2	1	-	-	1	1	2	-	-	-	-	-	-	-
56	112	559	867	815	608	453	383	331	265	266	234	231	180	122	52	12	2	-	-	20
25	28	212	356	346	264	187	177	167	142	144	128	116	76	63	22	6	1	-	-	11
31	84	347	511	469	344	266	206	164	123	122	106	115	104	59	30	6	1	-	-	9

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2	2.	3.	4.	Total under 5
Tuberculosis of meninges	Totals	416	100	57	36	18	24	235
	Males	204	51	29	20	8	12	120
	Females	212	49	28	16	10	12	115
Tuberculosis of peritoneum	Totals	346	16	8	4	1	2	31
	Males	139	11	3	-	-	1	15
	Females	207	5	5	4	1	1	16
Pott's disease	Totals	58	4	2	1	-	1	8
	Males	28	2	1	-	-	-	3
	Females	30	2	1	1	-	1	5
Cold abscess	Totals	13	2	-	1	-	-	3
	Males	5	1	-	1	-	-	2
	Females	8	1	-	-	-	-	1
White swelling	Totals	25	-	-	-	-	-	-
	Males	15	-	-	-	-	-	-
	Females	10	-	-	-	-	-	-
Tuberculosis of other organs	Totals	77	5	5	-	-	-	10
	Males	43	3	4	-	-	-	7
	Females	34	2	1	-	-	-	3
General tuberculosis	Totals	260	14	1	6	1	-	22
	Males	127	9	1	5	1	-	16
	Females	133	5	-	1	-	-	6
Scrofula	Totals	36	15	5	-	1	-	21
	Males	19	11	2	-	-	-	13
	Females	17	4	3	-	1	-	8
Syphilis	Totals	48	14	2	-	-	-	16
	Males	31	9	1	-	-	-	10
	Females	17	5	1	-	-	-	6
Gonorrhea	Totals	2	1	-	-	-	-	1
	Males	1	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1
Cancer of mouth	Totals	141	-	-	-	-	-	-
	Males	115	-	-	-	-	-	-
	Females	26	-	-	-	-	-	-
Cancer of stomach and liver	Totals	1,401	2	-	-	-	-	2
	Males	662	-	-	-	-	-	-
	Females	739	2	-	-	-	-	2
Cancer of peritoneum, intestines and rectum	Totals	453	1	-	-	-	-	1
	Males	165	1	-	-	-	-	1
	Females	288	-	-	-	-	-	-
Cancer of female genital organs	Totals	550	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	550	-	-	-	-	-	-
Cancer of breast	Totals	323	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	321	-	-	-	-	-	-
Cancer of skin	Totals	164	-	-	-	-	-	-
	Males	113	-	-	-	-	-	-
	Females	51	-	-	-	-	-	-
Cancer of other organs and organs not specified	Totals	641	2	2	-	2	-	6
	Males	296	-	1	-	2	-	3
	Females	345	2	1	-	-	-	3
Other tumors	Totals	63	-	1	-	-	-	1
	Males	15	-	-	-	-	-	-
	Females	48	-	1	-	-	-	1
Acute articular rheumatism	Totals	230	-	1	-	6	-	7
	Males	111	-	1	-	3	-	4
	Females	89	-	-	-	3	-	3
Chronic rheumatism and gout	Totals	130	-	-	-	-	-	-
	Males	63	-	-	-	-	-	-
	Females	67	-	-	-	-	-	-
Scurvy	Totals	1	1	-	-	-	-	1
	Males	-	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
67	26	21	18	12	10	4	4	4	3	2	2	5	-	-	-	-	-	-	-	3
31	13	9	7	7	5	3	2	2	2	-	-	1	-	-	-	-	-	-	-	2
36	13	12	11	5	5	1	2	2	1	2	2	4	-	-	-	-	-	-	-	1
15	11	33	44	40	20	22	17	20	16	10	20	21	10	8	4	2	-	1	-	1
8	2	12	18	12	5	10	5	8	7	5	14	7	4	4	2	1	-	-	-	-
7	9	21	26	28	15	12	12	12	9	5	6	14	6	4	2	1	-	1	-	1
3	6	4	2	7	4	4	2	3	1	2	5	5	-	1	1	-	-	-	-	-
2	3	3	1	4	2	-	1	1	1	1	3	2	-	1	-	-	-	-	-	-
1	3	1	1	3	2	4	1	2	-	1	2	3	-	-	1	-	-	-	-	-
-	1	1	-	1	3	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	3	4	1	4	3	-	1	-	-	2	2	1	1	-	-	-	-	-	-	-
1	1	2	1	2	2	-	1	-	-	2	2	-	1	-	-	-	-	-	-	-
2	2	2	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	3	6	7	4	4	5	4	2	5	5	2	4	8	4	2	-	-	-	-	-
1	1	3	3	4	-	3	3	1	2	3	-	2	6	3	1	-	-	-	-	-
1	3	3	4	-	4	2	1	1	3	2	2	2	2	1	1	-	-	-	-	-
9	15	28	38	29	22	21	14	15	13	8	8	8	6	-	3	-	-	-	-	1
5	4	15	19	8	6	12	7	6	10	4	3	4	6	-	1	-	-	-	-	1
4	11	13	19	21	16	9	7	9	3	4	5	4	-	-	2	-	-	-	-	-
-	2	1	2	-	2	1	-	-	1	1	-	1	1	2	-	-	-	-	-	1
-	1	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1
-	1	1	1	-	1	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
-	-	-	4	1	4	1	6	4	4	5	-	2	-	-	1	-	-	-	-	-
-	-	-	2	-	2	1	5	3	3	3	-	1	-	-	1	-	-	-	-	-
-	-	-	2	1	2	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	2	3	3	5	9	14	17	30	16	20	9	9	1	-	-	-
1	-	-	1	1	1	3	2	5	8	11	13	24	14	16	8	6	1	-	-	-
-	-	-	-	-	1	-	1	-	1	3	4	6	2	4	1	3	-	-	-	-
-	1	3	3	5	21	29	57	77	124	157	187	219	239	159	89	20	3	1	-	5
-	-	1	2	1	9	13	27	29	53	68	85	109	124	87	40	9	1	-	-	4
-	1	2	1	4	12	16	30	48	71	89	102	110	115	72	49	11	2	1	-	1
1	-	1	-	2	11	13	19	35	43	60	70	58	55	57	19	4	1	1	-	2
1	-	1	-	2	4	5	4	12	13	21	20	25	21	24	8	2	-	-	-	1
-	-	-	-	-	7	8	15	23	30	39	50	33	34	33	11	2	1	1	-	1
-	-	-	1	12	31	45	51	71	84	62	69	49	41	21	8	2	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	12	31	45	51	71	84	62	69	49	41	21	8	2	1	-	-	2
-	-	-	-	1	7	15	16	34	37	34	48	38	34	35	12	6	6	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	7	15	16	34	37	33	48	38	34	34	12	6	6	-	-	-
-	1	-	-	-	-	2	6	4	14	12	15	17	21	25	27	13	5	2	-	-
-	-	-	-	-	-	-	4	3	13	8	13	13	14	18	19	7	1	-	-	-
-	1	-	-	-	-	2	2	1	1	4	2	4	7	7	8	6	4	2	-	-
2	2	6	8	14	11	27	32	43	44	79	76	67	80	69	42	17	9	-	-	7
1	-	3	4	7	7	9	10	12	10	33	43	32	42	39	22	12	2	-	-	5
1	2	3	4	7	4	18	22	31	34	46	33	35	38	30	20	5	7	-	-	2
-	-	-	-	-	-	2	-	11	5	9	6	11	5	7	2	3	-	-	-	1
-	-	-	-	-	-	-	-	3	2	2	3	1	1	2	1	-	-	-	-	-
-	-	-	-	-	-	2	-	8	3	7	3	10	4	5	1	3	-	-	-	1
14	9	17	9	6	8	8	8	8	7	15	12	22	24	15	7	3	-	1	-	-
7	4	6	4	5	5	4	3	4	4	6	7	15	18	10	2	3	-	-	-	-
7	5	11	5	1	3	4	5	4	3	9	5	7	6	5	5	-	-	1	-	-
-	1	-	1	4	2	4	6	5	8	10	10	25	20	20	8	4	1	-	-	1
-	1	-	1	1	1	2	2	3	3	3	7	13	10	10	5	-	-	-	-	1
-	-	-	-	3	1	2	4	2	5	7	3	12	10	10	3	4	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Deaths.	Sex.	Total.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Diabetes	Totals	589	-	2	5	3	4	14
	Males	282	-	1	4	2	3	10
	Females	307	-	1	1	1	1	4
Exophthalmic goiter	Totals	11	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Addison's disease	Totals	29	-	-	1	-	-	1
	Males	18	-	-	1	-	-	1
	Females	11	-	-	-	-	-	-
Leukemia	Totals	46	2	1	3	1	1	8
	Males	28	1	1	1	-	1	4
	Females	18	1	-	2	1	-	4
Anemia, chlorosis	Totals	310	35	9	3	1	2	50
	Males	110	13	3	1	-	1	18
	Females	200	22	6	2	1	1	32
Other general diseases	Totals	20	5	1	-	3	-	9
	Males	9	1	1	-	3	-	5
	Females	11	4	-	-	-	-	4
Alcoholism, acute or chronic	Totals	144	-	-	-	-	-	-
	Males	129	-	-	-	-	-	-
	Females	15	-	-	-	-	-	-
Chronic lead poisonings	Totals	4	-	-	-	2	-	2
	Males	3	-	-	-	1	-	1
	Females	1	-	-	-	1	-	1
Other chronic poisonings	Totals	21	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	14	-	-	-	-	-	-
Encephalitis	Totals	55	21	5	4	1	-	31
	Males	45	16	3	2	-	-	21
	Females	40	5	2	2	1	-	10
Simple meningitis	Totals	1,305	498	165	68	45	35	811
	Males	676	265	88	34	24	16	427
	Females	628	232	77	34	21	19	383
	Not stated	1	1	-	-	-	-	1
Epidemic cerebro-spinal meningitis	Totals	77	24	9	7	2	4	46
	Males	37	14	2	4	1	2	23
	Females	40	10	7	3	1	2	23
Progressive locomotor ataxia	Totals	123	1	-	-	-	-	1
	Males	84	1	-	-	-	-	1
	Females	39		-	-	-	-	-
Other diseases of the spinal cord	Totals	290	13	5	1	2	-	21
	Males	158	7	1	-	2	-	10
	Females	132	6	4	1	-	-	11
Congestion and hemorrhage of brain	Totals	4,164	58	12	5	-	1	76
	Males	2,074	35	7	2	-	-	44
	Females	2,090	23	5	3	-	1	32
Softening of the brain	Totals	228	-	-	-	-	-	-
	Males	125	-	-	-	-	-	-
	Females	103	-	-	-	-	-	-
Paralysis without specified cause	Totals	1,413	9	4	-	-	-	13
	Males	664	6	1	-	-	-	7
	Females	749	3	3	-	-	-	6
General paralysis	Totals	138	-	-	-	-	-	-
	Males	80	-	-	-	-	-	-
	Females	58	-	-	-	-	-	-
Other forms of mental alienation	Totals	428	-	-	-	-	-	-
	Males	179	-	-	-	-	-	-
	Females	249	-	-	-	-	-	-
Epilepsy	Totals	190	10	1	1	1	2	15
	Males	104	4	1	1	1	2	9
	Females	86	6	-	-	-	-	6
Eclampsia (non-puerperal)	Totals	59	-	-	-	-	-	-
	Males	16	-	-	-	-	-	-
	Females	43	-	-	-	-	-	-

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
12	23	20	12	23	19	16	31	28	52	51	77	83	56	40	22	8	-	1	-	1
4	15	13	2	13	11	8	25	15	26	22	31	26	22	22	12	5	-	-	-	-
8	8	7	10	10	8	8	6	13	26	29	46	57	34	18	10	3	-	1	-	1
-	-	1	-	2	3	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	2	2	-	3	4	4	2	4	2	2	1	-	1	-	-	-	-	-
-	-	1	1	1	-	3	2	1	-	4	1	2	1	-	-	-	-	-	-	-
-	-	-	1	1	-	-	2	3	2	-	1	-	-	-	1	-	-	-	-	-
1	1	-	2	6	2	2	1	2	5	5	3	5	3	-	-	-	-	-	-	-
1	-	-	-	2	1	1	1	2	4	4	3	2	3	-	-	-	-	-	-	-
-	1	-	2	4	1	1	-	-	1	1	-	3	-	-	-	-	-	-	-	-
3	10	6	16	17	22	8	27	13	28	30	21	19	16	18	2	4	-	-	-	-
2	-	2	3	1	4	2	3	5	12	12	11	14	9	7	1	4	-	-	-	-
1	10	4	13	16	18	6	24	8	16	18	10	5	7	11	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	2	3	-	1	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	3	-	-	2	-	-	-	-	-	-
1	-	2	2	10	14	25	23	20	10	12	9	5	4	1	2	-	-	-	-	5
-	-	2	2	8	13	20	21	17	10	11	9	4	4	1	2	-	-	-	-	5
-	-	-	-	2	1	5	2	3	-	1	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	3	1	4	1	3	2	2	2	1	1	-	-	-	-	-
-	-	-	1	-	-	-	1	2	-	-	-	-	1	1	1	-	-	-	-	-
-	-	-	-	-	-	3	-	2	1	3	2	2	1	-	-	-	-	-	-	-
6	4	4	1	1	2	-	3	4	4	-	4	2	6	8	4	-	-	-	-	1
1	3	1	-	-	-	-	1	1	3	-	2	2	4	5	1	-	-	-	-	-
5	1	3	1	1	2	-	2	3	1	-	2	-	2	3	3	-	-	-	-	1
91	72	45	30	30	32	20	20	29	28	22	19	18	12	11	10	2	1	-	-	2
40	27	24	16	19	14	13	12	11	14	15	17	11	6	5	4	1	-	-	-	-
51	45	21	14	11	18	7	8	18	14	7	2	7	6	6	6	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	6	2	2	2	3	-	-	-	1	-	1	-	1	1	-	-	-	-	1
3	1	4	-	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
4	3	2	2	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	1	-	2	3	2	9	11	20	17	21	23	6	3	1	1	-	-	2
-	-	-	1	-	1	2	2	7	6	17	14	12	14	4	-	-	1	-	-	2
-	-	-	-	-	1	1	-	2	5	3	3	9	9	2	3	1	-	-	-	-
5	3	3	-	6	7	8	8	17	11	28	30	49	48	30	13	2	-	-	-	1
2	2	2	-	3	4	4	3	7	5	16	19	27	29	15	7	2	-	-	-	1
3	1	1	-	3	2	4	5	10	6	12	11	22	18	15	6	-	-	-	-	-
10	2	18	19	23	33	47	87	121	239	290	405	608	680	693	498	227	58	10	-	20
7	1	5	8	13	19	25	53	62	191	151	205	302	341	344	224	113	21	2	-	10
3	1	10	11	10	14	22	34	59	118	139	200	306	339	349	274	114	37	8	-	10
1	-	-	1	-	1	-	3	5	8	11	23	35	37	54	33	12	2	1	-	1
1	-	-	1	-	-	-	-	5	3	6	13	17	20	37	16	3	2	1	-	-
-	-	-	-	-	1	-	3	-	5	5	10	18	17	17	17	9	-	-	-	1
1	4	5	1	8	14	15	27	49	67	82	139	203	228	261	178	76	33	3	-	6
1	3	2	1	4	5	13	18	28	31	35	62	86	99	125	90	30	17	-	-	2
-	1	3	-	4	9	2	14	21	36	47	77	107	129	136	88	46	16	3	-	4
-	-	-	-	1	3	7	4	11	6	12	15	19	18	16	16	7	1	1	-	1
-	-	-	-	1	2	4	3	9	4	7	9	8	9	8	10	5	-	-	-	1
-	-	-	-	-	1	3	1	2	2	5	6	11	9	8	6	2	1	1	-	-
-	1	4	12	13	33	29	42	37	42	40	34	57	34	28	10	7	2	1	-	2
-	-	3	6	6	15	16	16	12	13	16	14	25	12	12	6	5	1	-	-	1
-	1	1	6	7	18	13	26	25	29	24	20	32	22	16	4	2	1	1	-	1
4	5	17	21	12	16	11	23	7	8	7	10	8	9	5	6	2	1	-	-	3
3	4	7	11	6	8	8	10	6	3	4	5	5	5	1	3	2	1	-	-	3
1	1	10	10	6	8	3	13	1	5	3	5	3	4	4	3	-	-	-	-	-
16	4	5	5	11	3	2	2	2	2	3	1	1	-	-	-	-	-	-	-	2
6	1	-	2	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	2
10	3	5	3	11	3	1	1	2	-	2	1	1	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from All Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Convulsions of children	Totals	550	398	86	38	15	11	548
	Males	306	225	47	24	4	5	305
	Females	244	173	39	14	11	6	243
Tetanus	Totals	48	4	-	-	-	2	6
	Males	32	4	-	-	-	2	6
	Females	16	-	-	-	-	-	-
Chorea	Totals	5	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	5	-	-	-	-	-	-
Other diseases of nervous system	Totals	485	32	8	3	5	2	50
	Males	228	15	6	-	2	-	23
	Females	256	16	2	3	3	2	26
	Not stated	1	1	-	-	-	-	1
Diseases of the eye and its adnexa	Totals	5	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Diseases of the ear	Totals	13	6	-	3	-	-	9
	Males	9	5	-	1	-	-	6
	Females	4	1	-	2	-	-	3
Pericarditis	Totals	64	-	-	-	-	1	1
	Males	29	-	-	-	-	-	-
	Females	35	-	-	-	-	1	1
Acute endocarditis	Totals	243	3	-	-	1	1	5
	Males	125	3	-	-	1	-	4
	Females	118	-	-	-	-	1	1
Organic diseases of heart	Totals	6,182	93	13	2	3	5	116
	Males	3,468	59	4	1	3	1	68
	Females	2,714	34	9	1	-	4	48
Angina pectoris	Totals	496	-	-	-	-	-	-
	Males	287	-	-	-	-	-	-
	Females	209	-	-	-	-	-	-
Affections of the arteries (atheroma, aneurism, etc.)	Totals	245	1	1	-	-	-	2
	Males	165	-	-	-	-	-	-
	Females	80	1	1	-	-	-	2
Embolism and thrombosis	Totals	248	4	-	-	-	1	5
	Males	116	2	-	-	-	1	3
	Females	132	2	-	-	-	-	2
Affections of the veins (varices, hemorrhoids, phlebitis etc)	Totals	19	-	-	-	-	-	-
	Males	8	-	-	-	-	-	-
	Females	11	-	-	-	-	-	-
Affections of the lymphatic system	Totals	3	1	-	-	-	-	1
	Males	2	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Hemorrhages	Totals	98	22	4	3	-	-	29
	Males	41	12	1	-	-	-	13
	Females	57	10	3	3	-	-	16
Other affections of the circulatory system	Totals	6	3	-	-	-	-	3
	Males	-	-	-	-	-	-	-
	Females	6	3	-	-	-	-	3
Diseases of the nasal fossae	Totals	4	1	1	-	-	-	2
	Males	3	1	-	-	-	-	1
	Females	1	-	1	-	-	-	1
Affections of the larynx	Totals	94	20	21	11	5	5	62
	Males	51	11	15	5	3	1	35
	Females	43	9	6	6	2	4	27
Affections of the thyroid body	Totals	14	-	-	-	1	-	1
	Males	1	-	-	-	-	-	-
	Females	13	-	-	-	1	-	1
Acute bronchitis	Totals	718	353	87	28	11	5	484
	Males	335	194	45	10	6	1	256
	Females	383	159	42	18	5	4	228

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5	7	4	2	6	3	2	4	3	1	-	1	-	2	1	-	1	-	-	-	-
4	6	4	1	2	-	1	2	2	1	-	1	-	1	1	-	-	-	-	-	-
1	1	-	1	4	3	1	2	1	-	-	-	-	1	-	-	1	-	-	-	-
-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
11	11	15	14	16	21	19	18	27	47	39	40	52	38	43	17	6	-	-	-	1
9	4	9	4	4	9	8	11	15	22	18	23	25	15	20	7	2	-	-	-	-
2	7	6	10	12	12	11	7	12	25	21	17	27	23	23	10	4	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	4	4	2	2	2	2	-	1	3	4	5	9	9	7	5	-	-	-	-	-
2	1	2	-	2	2	-	-	-	3	2	2	4	4	4	1	-	-	-	-	-
2	3	2	2	-	-	2	-	1	-	2	3	5	5	3	4	-	-	-	-	-
8	3	7	5	7	5	7	9	7	13	20	27	26	33	36	15	8	1	-	-	1
3	3	3	1	4	3	3	6	6	5	10	18	9	16	17	8	5	1	-	-	-
5	-	4	4	3	2	4	3	1	8	10	9	17	17	19	7	3	-	-	-	1
22	39	51	57	92	104	136	154	222	288	482	653	886	938	926	632	281	66	9	1	27
6	16	26	24	41	42	71	69	112	160	272	400	529	559	540	355	131	24	4	1	18
16	23	25	33	51	62	65	85	110	128	210	253	357	379	386	277	150	42	5	-	9
1	-	3	7	8	4	2	12	29	33	41	62	80	77	66	44	20	4	1	-	2
-	-	1	2	1	2	1	7	22	22	29	42	41	43	33	24	13	2	-	-	2
1	-	2	5	7	2	1	5	7	11	12	20	39	34	33	20	7	2	1	-	-
-	-	-	-	-	-	10	5	4	9	5	24	31	47	43	36	16	12	-	-	1
-	-	-	-	-	-	5	3	2	5	3	20	21	29	37	21	10	9	-	-	-
-	-	-	-	-	-	5	2	2	4	2	4	10	18	6	15	6	3	-	-	1
-	3	7	9	9	8	7	16	12	12	22	21	33	21	42	10	6	2	2	-	1
-	-	-	3	3	4	1	4	5	7	11	13	16	16	22	6	2	-	-	-	-
-	3	7	6	6	4	6	12	7	5	11	8	17	5	20	4	4	2	2	-	1
-	-	-	-	-	1	-	2	-	1	1	3	5	4	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	3	1	1	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	-	2	2	3	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3	1	-	5	5	3	12	1	4	3	4	5	7	9	3	1	2	1	-	-	-
2	-	-	3	-	1	6	1	2	2	2	2	3	1	1	-	1	1	-	-	-
1	1	-	2	5	2	6	-	2	1	2	3	4	8	2	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	2	2	1	2	2	1	-	1	1	1	-	2	-	1	-	-	-	-	-	-
10	-	1	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
6	2	1	-	1	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	2	1	1	1	5	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	2	1	1	1	4	-	1	-	-	-	-	-	-	-
4	3	3	4	2	2	-	2	1	5	4	12	24	30	43	47	35	9	3	-	1
-	1	-	3	1	1	-	-	-	1	-	3	11	13	12	14	15	3	1	-	-
4	2	3	1	1	1	-	2	1	4	4	9	13	17	31	33	20	6	2	-	1

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Chronic bronchitis	Totals	582	9	4	-	1	-	14
	Males	246	5	-	-	1	-	6
	Females	336	4	4	-	-	-	8
Broncho pneumonia	Totals	902	250	113	48	14	13	438
	Males	420	122	57	26	7	7	219
	Females	481	127	56	22	7	6	218
	Not stated	1	1	-	-	-	-	1
Pneumonia	Totals	5,151	702	251	113	57	34	1157
	Males	2,591	385	136	51	30	21	623
	Females	2,557	316	115	62	27	13	533
	Not stated.	3	1	-	-	-	-	1
Pleurisy	Totals	119	5	2	-	1	-	8
	Males	75	2	1	-	-	-	3
	Females	44	3	1	-	1	-	5
Congestion of the lungs, pulmonary apoplexy	Totals	352	77	14	1	4	2	98
	Males	182	46	8	1	2	2	59
	Females	170	31	6	-	2	-	39
Gangrene of the lungs	Totals	28	-	-	-	-	-	-
	Males	21	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Asthma	Totals	140	9	5	1	-	-	15
	Males	76	3	3	-	-	-	6
	Females	64	6	2	1	-	-	9
Emphysema of the lungs	Totals	22	-	-	-	-	-	-
	Males	13	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted)	Totals	156	16	3	1	-	1	21
	Males	88	7	1	1	-	1	10
	Females	68	9	2	-	-	-	11
Affections of the mouth and its adnexa	Totals	23	16	-	1	-	-	17
	Males	15	9	-	1	-	-	10
	Females	8	7	-	-	-	-	7
Affections of the pharynx	Totals	92	12	4	2	7	6	31
	Males	50	6	2	-	4	4	16
	Females	42	6	2	2	3	2	15
Affections of the esophagus	Totals	8	-	1	-	-	-	1
	Males	3	-	-	-	-	-	-
	Females	5	-	1	-	-	-	1
Ulcer of the stomach	Totals	115	1	1	-	-	-	2
	Males	48	-	1	-	-	-	1
	Females	67	1	-	-	-	-	1
Other affections of the stomach (cancer excepted)	Totals	882	181	30	12	5	4	232
	Males	429	111	13	10	3	2	139
	Females	453	70	17	2	2	2	93
Infantile diarrhea (under 2 years)	Totals	2,912	2527	378	-	-	-	2905
	Males	1,638	1431	204	-	-	-	1635
	Females	1,273	1096	174	-	-	-	1270
	Not stated.	1	-	-	-	-	-	-
Diarrhea and enteritis (two years and over)	Totals	664	-	1	106	46	28	181
	Males	321	-	-	55	33	13	101
	Females	343	-	1	51	13	15	80
Intestinal parasites	Totals	10	1	4	1	1	-	7
	Males	8	1	4	1	-	-	6
	Females	2	-	-	-	1	-	1
Hernias and other intestinal obstructions	Totals	454	51	12	5	4	2	74
	Males	227	33	8	4	1	-	46
	Females	227	18	4	1	3	2	28
Other affections of the intestines	Totals	166	32	3	-	2	5	42
	Males	80	16	2	-	1	-	19
	Females	86	16	1	-	1	5	23
Acute yellow atrophy of liver	Totals	26	3	-	-	-	-	3
	Males	10	2	-	-	-	-	2
	Females	16	1	-	-	-	-	1

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
4	3	5	2	4	8	8	4	6	11	33	34	55	92	104	103	49	30	8	1	4
4	-	3	-	3	3	3	2	3	6	15	19	22	31	47	43	18	13	2	-	3
-	3	2	2	1	5	5	2	3	5	18	15	33	61	57	60	31	17	6	1	1
26	3	3	9	5	4	9	9	19	14	24	33	38	68	74	54	51	16	3	-	2
13	1	1	6	1	2	7	4	12	8	7	18	12	27	31	24	19	4	2	-	2
13	2	2	3	4	2	2	5	7	6	17	15	26	41	43	30	32	12	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	61	115	157	135	142	168	178	211	253	247	304	422	396	462	341	196	61	19	-	20
62	28	55	96	73	76	94	101	124	138	133	138	187	168	221	142	91	23	7	-	11
44	33	60	61	62	66	74	77	87	115	114	166	235	228	241	199	105	38	12	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
5	1	8	11	5	6	5	7	7	7	7	4	5	13	8	8	3	1	-	-	-
3	1	5	9	4	3	4	5	4	3	5	2	4	8	5	4	2	1	-	-	-
2	-	3	2	1	3	1	2	3	4	2	2	1	5	3	4	1	-	-	-	-
10	1	5	6	5	13	9	8	13	7	19	14	22	40	36	17	21	6	1	1	-
5	-	2	3	1	6	2	4	9	3	10	9	11	21	15	9	9	3	1	-	-
5	1	3	3	4	7	7	4	4	4	9	5	11	19	21	8	12	3	-	1	-
-	1	2	1	-	1	2	-	-	1	7	4	4	2	2	1	-	-	-	-	-
-	-	1	1	-	1	2	-	-	1	4	4	2	2	2	1	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	
-	1	-	1	2	-	2	9	4	6	9	15	15	23	24	10	-	-	1	-	3
-	1	-	1	2	-	-	5	1	4	4	8	7	17	13	5	-	-	1	-	1
-	-	-	-	-	-	2	4	3	2	5	7	8	6	11	5	-	-	-	-	2
-	-	-	-	1	-	-	-	1	2	-	6	1	2	4	3	1	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	3	-	2	3	1	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	3	1	-	1	2	1	-	-	-	-
2	1	6	10	7	5	9	7	10	11	17	12	17	8	5	3	3	2	-	-	-
-	-	3	4	3	2	5	6	8	8	11	9	10	3	-	2	2	2	-	-	-
2	1	3	6	4	3	4	1	2	3	6	3	7	5	5	1	1	-	-	-	-
-	-	1	-	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
13	4	4	2	2	5	4	3	1	3	4	1	3	5	3	2	1	1	-	-	-
7	2	4	2	2	5	2	2	1	-	2	1	-	2	1	-	-	1	-	-	-
6	2	-	-	-	-	2	1	-	3	2	-	3	3	2	2	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	1
1	-	2	5	8	6	5	6	3	6	14	15	13	10	5	10	3	-	-	-	-
-	-	1	1	2	2	2	-	2	3	7	7	4	7	-	6	3	-	-	-	-
1	-	1	4	6	4	3	6	1	3	7	8	9	3	5	4	-	-	-	-	1
14	5	8	13	15	26	21	20	22	35	56	60	79	70	90	70	31	10	1	-	4
7	1	4	1	6	8	8	10	7	15	33	25	34	40	43	30	10	6	-	-	2
7	4	4	12	9	18	13	10	15	20	23	35	45	30	47	40	21	4	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
35	12	3	8	21	3	14	16	17	26	37	40	44	49	62	51	35	5	2	-	3
14	7	2	4	7	-	5	8	6	12	17	23	23	27	28	22	11	3	-	-	1
21	5	1	4	14	3	9	8	11	14	20	17	21	22	34	29	24	2	2	-	2
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	11	6	9	13	9	9	14	18	24	28	37	47	46	36	31	15	5	1	-	7
6	7	3	7	8	4	4	3	7	13	10	16	22	21	19	14	9	4	1	-	3
8	4	3	2	5	5	5	11	11	11	18	21	25	25	17	17	6	1	-	-	4
5	2	6	3	11	7	4	6	2	6	9	10	11	14	15	5	8	-	-	-	-
2	2	3	-	5	4	1	2	1	3	2	6	5	5	10	4	6	-	-	-	-
3	-	3	3	6	3	3	4	1	3	7	4	6	9	5	1	2	-	-	-	-
1	1	1	2	4	-	1	-	2	2	1	4	-	2	2	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	2	1	1	-	-	2	-	-	-	-	-	-
1	1	1	2	4	-	-	-	1	-	-	3	-	2	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Hydatid tumors of the liver	Totals	4	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Cirrhosis of the liver	Totals	285	2	-	-	-	-	2
	Males	180	1	-	-	-	-	1
	Females	105	1	-	-	-	-	1
Biliary calculi	Totals	91	-	-	-	-	-	-
	Males	29	-	-	-	-	-	-
	Females	62	-	-	-	-	-	-
Other affections of the liver	Totals	401	20	4	-	1	1	26
	Males	225	14	2	-	1	1	18
	Females	176	6	2	-	-	-	8
Affections of the spleen	Totals	18	-	-	-	-	-	-
	Males	11	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Inflammatory peritonitis (puerperal excepted)	Totals	447	29	9	5	4	5	52
	Males	191	16	4	3	3	2	28
	Females	256	13	5	2	1	3	24
Other affections of the digestive system (cancer and tuberculosis excepted)	Totals	5	1	-	-	-	-	1
	Males	2	1	-	-	-	-	1
	Females	3	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	Totals	404	3	4	5	3	7	22
	Males	240	1	2	3	2	5	13
	Females	164	2	2	2	1	2	9
Acute nephritis	Totals	335	14	6	6	3	3	32
	Males	169	4	5	5	1	1	16
	Females	166	10	1	1	2	2	16
Bright's disease	Totals	3,393	17	2	2	6	7	34
	Males	1,962	7	1	1	1	4	14
	Females	1,431	10	1	1	5	3	20
Other diseases of the kidneys and their adnexa	Totals	138	6	2	-	-	-	8
	Males	87	5	1	-	-	-	6
	Females	51	1	1	-	-	-	2
Calculi of the urinary tract	Totals	12	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	5	-	-	-	-	-	-
Diseases of the bladder	Totals	295	6	-	-	-	-	6
	Males	266	5	-	-	-	-	5
	Females	29	1	-	-	-	-	1
Diseases of the urethra, urinary abscess, etc.	Totals	12	-	-	-	-	-	-
	Males	9	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Diseases of the prostate	Totals	126	-	-	-	-	-	-
	Males	126	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Non-venereal diseases of the male genital organs	Totals	7	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Metritis	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	Totals	20	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	20	-	-	-	-	-	-
Uterine tumor (non-cancerous)	Totals	38	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	38	-	-	-	-	-	-
Other diseases of the uterus	Totals	70	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	70	-	-	-	-	-	-
Cysts and other tumors of ovary	Totals	59	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	59	-	-	-	-	-	-

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
-	1	-	4	2	2	12	16	15	18	28	44	48	42	28	18	4	-	-	-	-
-	1	-	2	1	2	7	11	11	11	20	29	30	23	16	13	2	-	-	-	-
-	-	-	2	1	-	5	5	4	7	8	15	18	19	12	5	2	-	-	-	1
-	-	1	1	3	5	5	5	5	5	13	12	16	10	7	2	1	-	-	-	-
-	-	-	-	2	-	2	1	1	1	2	6	9	4	1	-	-	-	-	-	-
-	-	1	1	1	5	3	4	4	4	11	6	7	6	6	2	1	-	-	-	-
7	6	4	8	5	11	12	19	22	30	38	33	53	50	32	29	12	2	-	-	2
4	2	3	5	2	6	6	9	11	22	18	20	31	24	19	14	8	1	-	-	2
3	4	1	3	3	5	6	10	11	8	20	13	22	26	13	15	4	1	-	-	-
-	-	1	1	2	1	1	1	4	3	-	-	1	3	-	-	-	-	-	-	-
-	-	-	-	1	1	-	1	3	2	-	-	1	2	-	-	-	-	-	-	-
-	-	1	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
25	30	39	34	34	26	30	23	20	32	20	17	23	16	14	8	4	-	-	-	-
13	15	15	14	11	7	9	6	7	12	13	10	9	10	7	5	-	-	-	-	-
12	15	24	20	23	19	21	17	13	20	7	7	14	6	7	3	4	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
43	61	54	45	28	31	15	21	19	14	12	13	10	7	3	3	3	-	-	-	-
20	32	34	34	19	18	8	14	12	8	9	8	6	3	-	1	1	-	-	-	-
23	29	20	11	9	13	7	7	7	6	3	5	4	4	3	2	2	-	-	-	-
20	7	18	19	21	21	17	23	17	18	17	18	23	25	24	9	3	2	-	-	1
12	3	9	8	9	6	5	12	8	13	6	7	11	17	16	5	3	2	-	-	1
8	4	9	11	12	15	12	11	9	5	11	11	12	8	8	4	-	-	-	-	-
13	19	38	56	74	80	102	161	188	241	297	355	482	487	384	246	91	22	5	1	17
6	10	11	20	26	35	38	75	100	140	173	201	288	325	253	166	57	12	1	-	11
7	9	27	36	48	45	64	86	88	101	124	154	194	162	131	80	34	10	4	1	6
-	-	3	3	5	10	5	2	6	9	7	11	19	9	15	15	8	3	-	-	-
-	-	2	1	1	7	2	1	3	3	4	8	12	6	11	12	6	2	-	-	-
-	-	1	2	4	3	3	1	3	6	3	3	7	3	4	3	2	1	-	-	-
-	-	-	-	-	-	-	1	-	1	-	2	2	1	2	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-
1	-	-	-	2	1	2	3	5	5	7	18	45	54	60	45	31	6	1	-	3
1	-	-	-	2	1	1	3	1	5	5	17	44	50	49	45	28	5	1	-	3
-	-	-	-	-	-	1	-	4	-	2	1	1	4	11	-	3	1	-	-	-
-	-	-	-	1	-	3	-	1	-	-	3	1	1	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	1	-	-	-	-
-	-	-	-	1	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	6	8	17	25	30	25	10	2	1	-	-
-	-	-	-	-	-	1	-	-	1	6	8	17	25	30	25	10	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	1	-	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	2	2	4	5	-	5	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	2	4	5	-	5	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	3	-	10	4	7	3	3	3	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	3	-	10	4	7	3	3	3	2	-	-	-	-	-	-
-	-	4	6	11	6	7	15	9	3	3	2	-	2	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	4	6	11	6	7	15	9	3	3	2	-	2	-	2	-	-	-	-	-
-	-	-	2	3	5	4	6	3	5	7	2	6	8	6	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	3	5	4	6	3	5	7	2	6	8	6	2	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other diseases of female genital organs...	Totals	47	1	-	-	-	-	1
	Males.....	-	-	-	-	-	-	-
	Females...	47	1	-	-	-	-	1
Non-puerperal diseases of the breast (cancer excepted)	Totals	2	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
	Females...	-	-	-	-	-	-	-
Accidents of pregnancy	Totals	108	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	108	-	-	-	-	-	-
Puerperal hemorrhage	Totals	36	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	36	-	-	-	-	-	-
Other accidents of labor.....	Totals	53	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	53	-	-	-	-	-	-
Puerperal septicemia.....	Totals	184	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	184	-	-	-	-	-	-
Puerperal albuminuria and eclampsia	Totals	97	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	97	-	-	-	-	-	-
Other puerperal accidents, sudden death..	Totals	97	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females...	97	-	-	-	-	-	-
Gangrene	Totals	393	7	-	-	-	-	7
	Males.....	226	5	-	-	-	-	5
	Females...	167	2	-	-	-	-	2
Furuncle (boil, carbuncle)	Totals	24	1	-	-	-	-	1
	Males.....	19	-	-	-	-	-	-
	Females...	5	1	-	-	-	-	1
Phlegmon, acute abscess.....	Totals	45	8	2	-	1	-	11
	Males.....	25	5	2	-	-	-	7
	Females...	20	3	-	-	-	1	4
Other diseases of the skin and its adnexa .	Totals	27	10	1	-	1	-	12
	Males.....	10	3	1	-	-	-	4
	Females...	17	7	-	-	1	-	8
Affections of the bones (non-tuberculous).	Totals	69	7	5	1	-	1	14
	Males.....	40	5	2	1	-	1	9
	Females...	29	2	3	-	-	-	5
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Totals	5	1	-	-	-	-	1
	Males.....	4	1	-	-	-	-	1
	Females...	1	-	-	-	-	-	-
Amputation	Totals	2	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females...	-	-	-	-	-	-	-
Other affections of the organs of locomotion	Totals	2	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females...	-	-	-	-	-	-	-
Malformations, congenital (still-births excepted).....	Totals	398	369	13	-	2	1	385
	Males.....	215	200	7	-	-	-	207
	Females...	180	166	6	-	2	1	175
	Not stated.	3	3	-	-	-	-	3
Congenital icterus, debility and sclerema.	Totals	2,212	2045	-	-	-	-	2045
	Males.....	1,244	1144	-	-	-	-	1144
	Females...	940	882	-	-	-	-	882
	Not stated.	28	19	-	-	-	-	19
Other diseases of early infancy.....	Totals	167	163	-	-	-	-	163
	Males.....	93	91	-	-	-	-	91
	Females...	73	71	-	-	-	-	71
	Not stated.	1	1	-	-	-	-	1

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	1	6	14	4	7	5	5	-	2	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	6	14	4	7	5	5	-	2	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	24	28	26	16	5	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	24	28	26	16	5	-	-	-	-	-	-	-	-	-	-	-	-	2
-	1	1	9	6	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	9	6	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1
-	-	4	7	9	12	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	4	7	9	12	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	15	57	42	39	20	9	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	15	57	42	39	20	9	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	13	26	18	17	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	13	26	18	17	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	16	31	19	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	7	16	31	19	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	-	2	4	3	7	6	12	27	44	59	78	69	49	15	5	1	2
-	-	-	1	-	1	1	3	4	3	6	10	14	31	57	46	33	6	2	1	2
1	1	-	-	-	1	3	-	3	3	6	17	30	28	21	23	16	9	3	-	-
-	-	-	-	-	-	-	1	2	2	1	5	4	3	2	1	2	-	-	-	-
-	-	-	-	-	-	-	1	2	2	1	4	2	3	2	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-
2	1	2	2	1	2	5	1	1	3	4	1	2	3	2	1	-	1	-	-	-
1	1	2	2	-	1	5	-	-	1	1	1	-	1	1	-	-	1	-	-	-
1	-	-	-	1	1	-	1	1	2	3	-	2	2	1	1	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	1	-	1	1	4	3	1	-	-	1	-
-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	-	-	1	-
5	4	1	1	4	2	2	2	2	5	5	9	3	3	4	2	-	-	-	-	1
2	3	-	1	3	2	1	1	-	2	2	5	3	1	2	2	-	-	-	-	1
3	1	1	-	1	-	1	1	2	3	3	4	-	2	2	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	167
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from All Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Lack of care	Totals	313	313	-	-	-	-	313
	Males	174	174	-	-	-	-	174
	Females	137	137	-	-	-	-	137
	Not stated.	2	2	-	-	-	-	2
Old age	Totals	4,079	-	-	-	-	-	-
	Males	1,831	-	-	-	-	-	-
	Females	2,248	-	-	-	-	-	-
Suicide by poison	Totals	72	-	-	-	-	-	-
	Males	49	-	-	-	-	-	-
	Females	23	-	-	-	-	-	-
Suicide by asphyxia	Totals	3	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals	150	-	-	-	-	-	-
	Males	128	-	-	-	-	-	-
	Females	22	-	-	-	-	-	-
Suicide by drowning	Totals	68	-	-	-	-	-	-
	Males	39	-	-	-	-	-	-
	Females	29	-	-	-	-	-	-
Suicide by firearms	Totals	156	-	-	-	-	-	-
	Males	147	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Suicide by cutting instruments	Totals	39	-	-	-	-	-	-
	Males	30	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Suicide by jumping from high places	Totals	3	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Other suicides	Totals	16	-	-	-	-	-	-
	Males	11	-	-	-	-	-	-
	Females	5	-	-	-	-	-	-
Fractures	Totals	311	3	1	-	2	-	6
	Males	191	2	-	-	2	-	4
	Females	120	1	1	-	-	-	2
Dislocations and sprains	Totals	4	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Other accidental injuries	Totals	955	16	8	18	10	10	62
	Males	827	13	4	13	7	4	41
	Females	128	3	4	5	3	6	21
Burns and scalds	Totals	243	6	19	32	21	11	89
	Males	95	2	5	23	11	4	45
	Females	148	4	14	9	10	7	44
Sunstroke	Totals	24	3	-	1	-	2	6
	Males	18	1	-	-	-	2	3
	Females	6	2	-	1	-	-	3
Freezing	Totals	23	-	-	-	-	-	-
	Males	21	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Electric shock	Totals	29	-	-	-	-	-	-
	Males	26	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Accidental drowning	Totals	700	5	10	7	4	18	44
	Males	641	4	8	4	4	16	36
	Females	57	1	2	3	-	2	8
	Not stated.	2	-	-	-	-	-	-
Inanition	Totals	5	1	-	-	-	-	1
	Males	4	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted)	Totals	77	3	2	1	3	3	12
	Males	52	3	2	-	1	2	8
	Females	25	-	-	1	2	1	4
Other acute poisonings	Totals	143	17	22	17	8	6	70
	Males	81	11	10	8	4	1	34
	Females	62	6	12	9	4	5	36

Digitized by Google

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	6	46	294	665	1136	1144	582	163	24	19
-	-	-	-	-	-	-	-	-	-	-	4	18	136	298	552	511	234	59	9	10
-	-	-	-	-	-	-	-	-	-	-	2	28	158	367	584	633	348	104	15	9
-	1	4	8	4	7	9	6	7	7	6	3	5	2	1	-	1	-	-	-	1
-	-	1	7	3	4	7	5	3	7	4	1	4	1	1	-	1	-	-	-	-
-	1	3	1	1	3	2	1	4	-	2	2	1	1	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	3	1	7	4	12	19	18	14	20	11	12	11	5	7	1	-	-	2
-	1	2	3	1	6	3	9	15	17	14	17	9	9	8	5	6	1	-	-	2
-	-	-	-	-	1	1	3	4	1	-	3	2	3	3	-	1	-	-	-	-
-	-	2	4	7	4	8	2	7	6	11	5	3	3	2	2	-	-	-	-	2
-	-	-	-	5	1	7	-	5	5	6	2	-	2	2	2	-	-	-	-	2
-	-	2	4	2	3	1	2	2	1	5	3	3	1	-	-	-	-	-	-	-
-	-	3	22	14	17	15	13	19	14	7	9	7	7	3	1	-	1	-	-	4
-	-	3	19	12	15	15	13	18	14	6	9	7	7	3	1	-	1	-	-	4
-	-	-	3	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	3	4	5	5	3	4	4	2	4	1	1	-	1	-	-	-	1
-	-	-	-	2	4	5	4	2	3	3	2	3	-	1	-	-	-	-	-	1
-	-	-	1	1	-	-	1	1	1	1	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	1	1	2	3	-	3	2	-	1	-	-	-	-	-	1
-	-	-	-	1	-	1	1	1	2	-	2	1	-	1	-	-	-	-	-	1
-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
5	3	14	19	20	13	12	9	10	13	13	12	16	19	30	39	32	19	4	1	2
3	3	14	18	20	12	11	9	10	10	11	11	10	8	10	13	7	5	1	-	1
2	-	-	1	-	1	1	-	-	3	2	1	6	11	20	26	25	14	3	1	1
-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	44	65	94	76	65	64	49	54	46	37	40	51	53	43	22	19	7	8	-	19
27	40	63	94	74	63	62	47	53	44	33	33	40	42	29	11	6	4	3	-	18
10	4	2	-	2	2	2	2	1	2	4	7	11	11	14	11	13	3	5	-	1
21	6	12	13	8	15	7	9	5	8	6	5	7	10	8	8	3	3	-	-	-
6	1	3	7	6	8	2	4	1	2	1	1	2	3	-	3	-	-	-	-	-
15	5	9	6	2	7	5	5	4	6	5	4	5	7	8	5	3	3	-	-	-
-	1	-	-	2	-	1	1	-	-	1	1	-	6	2	2	1	-	-	-	-
-	1	-	-	2	-	1	1	-	-	1	1	-	5	1	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
-	-	2	-	1	-	1	3	4	3	2	2	2	-	2	-	-	-	-	-	1
-	-	2	-	1	-	1	3	4	2	2	1	2	-	2	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1	-	5	4	6	4	2	2	-	2	2	-	-	1	-	-	-	-	-	-	-
1	-	5	3	6	4	2	1	-	1	2	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
72	84	109	106	52	40	47	20	20	19	18	13	14	2	6	2	-	-	-	-	32
65	79	100	97	46	37	45	18	18	18	18	12	14	2	5	1	-	-	-	-	30
7	5	9	9	6	3	2	2	2	1	-	1	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
9	3	5	2	7	4	4	2	7	3	2	-	5	3	3	1	4	-	1	-	-
7	3	2	-	4	3	3	2	6	3	1	-	3	3	1	-	3	-	-	-	-
2	-	3	2	3	1	1	-	1	-	1	-	2	-	2	1	1	-	1	-	-
5	3	2	5	3	7	7	7	6	12	3	3	3	3	2	-	-	1	-	-	1
3	1	1	1	3	5	2	5	5	10	2	2	-	3	2	-	-	1	-	-	1
2	2	1	4	-	2	5	2	1	2	1	1	3	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths from all Causes by

Causes of Death.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other external violence	Totals	216	118	3	4	2	1	128
	Males	134	69	1	1	-	1	72
	Females	82	49	2	3	2	-	56
Dropsy	Totals	183	1	3	-	-	2	6
	Males	91	-	2	-	-	1	3
	Females	92	1	1	-	-	1	3
Sudden death	Totals	180	27	-	-	1	1	29
	Males	111	12	-	-	-	-	12
	Females	68	15	-	-	1	1	17
	Not stated	1	-	-	-	-	-	-
Unspecified or ill-defined causes of death	Totals	2,448	1005	67	25	9	9	1115
	Males	1,216	561	35	12	5	4	617
	Females	1,219	438	32	13	4	5	492
	Not stated	8	6	-	-	-	-	6

Digitized by Google

No. 32—Concluded.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
2	6	5	7	9	8	5	3	7	5	5	6	4	1	5	3	-	-	-	-	7
1	3	3	3	8	6	5	-	7	4	4	4	3	1	5	1	-	-	-	-	4
1	3	2	4	1	2	-	3	-	1	1	2	1	-	-	2	-	-	-	-	3
2	3	2	1	3	3	5	-	6	9	10	14	22	31	38	17	4	5	1	-	1
2	-	2	-	-	2	2	-	3	5	6	7	10	15	22	6	2	3	-	-	1
-	3	-	1	3	1	3	-	3	4	4	7	12	16	16	11	2	2	1	-	-
-	-	3	8	4	7	1	7	4	9	11	23	17	21	11	8	7	1	-	-	9
-	-	2	4	1	6	-	2	4	4	7	18	13	16	8	4	5	-	-	-	5
-	-	1	4	3	1	1	5	-	5	4	5	4	5	3	4	2	1	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
30	14	24	33	29	29	49	51	44	54	72	134	174	167	168	110	50	27	4	-	35
12	6	12	14	10	14	12	19	11	25	42	62	79	77	75	59	40	8	1	-	21
18	8	12	19	19	15	37	32	33	29	30	72	95	90	93	50	40	19	3	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3

Digitized by Google

TABLE

Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE	694,466	-	105	5	119
Androscoggin	54,242	-	32	1	10
Aroostook	60,744	-	27	1	14
Cumberland	100,689	-	8	-	20
Franklin	18,444	-	6	-	3
Hancock	37,241	-	-	-	3
Kennebec	59,117	-	1	1	6
Knox	30,406	-	1	-	7
Lincoln	19,669	-	-	-	-
Oxford	32,238	-	8	-	5
Penobscot	76,246	-	6	-	31
Piscataquis	16,949	-	-	-	2
Sagadahoc	20,330	-	-	-	1
Somerset	35,849	-	5	-	6
Waldo	24,185	-	3	-	2
Washington	45,232	-	-	2	5
York	64,885	-	8	-	4
ANDROSCOGGIN COUNTY	53,117	-	32	1	10
Auburn	12,951	-	10	1	4
Durham	1,230	-	-	-	-
East Livermore	2,129	-	-	-	1
Greene	826	-	-	-	-
Leeds	1,065	-	1	-	-
Lewiston	23,761	-	19	-	2
Lisbon	3,603	-	-	-	1
Mechanic Falls	1,687	-	-	-	-
Minot	808	-	1	-	-
Poland	1,648	-	-	-	-
Turner	1,842	-	-	-	-
Wales	436	-	1	-	-
Webster	1,131	-	-	-	2
AROOSTOOK COUNTY	55,238	-	27	1	14
Ashland	1,080	-	-	-	-
Bancroft	318	-	-	-	-
Benedicta	350	-	-	-	1
Blaine	954	-	-	-	1
Bridgewater	1,179	-	-	-	-
Caribou	4,758	-	9	-	-
Castle Hill	567	-	-	-	-
Dyer Brook	280	-	-	-	-
Easton	1,215	-	-	-	-
Fort Fairfield	4,181	-	-	-	-
Fort Kent	2,528	-	5	1	2
Frenchville	1,316	-	-	-	2
Grand Isle	1,104	-	1	-	-
Haynesville	316	-	1	-	-
Hodgdon	1,130	-	-	-	-
Houlton	4,686	-	-	-	-
Island Falls	1,063	-	-	-	-
Limestone	1,131	-	-	-	-
Littleton	956	-	-	-	-

Digitized by Google

No. 33.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
109	133	21	25	40	109	46	139	31	652	915	261	3
3	10	2	3	4	6	2	13	2	74	75	20	-
39	12	1	4	2	29	3	23	2	191	69	23	-
18	14	1	3	8	9	7	17	1	70	140	37	1
2	2	1	-	-	5	2	2	1	7	14	3	-
4	3	1	2	1	7	3	5	-	17	44	12	-
2	9	2	-	6	8	3	9	5	43	76	16	-
3	4	1	2	4	3	4	4	-	7	38	6	-
1	1	-	-	2	1	-	1	1	-	13	6	-
9	-	1	-	1	9	4	9	-	24	40	15	-
7	39	5	1	6	7	1	15	5	79	120	53	1
1	5	1	1	-	2	2	7	2	10	24	5	-
1	2	1	2	1	-	-	3	-	12	16	6	-
8	3	-	4	1	8	10	9	1	17	54	12	-
4	2	2	-	1	3	-	4	1	3	31	10	-
1	12	1	-	2	1	2	13	9	40	69	9	1
7	15	1	3	1	11	3	5	1	58	92	28	-
3	10	2	3	4	6	2	13	2	74	75	20	-
2	-	1	1	1	4	-	1	-	15	14	4	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	1	1	4	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	8	-	2	2	1	2	10	1	45	43	15	-
-	-	-	-	-	-	-	1	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	1	-	-	-	-	1	3	-	-
-	-	1	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	1	-	-	-	1	-	-	-
38	12	1	4	2	29	3	23	2	191	69	23	-
-	-	-	-	-	-	-	-	-	2	1	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	4	2	-
-	-	-	-	1	-	-	-	-	-	-	1	-
-	1	1	-	-	-	1	-	-	21	4	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	2	-	1	-
-	-	-	-	-	-	-	1	-	1	-	-	-
9	2	-	-	-	2	-	1	-	20	6	-	-
-	-	-	1	-	22	-	-	-	4	6	-	-
1	1	-	-	-	1	-	1	-	9	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	2	-	3	6	-	-
-	1	-	-	-	-	-	-	-	2	1	1	-
1	-	-	-	-	-	-	1	-	4	1	-	-
-	-	-	-	-	-	1	-	-	-	2	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

AROOSTOOK

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Ludlow	394	-	-	-	-
Madawaska	1,698	-	-	-	1
Mapleton	853	-	-	-	-
Mars Hill	1,183	-	-	-	-
Masardis	438	-	-	-	-
Monticello	1,332	-	-	-	-
New Limerick	600	-	-	-	-
New Sweden	867	-	-	-	-
Oakfield	860	-	-	-	-
Perham	580	-	-	-	1
Presque Isle	3,804	-	-	-	-
St. Agatha	1,396	-	1	-	1
Sherman	980	-	-	-	-
Van Buren	1,878	-	1	-	1
Washburn	1,225	-	-	-	-
Westfield	259	-	-	-	-
Weston	367	-	-	-	-
Woodland	1,096	-	-	-	-
Allagash Pl	190	-	-	-	1
Caswell Pl	368	-	-	-	-
Chapman Pl	285	-	-	-	-
Connor Pl	458	-	-	-	-
Cyr Pl	502	-	-	-	-
E Pl	44	-	-	-	-
Eagle Lake Pl	406	-	1	-	-
Glenwood Pl	178	-	-	-	-
Hamlin Pl	574	-	-	-	-
Hammond Pl	116	-	-	-	-
Macwahoc Pl	158	-	-	-	-
New Canada Pl	419	-	4	-	-
Portage Lake Pl	241	-	-	-	-
Reed Pl	399	-	-	-	-
St. Francis Pl	568	-	1	-	1
St. John Pl	371	-	-	-	2
Stockholm Pl	191	-	-	-	-
Wallagrass Pl	784	-	3	-	-
Molunkus	74	-	-	-	-
CUMBERLAND COUNTY	98,443	-	8	-	20
Baldwin	821	-	-	-	-
Bridgton	2,868	-	-	-	1
Brunswick	6,806	-	-	-	1
Cumberland	1,404	-	-	-	-
Falmouth	1,511	-	-	-	-
Freeport	2,339	-	-	-	-
Gorham	2,540	-	-	-	-
Gray	1,388	-	-	-	-
Harpswell	1,750	-	-	-	-
Harrison	969	-	-	-	-
Naples	813	-	-	-	-
New Gloucester	1,162	-	-	-	-
North Yarmouth	642	-	-	-	-
Otisfield	728	-	-	-	-
Portland	50,145	-	4	-	13
Pownal	592	-	-	-	-
Raymond	823	-	-	-	-
Scarboro	1,865	-	-	-	-
South Portland	6,287	-	-	-	1
Standish	1,504	-	-	-	-
Westbrook	7,283	-	3	-	3
Windham	1,929	-	1	-	1
Yarmouth	2,274	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	1	-	1	-	2	-	12	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	-	1	1	1	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	2	-	3	3	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	3	-	-	-
4	-	-	-	-	-	-	-	-	3	3	3	-
13	-	-	-	-	-	1	-	-	-	3	-	-
-	-	-	-	-	-	-	1	-	1	-	2	-
2	1	-	1	-	2	-	2	-	32	4	3	-
-	-	-	-	-	-	-	-	-	2	1	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	1	2	1	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	3	-	5	-	-	-
-	1	-	-	-	-	-	-	-	3	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	2	-	-	-	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	13	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	12	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
3	-	-	-	-	-	-	1	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	1	3	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
18	14	1	3	8	9	7	17	1	70	140	37	1
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	1	-	-	-	-	1	-	-
2	-	-	-	1	-	1	2	-	10	6	6	-
-	-	-	-	-	-	1	-	-	-	1	2	-
-	-	-	-	-	1	-	-	-	-	1	-	-
1	-	-	-	-	-	1	-	-	-	2	-	-
-	-	-	-	1	-	-	1	-	2	3	-	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	3	-	1	-	1	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
8	9	1	1	5	4	4	7	-	44	77	24	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	2	1	-
-	1	-	-	-	-	-	1	-	1	1	1	-
2	-	-	1	-	-	-	1	-	7	11	2	1
-	-	-	-	-	-	-	2	-	1	6	-	-
3	-	-	-	-	1	-	1	1	2	12	-	-
-	-	-	-	1	-	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	3	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

FRANKLIN

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	15,319	-	6	-	3
Avon	448	-	-	-	-
Carthage	334	-	3	-	-
Chesterville	709	-	-	-	-
Eustis	436	-	-	-	-
Farmington	3,288	-	-	-	-
Jay	2,758	-	3	-	-
Kingfield	683	-	-	-	1
New Sharon	946	-	-	-	-
Phillips	1,399	-	-	-	2
Rangeley	961	-	-	-	-
Strong	637	-	-	-	-
Weld	738	-	-	-	-
Wilton	1,647	-	-	-	-
Dallas Pl	172	-	-	-	-
Lowelltown	90	-	-	-	-
Perkins	63	-	-	-	-
HANCOCK COUNTY	33,711	-	-	-	3
Amherst	364	-	-	-	-
Aurora	152	-	-	-	-
Bluehill	1,828	-	-	-	-
Brooklin	986	-	-	-	-
Brooksville	1,171	-	-	-	-
Bucksport	2,339	-	-	-	-
Castine	925	-	-	-	-
Cranberry Isles	374	-	-	-	-
Deer Isle	2,047	-	-	-	1
Eden	4,379	-	-	-	-
Ellsworth	4,297	-	-	-	-
Franklin	1,201	-	-	-	-
Hancock	900	-	-	-	-
Mariaville	218	-	-	-	-
Mount Desert	1,600	-	-	-	-
Orland	1,251	-	-	-	-
Penobscot	1,156	-	-	-	-
Sedgwick	902	-	-	-	-
Sorrento	117	-	-	-	-
South West Harbor	-	-	-	-	-
Stonington	1,648	-	-	-	1
Sullivan	1,034	-	-	-	-
Surry	900	-	-	-	-
Swan's Island	758	-	-	-	-
Tremont	2,010	-	-	-	-
Trenton	459	-	-	-	-
Winter Harbor	571	-	-	-	-
Long Island Pl	174	-	-	-	1
KENNEBEC COUNTY	57,291	-	1	1	6
Albion	878	-	-	-	-
Augusta	11,683	-	1	-	1
Belgrade	1,058	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid Fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial diseases.
2	2	1	-	-	5	2	2	1	7	14	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	1	-	-	-	1	3	1	-
1	-	-	-	-	-	-	1	1	3	4	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
4	3	1	2	1	7	3	5	-	17	44	12	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	1	-	1	-	-	-	-	3	4	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	4	-	-
2	-	-	-	1	1	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	1	1	-	6	2	2	-
-	-	-	-	-	-	1	-	-	5	6	2	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
1	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	1	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	2	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	2	-	-	3	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	9	2	-	6	8	3	9	5	43	76	16	-
-	1	-	-	-	-	-	-	-	-	2	-	-
2	7	-	-	1	-	-	-	1	16	15	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

KENNEBEC

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Benton	1,097	-	-	-	-
Chelsea	3,092	-	-	-	-
China	1,380	-	-	-	-
Clinton	1,398	-	-	-	-
Farmingdale	848	-	-	-	-
Fayette	560	-	-	-	-
Gardiner	5,501	-	-	-	1
Hallowell	2,714	-	-	-	-
Litchfield	1,057	-	-	-	-
Manchester	518	-	-	-	-
Monmouth	1,236	-	-	1	-
Mount Vernon	906	-	-	-	-
Oakland	1,913	-	-	-	-
Pittston	1,177	-	-	-	-
Randolph	1,077	-	-	-	-
Rome	420	-	-	-	-
Sidney	1,068	-	-	-	-
Vassalboro	2,062	-	-	-	-
Vienna	406	-	-	-	-
Waterville	9,477	-	-	-	3
Wayne	707	-	-	-	-
West Gardiner	693	-	-	-	-
Winslow	2,277	-	-	-	1
Winthrop	2,088	-	-	-	-
KNOX COUNTY	28,855	-	1	-	7
Appleton	975	-	-	-	-
Camden	2,825	-	-	-	-
Cushing	604	-	-	-	-
Friendship	814	-	-	-	-
Hope	599	-	-	-	-
Hurricane Isle	257	-	-	-	-
North Haven	551	-	1	-	-
Rockland	8,150	-	-	-	6
Rockport	2,314	-	-	-	-
St. George	2,206	-	-	-	-
South Thomaston	1,426	-	-	-	1
Thomaston	2,688	-	-	-	-
Vinalhaven	2,358	-	-	-	-
Warren	2,069	-	-	-	-
Washington	1,019	-	-	-	-
LINCOLN COUNTY	15,274	-	-	-	-
Boothbay	1,766	-	-	-	-
Boothbay Harbor	1,926	-	-	-	-
Bristol	2,572	-	-	-	-
Damariscotta	876	-	-	-	-
Jefferson	1,155	-	-	-	-
Newcastle	1,075	-	-	-	-
Waldoboro	3,145	-	-	-	-
Westport	330	-	-	-	-
Whitefield	1,156	-	-	-	-
Wiscasset	1,273	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	1	2	-	1	-	1	3	2	-
-	-	-	-	1	2	1	1	-	1	8	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	1	2	2	-
-	-	-	-	-	-	1	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	1	-	-
-	-	-	-	1	-	-	-	1	1	3	1	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	1	-	-	-	1	2	-	16	15	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	1	1	-	-	-	-	-	1	4	8	1	-
-	-	-	-	-	1	-	-	-	-	1	2	-
3	4	1	2	4	3	4	4	-	7	38	6	-
-	-	-	-	1	-	-	-	-	-	1	-	-
2	-	-	1	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	3	1	-	-	-	1	-	1	1	10	2	-
-	-	-	-	1	-	1	-	-	1	3	1	-
-	-	-	1	-	-	-	-	-	-	2	-	-
1	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	1	1	1	-	2	-	9	2	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	1	1	1	-	1	1	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	1	-	-	2	1	-	1	1	-	13	6	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	3	3	-
-	-	-	-	-	1	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	4	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

OXFORD

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY	28,398	-	8	-	5
Albany	538	-	-	-	-
Andover	727	-	-	-	-
Bethel	1,835	-	3	-	-
Brownfield	1,019	-	-	-	-
Buckfield	1,139	-	-	-	-
Denmark	634	-	-	-	-
Dixfield	1,052	-	-	-	-
Fryeburg	1,376	-	2	-	-
Hanover	214	-	1	-	-
Hartford	660	-	-	-	-
Hebron	494	-	-	-	1
Hiram	1,015	-	-	-	-
Lovell	693	-	-	-	-
Mason	67	-	-	-	-
Mexico	816	-	-	-	-
Norway	2,902	-	-	-	-
Oxford	1,331	-	-	-	-
Paris	3,225	-	-	-	-
Peru	773	-	-	-	-
Porter	886	-	1	-	-
Rumford	8,770	-	1	-	3
Sumner	802	-	-	-	-
Sweden	282	-	-	-	-
Upton	242	-	-	-	-
Waterford	917	-	-	-	-
Woodstock	816	-	-	-	1
Batchelders Grant	173	-	-	-	-
PENOBSCOT COUNTY	70,136	-	6	-	31
Alton	314	-	-	-	-
Bangor	21,850	-	3	-	5
Bradford	954	-	-	-	-
Bradley	682	-	-	-	-
Brewer	4,325	-	1	-	2
Carmel	932	-	-	-	-
Carroll	487	-	-	-	-
Charleston	842	-	-	-	-
Clifton	236	-	-	-	-
Corinna	1,170	-	-	-	-
Corinth	1,042	-	-	-	-
Dexter	2,941	-	-	-	-
Dixmont	843	-	-	-	-
Eddington	663	-	-	-	-
Edinburg	65	-	-	-	-
Enfield	1,062	-	-	-	-
Etna	527	-	-	-	-
Exeter	879	-	-	-	-
Glenburn	461	-	-	-	-
Greenbush	586	-	-	-	-
Hampden	2,182	-	-	-	-
Hermon	1,183	-	-	-	-
Hudson	430	-	-	-	-
Kingman	936	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid Fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial diseases.
9	-	1	-	1	9	4	9	-	24	40	15	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	1	-
-	-	-	-	1	-	-	-	-	-	3	-	-
-	-	-	-	-	2	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	-	-	2	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	3	2	1	-
2	-	-	-	-	1	-	2	-	1	4	-	-
-	-	1	-	-	1	-	-	-	-	2	2	-
-	-	-	-	-	1	-	1	-	1	3	2	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	1	4	-	-
4	-	-	-	-	1	4	-	-	11	5	6	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
7	39	5	1	6	7	1	15	5	79	120	53	1
-	-	-	-	-	-	-	-	-	-	3	-	-
5	10	3	1	3	2	-	4	-	13	35	13	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	1	-	-	-	-	-	1	-	-	2	-	-
-	1	-	-	-	-	1	-	1	3	11	7	-
-	-	-	-	-	2	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	2	-	6	4	9	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	1	-	-	1	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	2	-	-
-	1	-	-	-	2	-	-	-	-	5	-	-
-	1	-	-	-	-	-	-	1	3	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	1	1	-

Digitized by Google

TABLE

Deaths in Each Town from Special

PENOBSCOT

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Lagrange	574	-	-	-	-
Lee	801	-	-	-	1
Levant	789	-	-	-	-
Lincoln	1,731	-	1	-	-
Mattawamkeag	527	-	-	-	-
Medway	297	-	-	-	-
Milford	838	-	-	-	2
Millinocket	1,144	-	-	-	1
Newburg	734	-	-	-	-
Newport	1,583	-	-	-	-
Old Town	5,763	-	1	-	11
Orono	3,257	-	-	-	7
Orrington	1,266	-	-	-	2
Patten	1,172	-	-	-	-
Plymouth	658	-	-	-	-
Prentiss	502	-	-	-	-
Springfield	582	-	-	-	-
Veazie	555	-	-	-	-
Winn	688	-	-	-	-
Woodville	160	-	-	-	-
Stacyville Pl	347	-	-	-	-
Webster Pl	124	-	-	-	-
No. 1, R. 7	42	-	-	-	-
No. 2, R. 6	-	-	-	-	-
PISCATAQUIS COUNTY	14,245	-	-	-	2
Atkinson	495	-	-	-	-
Brownville	1,570	-	-	-	-
Dover	1,889	-	-	-	-
Foxcroft	1,629	-	-	-	-
Greenville	1,117	-	-	-	2
Guilford	1,544	-	-	-	-
Milo	1,150	-	-	-	-
Monson	1,116	-	-	-	-
Orneville	325	-	-	-	-
Parkman	718	-	-	-	-
Sangerville	1,294	-	-	-	-
Shirley	248	-	-	-	-
Wellington	413	-	-	-	-
Willimantic	419	-	-	-	-
Kingsbury Pl	106	-	-	-	-
Katahdin Iron Works	114	-	-	-	-
SAGADAHOC COUNTY	20,089	-	-	-	1
Bath	10,477	-	-	-	-
Bowdoin	937	-	-	-	-
Bowdoinham	1,305	-	-	-	-
Georgetown	799	-	-	-	-
Phippsburg	1,254	-	-	-	1
Richmond	2,049	-	-	-	-
Topsham	2,097	-	-	-	-
West Bath	291	-	-	-	-
Woolwich	880	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1
-	2	-	-	-	-	-	-	-	3	4	3	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	-	-	-	-	-	1	-	14	4	1	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	1	-	-
-	6	1	-	-	1	-	3	-	12	13	4	-
1	1	-	-	2	-	-	-	1	15	3	6	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	5	1	1	-	2	2	7	2	10	24	5	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	2	-	-	-	-	-	2	-	2	3	1	-
-	-	-	-	-	-	-	1	-	-	3	2	-
-	1	-	-	-	-	1	2	-	-	1	-	-
-	-	1	-	-	-	1	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	1	-	-	-	3	-	1	-
-	1	-	-	-	-	-	-	2	1	2	-	-
1	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	1	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	2	1	2	1	-	-	3	-	12	16	6	-
-	-	1	-	1	-	-	1	-	7	8	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-
-	-	-	-	-	-	-	1	-	2	2	1	-
-	-	-	1	-	-	-	-	-	1	2	1	-
1	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

SOMERSET

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	30,512	-	5	-	6
Anson	1,830	-	-	-	-
Athens	896	-	-	-	-
Bingham	841	-	-	-	-
Cambridge	364	-	-	-	-
Canaan	977	-	-	-	-
Concord	291	-	-	-	-
Cornville	689	-	-	-	-
Detroit	527	-	-	-	-
Embden	569	-	-	-	-
Fairfield	3,878	-	-	-	-
Harmony	571	-	-	-	-
Hartland	1,115	-	-	-	-
Madison	2,764	-	-	-	2
Mercer	493	-	-	-	-
Moscow	378	-	-	-	-
New Portland	913	-	-	-	-
Norridgewock	1,495	-	-	-	-
Palmyra	915	-	-	-	-
Pittsfield	2,891	-	-	-	-
Skowhegan	5,180	-	5	-	2
Smithfield	449	-	-	-	-
Solon	996	-	-	-	1
Starks	636	-	-	-	-
Jackman Pl	352	-	-	-	1
Lexington Pl	231	-	-	-	-
Pleasant Ridge Pl	114	-	-	-	-
The Forks Pl	157	-	-	-	-
WALDO COUNTY	21,541	-	3	-	2
Belfast	4,615	-	1	-	1
Brooks	669	-	-	-	-
Burnham	766	-	-	-	-
Frankfort	1,211	-	-	-	-
Freedom	479	-	-	-	-
Jackson	439	-	-	-	-
Knox	558	-	-	-	-
Liberty	737	-	-	-	-
Lincolnville	1,223	-	-	-	-
Monroe	958	-	1	-	-
Montville	982	-	-	-	-
Northport	545	-	-	-	-
Palermo	757	-	-	-	-
Prospect	648	-	-	-	-
Searsport	1,349	-	-	-	1
Stockton Springs	872	-	-	-	-
Swanville	502	-	-	-	-
Thorndike	497	-	-	-	-
Troy	766	-	-	-	-
Unity	877	-	-	-	-
Waldo	468	-	-	-	-
Winterport	1,623	-	1	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
8	3	-	4	1	8	10	9	1	17	54	12	-
-	-	-	-	1	1	2	1	-	3	2	2	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	2	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	3	-	-	-	2	7	1	-
-	1	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	-	2	2	-	3	4	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	4	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-
1	1	-	1	-	1	-	-	-	3	6	1	-
1	-	-	2	-	1	1	2	-	1	11	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-
1	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
4	2	2	-	1	3	-	4	1	3	31	10	-
-	-	-	-	1	-	-	-	1	2	4	2	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	1	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	4	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	1	-	-	3	-	-

Digitized by Google

TABLE

Deaths in Each Town from Special

WASHINGTON

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY	41,156	-	-	2	5
Addison	1,059	-	-	-	-
Alexander	333	-	-	-	-
Baileyville	215	-	-	-	-
Calais	7,655	-	-	1	1
Charlotte	315	-	-	-	-
Cherryfield	1,859	-	-	-	1
Columbia	516	-	-	-	-
Columbia Falls	569	-	-	-	-
Cooper	207	-	-	-	-
Crawford	112	-	-	-	-
Cutler	565	-	-	-	-
Danforth	1,092	-	-	-	-
Dennysville	482	-	-	-	-
East Machias	1,521	-	-	-	-
Eastport	5,311	-	-	-	-
Edmunds	492	-	-	-	-
Harrington	1,165	-	-	-	-
Jonesboro	606	-	-	-	-
Jonesport	2,124	-	-	-	-
Lubec	3,005	-	-	-	2
Machias	2,082	-	-	-	-
Machiasport	1,218	-	-	-	-
Milbridge	1,921	-	-	-	1
Northfield	126	-	-	-	-
Pembroke	1,652	-	-	1	-
Princeton	1,094	-	-	-	-
Robbinston	844	-	-	-	-
Roque Bluffs	168	-	-	-	-
Steuben	901	-	-	-	-
Talmage	93	-	-	-	-
Topsfield	282	-	-	-	-
Trescott	463	-	-	-	-
Vanceboro	550	-	-	-	-
Waite	135	-	-	-	-
Whitneyville	424	-	-	-	-
YORK COUNTY	64,412	-	8	-	4
Acton	778	-	-	-	-
Alfred	937	-	-	-	-
Berwick	2,280	-	-	-	-
Biddeford	16,145	-	4	-	1
Buxton	1,838	-	-	-	-
Cornish	984	-	-	-	-
Eliot	1,458	-	-	-	-
Hollis	1,274	-	1	-	-
Kennebunk	3,228	-	-	-	-
Kennebunkport	2,123	-	-	-	-
Kittery	2,872	-	-	-	-
Lebanon	1,335	-	-	-	-
Limerick	874	-	-	-	-

Digitized by Google

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping-cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	12	1	-	2	1	2	13	9	40	69	9	1
-	-	-	-	-	-	-	2	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	4	-	-	1	-	1	4	-	7	12	-	1
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	3	-	-	-	-	-	1	-	5	2	-	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
1	1	-	-	-	-	-	1	1	6	11	2	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	2	-	2	5	-	-
-	2	-	-	-	-	-	-	3	8	5	2	-
-	-	-	-	-	-	1	-	1	1	6	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	1	-
-	-	-	-	-	-	-	-	1	1	2	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
7	15	1	3	1	11	3	5	1	58	92	28	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	2	1	-
1	3	-	2	-	2	1	-	-	37	31	14	-
-	2	-	-	-	-	1	-	-	1	1	-	-
-	1	-	-	1	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	2	-	-	-	-	-	-	-	-	1	-	-
2	2	-	-	-	4	-	-	-	-	3	-	-
2	-	-	-	-	-	-	1	-	-	3	-	-
-	-	-	-	-	-	-	-	-	1	5	1	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-

Digitized by Google

TABLE

Deaths in Each Town from Special

YORK

County and Towns.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Limington	1,001	-	-	-	1
Lyman	687	-	-	-	-
Newfield	676	-	-	-	-
North Berwick	1,748	-	-	-	-
Old Orchard	964	-	-	-	-
Parsonsfield	1,131	-	-	-	-
Saco	6,122	-	-	-	-
Sanford	6,078	-	3	-	1
Shapleigh	847	-	-	-	-
South Berwick	3,188	-	-	-	-
Waterboro	1,169	-	-	-	-
Wells	2,007	-	-	-	1
York	2,668	-	-	-	-

Digitized by Google

No. 33—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	1	-	-	-	-	-	-	4	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	1	-	5	8	-	-
-	1	1	-	-	-	-	-	-	8	11	2	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	2	-	-	1	-	6	3	-
1	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	4	-	-
1	-	-	-	-	1	-	1	-	-	4	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE	694,466	43	54	617	121	486	535
Androscoggin	54,242	3	3	64	11	39	33
Aroostook	60,744	3	4	26	7	32	34
Cumberland	100,689	6	9	108	14	90	83
Franklin	18,444	1	2	15	3	11	12
Hancock	37,241	-	4	36	8	21	26
Kennebec	59,117	5	5	47	12	36	53
Knox	30,406	2	4	28	6	17	25
Lincoln	19,669	-	1	15	4	5	21
Oxford	32,238	2	4	31	11	41	37
Penobscot	76,246	4	4	68	10	58	65
Piscataquis	16,949	2	1	10	4	6	8
Sagadahoc	20,330	2	1	13	4	10	12
Somerset	33,849	1	2	26	3	24	24
Waldo	24,185	1	1	21	4	12	24
Washington	45,232	3	2	34	5	29	35
York	64,885	8	7	75	15	55	43
ANDROSCOGGIN COUNTY	54,242	3	3	64	11	39	33
Auburn	12,951	-	1	14	2	6	7
Durham	1,230	-	-	3	-	1	-
East Livermore	2,129	-	-	6	-	1	4
Greene	826	-	-	2	2	2	2
Leeds	1,065	-	-	-	-	1	1
Lewiston	23,761	3	2	25	5	25	9
Lisbon	3,603	-	-	4	1	1	3
Livermore	1,125	-	-	-	1	-	3
Mechanic Falls	1,687	-	-	5	-	1	-
Minot	808	-	-	-	-	-	-
Poland	1,648	-	-	3	-	1	2
Turner	1,842	-	-	2	-	-	1
Wales	436	-	-	-	-	-	1
Webster	1,131	-	-	-	-	-	-
AROOSTOOK COUNTY	58,871	3	4	26	7	32	34
Amity	404	-	-	-	-	1	-
Ashland	1,080	2	-	-	-	-	2
Bancroft	318	-	-	1	-	1	-
Benedicta	350	-	-	-	-	-	2
Blaine	954	-	-	-	-	2	2
Bridgewater	1,179	-	-	-	-	1	1
Caribou	4,758	-	-	3	-	-	4
Castle Hill	567	-	-	1	-	-	-
Crystal	370	-	-	1	-	2	-
Dyer Brook	280	-	-	-	-	-	-
Easton	1,215	-	-	1	-	-	-
Fort Fairfield	4,181	-	-	-	1	-	-
Fort Kent	2,528	-	1	1	-	1	-
Frenchville	1,316	-	-	-	-	-	1
Grand Isle	1,104	-	-	1	-	-	1
Haynesville	316	-	-	-	-	-	-
Hersey	199	-	-	-	-	-	-
Hodgdon	1,130	-	-	-	-	-	-

Digitized by Google

No. 34.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
168	718	631	1,246	970	187	173	575	63	652	76	85	501
25	62	39	90	126	21	26	75	6	55	9	5	33
11	20	39	53	95	6	16	38	1	18	6	2	49
16	112	82	193	144	31	22	80	13	151	6	16	68
2	28	12	38	23	3	3	22	2	24	-	3	19
6	31	25	58	35	6	6	12	4	32	3	4	20
14	76	95	119	68	13	12	35	5	49	5	9	42
1	38	24	83	19	8	2	22	1	30	5	5	16
3	19	22	43	10	4	4	14	-	19	3	3	12
2	34	19	65	64	11	5	41	6	20	7	3	21
27	78	73	118	120	22	24	80	6	67	12	11	92
6	11	11	24	11	3	2	8	3	13	2	3	14
-	26	14	45	33	11	4	12	-	25	1	2	14
8	38	25	45	28	8	1	34	2	20	2	1	15
4	28	33	71	24	4	7	19	4	22	2	3	10
13	35	38	83	53	10	12	23	2	28	4	4	31
30	82	80	118	117	26	27	60	8	79	9	11	45
25	62	39	90	126	21	26	75	6	55	9	5	33
9	19	12	24	26	3	5	6	3	12	-	2	5
-	1	2	4	2	-	1	1	-	2	1	-	-
-	2	-	2	5	-	2	1	-	-	1	-	-
-	1	1	2	-	1	-	-	-	-	2	-	2
-	4	-	3	3	-	1	2	-	-	-	-	1
14	20	14	34	70	9	15	55	2	27	4	2	21
2	7	2	3	3	5	-	3	-	3	-	1	1
-	-	-	4	2	-	-	2	-	-	-	-	-
-	1	5	3	5	1	-	-	-	2	-	-	2
-	3	1	-	-	1	-	1	-	1	-	-	-
-	4	-	4	6	-	-	-	-	4	-	-	1
-	-	-	6	2	-	2	3	1	2	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	2	1	-	1	-	2	-	-	-
11	20	39	53	95	6	16	38	1	18	6	2	49
-	-	-	-	2	-	-	1	-	-	-	-	1
1	-	2	-	1	-	-	-	-	1	1	-	1
-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	1
-	-	2	1	2	1	-	-	-	-	-	-	-
-	1	1	1	2	-	1	1	-	-	-	-	-
2	-	6	5	10	-	2	3	-	2	-	-	6
-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	-	5	1	-	-	-	-	-	-	-	-
-	4	-	2	1	-	-	-	-	1	-	-	-
-	-	2	1	-	-	1	1	-	2	-	-	-
-	-	-	1	3	-	-	-	-	-	-	-	1
-	-	3	2	-	-	1	1	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

AROOSTOOK

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Houlton	4,656	-	-	2	-	1	1
Island Falls	1,063	-	-	1	-	1	-
Limestone	1,131	-	-	2	-	1	-
Linneus	834	-	-	-	-	1	-
Littleton	956	-	-	-	-	1	-
Ludlow	394	-	-	-	-	-	-
Madawaska	1,698	-	-	-	-	-	-
Mapleton	853	-	-	-	-	1	-
Mars Hill	1,183	-	-	2	-	1	1
Masardis	438	-	-	1	-	-	-
Monticello	1,332	-	-	-	-	-	-
New Limerick	600	-	-	-	-	-	2
New Sweden	867	-	-	-	-	-	1
Oakfield	860	1	-	-	-	-	-
Orient	208	-	-	-	-	-	-
Perham	580	-	-	-	-	2	-
Presque Isle	3,804	-	-	1	1	4	1
St. Agatha	1,396	-	-	-	-	-	-
Sherman	980	-	-	-	2	-	-
Smyrna	411	-	-	-	-	-	-
Van Buren	1,878	-	-	1	1	7	4
Washburn	1,225	-	-	-	-	-	-
Westfield	259	-	-	-	-	-	-
Weston	367	-	-	-	-	-	1
Woodland	1,096	-	-	1	1	1	1
Cary Pl	400	-	-	-	-	-	1
Caswell Pl	368	-	-	-	-	-	-
Chapman Pl	285	-	-	-	1	-	-
Connor Pl	453	-	-	-	-	-	2
Cyr Pl	502	-	2	1	-	-	-
Eagle Lake Pl	406	-	-	1	-	-	1
Hamlin Pl	574	-	-	-	-	-	-
Hill Pl	124	-	-	1	-	1	-
Macwahoc Pl	153	-	-	-	-	-	-
Merrill Pl	298	-	-	-	-	1	-
Moro Pl	217	-	-	-	-	-	-
New Canada Pl	419	-	-	1	-	-	-
Oxbow Pl	153	-	-	-	-	-	-
Portage Lake Pl	241	-	-	-	-	-	1
Reed Pl	399	-	1	-	-	-	-
St. Francis Pl	568	-	-	1	-	-	-
St. John Pl	371	-	-	-	-	-	-
Silver Ridge Pl	168	-	-	-	-	-	-
Stockholm Pl	191	-	-	1	-	-	2
Wade Pl	271	-	-	-	-	-	-
Wallagrass Pl	784	-	-	-	-	1	1
No. 8, R. 4	111	-	-	-	-	-	-
No. 9, R. 4	23	-	-	-	-	-	1
CUMBERLAND COUNTY	100,689	6	9	108	14	90	88
Baldwin	821	-	-	1	-	2	-
Bridgton	2,868	-	2	-	1	1	3
Brunswick	6,806	1	-	7	-	6	3
Cape Elizabeth	887	-	-	1	1	-	-
Casco	783	-	-	1	-	-	1

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	5	-	5	9	-	3	2	-	2	-	-	1
-	-	1	1	1	-	-	-	1	1	1	-	1
1	-	1	3	2	-	-	1	-	1	-	1	-
-	-	-	1	1	-	-	2	-	-	-	-	-
2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	2	1	-	-	-	1	-	-	-	-	-
1	1	1	-	3	-	-	-	-	1	-	-	1
-	-	1	-	1	-	2	-	-	-	-	1	-
-	-	1	-	3	-	-	1	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	-	-
1	-	-	1	1	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	1	2	-	1	-	-	-	-	-	-
-	2	2	5	5	2	-	1	-	1	-	-	5
-	-	1	4	-	-	-	-	-	-	-	-	2
-	1	1	-	5	-	-	2	-	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
1	1	3	2	11	-	1	4	-	1	-	-	2
-	1	2	1	3	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	1
1	-	-	1	1	-	-	1	-	-	-	-	1
-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	3	-	-	1	-	-	-	-	-
1	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	-	-
-	-	1	2	1	1	1	-	-	1	-	-	6
-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	2
-	-	-	1	-	-	-	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	4
-	1	-	-	-	-	-	-	-	-	-	-	1
-	-	-	1	1	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	1
-	-	-	-	2	-	1	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
16	112	82	133	144	31	22	80	13	151	6	16	68
-	-	3	1	-	-	-	2	-	4	-	-	2
1	2	2	7	2	2	-	2	-	7	-	-	1
1	10	3	11	14	6	-	7	-	3	-	1	2
2	1	1	3	1	-	-	-	-	1	-	-	1
-	2	-	5	-	-	-	1	-	-	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

CUMBERLAND

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Cumberland	1,404	-	-	2	-	1	1
Falmouth	1,511	-	-	1	1	-	2
Freeport	2,339	-	1	8	-	2	1
Gorham	2,540	-	-	1	-	2	6
Gray	1,388	-	-	-	-	4	-
Harpswell	1,750	-	-	2	-	1	1
Harrison	969	-	-	1	2	-	1
Naples	813	-	-	-	1	-	-
New Gloucester	1,162	-	-	-	-	1	3
North Yarmouth	642	-	-	-	-	-	1
Otisfield	728	-	-	-	-	2	-
Portland	50,145	5	3	53	5	57	35
Pownal	592	-	-	2	-	-	-
Raymond	823	-	-	3	-	1	-
Scarboro	1,865	-	-	3	-	1	5
Sebago	576	-	-	2	-	-	1
South Portland	6,287	-	-	5	3	2	3
Standish	1,504	-	2	1	-	-	7
Westbrook	7,283	-	-	11	-	5	3
Windham	1,929	-	1	2	-	2	4
Yarmouth	2,274	-	-	1	-	-	2
FRANKLIN COUNTY	17,870	1	2	15	3	11	12
Avon	448	-	-	-	-	-	1
Carthage	334	-	-	-	-	-	-
Chesterville	709	-	-	-	-	1	-
Eustis	436	-	-	-	-	-	-
Farmington	3,288	1	1	5	-	3	2
Freeman	397	-	-	2	-	-	1
Industry	553	-	-	-	1	-	1
Jay	2,758	-	-	1	-	2	1
Kingfield	693	-	-	1	1	1	2
Madrid	326	-	-	-	-	-	1
New Sharon	946	-	-	1	-	-	1
New Vineyard	584	-	-	-	-	-	-
Phillips	1,399	-	-	-	-	1	1
Rangeley	961	-	1	-	-	2	-
Salem	195	-	-	-	-	-	-
Strong	637	-	-	1	-	-	-
Temple	394	-	-	1	-	-	-
Weld	738	-	-	1	1	-	-
Wilton	1,647	-	-	1	-	1	-
Lang Pl	87	-	-	-	-	-	-
Lowelltown	90	-	-	-	-	-	-
Rangeley Pl	98	-	-	-	-	-	-
Sandy River Pl	21	-	-	1	-	-	-
Perkins	63	-	-	-	-	-	-
No. 4 R. 3	33	-	-	-	-	-	1
Jerusalem	35	-	-	-	-	-	-
HANCOCK COUNTY	35,165	-	4	36	8	21	26
Amherst	364	-	-	-	-	-	-
Aurora	152	-	-	1	-	-	-
Bluehill	1,828	-	-	3	-	1	1

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	2	1	3	1	-	1	-	1	-	-	1
-	2	-	2	1	-	-	1	1	3	-	-	-
-	2	1	6	2	1	1	1	-	6	-	-	1
-	10	-	8	2	-	1	5	-	2	-	1	1
-	-	1	2	2	1	-	-	-	2	-	-	-
-	6	1	1	1	1	2	-	2	2	1	-	2
-	1	2	3	-	1	-	1	-	1	-	-	1
-	-	1	1	2	-	-	-	-	1	-	1	1
-	-	1	1	2	1	1	1	-	-	-	-	1
-	1	-	2	-	-	-	-	1	-	-	-	-
-	1	-	-	2	-	2	-	-	-	-	-	-
7	51	42	104	81	9	13	44	7	95	4	11	44
-	-	2	4	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	1	-	-
-	2	1	2	1	-	1	1	-	1	-	-	-
-	1	-	1	1	2	-	-	-	2	-	-	-
2	7	3	4	5	2	1	2	-	6	-	2	5
1	3	4	2	1	-	-	1	-	3	-	-	-
1	4	8	12	17	-	-	4	1	4	-	-	3
1	1	1	3	2	1	-	4	-	2	-	-	-
-	4	3	6	2	3	-	1	1	5	-	-	2
2	28	12	38	23	3	3	22	2	24	-	3	19
-	-	-	1	-	-	-	2	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	2	-	-	1	-	-	1	-	-	-	-	-
-	-	-	1	2	-	-	-	-	-	-	-	1
-	5	2	6	7	-	-	5	-	6	-	1	2
-	2	-	-	-	-	-	-	-	1	-	-	1
-	1	1	1	-	-	-	-	-	2	-	-	-
1	6	3	1	5	2	2	4	-	1	-	-	5
-	3	-	3	-	-	-	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	1	-
-	3	-	1	1	-	-	2	-	-	-	-	1
-	1	1	1	-	-	-	2	-	1	-	-	-
-	1	1	4	2	-	1	2	-	5	-	-	1
-	-	1	4	1	-	-	1	1	-	-	-	3
-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	1
-	-	-	3	-	-	-	-	-	1	-	-	-
-	-	1	2	3	-	-	-	-	-	-	-	-
-	3	1	6	-	1	-	1	1	5	-	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
6	31	25	58	35	6	6	12	4	32	3	4	20
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	2	9	1	1	-	-	1	1	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

HANCOCK

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Brooklin	886	-	-	1	-	-	-
Brooksville	1,171	-	-	2	1	1	1
Bucksport	2,339	-	-	6	1	-	2
Castine	925	-	1	2	1	-	1
Cranberry Isles	374	-	-	-	-	-	-
Dedham	327	-	-	-	-	-	-
Deer Isle	2,047	-	-	4	1	2	5
Eastbrook	248	-	-	-	-	-	1
Eden	4,379	-	1	3	1	8	1
Ellsworth	4,297	-	1	2	-	1	1
Franklin	1,201	-	-	-	-	-	-
Hancock	900	-	1	-	-	-	-
Lamoine	594	-	-	-	-	1	-
Mount Desert	1,600	-	-	-	1	-	-
Orland	1,251	-	-	3	-	-	3
Otis	152	-	-	-	-	-	-
Penobscot	1,156	-	-	1	-	-	2
Sedgwick	902	-	-	-	-	1	1
Sorrento	117	-	-	-	-	1	-
South West Harbor	-	-	-	1	-	-	1
Stonington	1,648	-	-	3	1	-	1
Sullivan	1,034	-	-	1	-	3	1
Surry	900	-	-	-	1	-	1
Swans Island	758	-	-	1	-	-	1
Tremont	2,010	-	-	1	-	-	1
Trenton	459	-	-	-	-	1	-
Verona	234	-	-	1	-	-	-
Waltham	192	-	-	-	-	-	-
Winter Harbor	571	-	-	-	-	1	1
No. 8 Pl	17	-	-	-	-	-	-
No. 33 Pl	82	-	-	-	-	-	-
KENNEBEC COUNTY	58,647	5	5	47	12	36	53
Albion	878	-	-	-	-	1	1
Augusta	11,683	2	-	8	-	13	20
Belgrade	1,058	-	1	2	-	-	-
Benton	1,097	-	-	1	-	-	-
Chelsea	3,092	-	-	-	-	1	-
China	1,380	-	1	5	-	2	1
Clinton	1,398	1	-	3	-	-	1
Farmingdale	848	-	-	-	1	-	-
Fayette	560	-	-	-	2	-	2
Gardiner	5,501	1	1	6	2	2	6
Hallowell	2,714	-	-	2	-	1	-
Litchfield	1,057	-	-	1	-	1	1
Manchester	518	-	-	1	-	1	-
Monmouth	1,236	-	-	4	-	-	-
Mount Vernon	906	-	-	-	1	-	1
Oakland	1,913	-	1	1	2	1	1
Pittston	1,177	-	-	1	-	1	1
Randolph	1,077	-	-	-	-	-	1
Readfield	994	-	-	-	1	-	-
Sidney	1,068	-	-	1	-	-	-
Vassalboro	2,062	-	-	-	-	2	4

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	2	-	-	1	-	-	1	-	1	1
1	2	2	5	-	-	-	-	-	-	-	-	1
1	3	-	10	1	1	1	-	-	3	-	-	2
-	-	1	2	2	-	-	1	-	2	-	1	-
-	-	2	-	-	-	1	-	-	1	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-
-	5	1	3	-	1	-	-	-	4	-	1	3
-	-	-	1	-	-	-	-	-	-	-	-	-
2	3	-	1	3	2	2	1	-	3	2	-	4
1	1	2	7	5	-	-	3	-	5	-	-	3
-	2	-	2	2	1	-	-	1	1	-	-	1
-	1	1	2	1	-	-	-	-	-	-	-	1
-	-	1	-	1	-	-	1	-	-	-	-	1
-	1	-	2	4	-	-	-	-	-	-	-	-
-	1	2	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	1	2	-	-	-	-	1	-	-	-
-	3	1	-	1	-	-	-	-	1	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	3	-	-	-	-	2	-	-	1
-	2	1	1	2	-	-	4	-	1	-	-	-
-	-	1	3	2	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	1	-	1	-	1	-
-	1	2	-	1	-	-	1	-	2	-	-	1
1	3	-	2	-	-	-	-	2	-	-	-	-
-	-	-	1	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
14	76	95	119	68	13	12	35	5	49	5	9	42
-	-	2	2	-	1	-	1	-	-	-	-	-
-	19	60	25	19	4	1	5	1	12	1	3	8
-	2	1	-	1	1	-	2	-	-	-	1	-
-	1	4	4	2	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	3	-	1	2
-	4	3	3	4	-	1	2	1	-	1	1	-
1	-	-	4	3	-	-	1	-	-	-	-	3
-	1	-	3	1	-	-	1	-	2	-	-	-
-	2	1	1	-	-	-	1	-	1	-	-	-
-	5	-	14	3	2	3	1	-	3	1	2	3
-	1	2	8	5	-	-	2	-	1	-	-	1
-	2	-	-	1	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	2	-	-	-	1	-	-	-	-	4
-	1	-	4	-	-	-	1	-	-	-	-	-
-	-	5	10	2	1	1	-	-	1	-	1	1
-	1	1	4	-	-	-	1	-	-	-	-	1
-	2	-	3	1	-	-	-	-	2	-	-	-
-	1	-	3	-	-	-	-	-	2	-	-	1
-	4	1	2	2	-	1	-	-	2	-	-	-
1	8	1	3	2	1	-	2	-	3	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

KENNEBEC

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Vienna	406	-	-	-	-	-	2
Waterville	9,477	1	-	5	1	9	6
Wayne	707	-	-	2	-	1	1
West Gardiner	693	-	-	1	-	-	-
Windsor	782	-	1	-	-	-	1
Winslow	2,277	-	-	1	-	-	1
Winthrop	2,086	-	-	2	1	-	2
Togus	-	-	-	-	1	-	-
KNOX COUNTY	30,030	2	4	28	6	17	25
Appleton	975	-	-	1	-	-	1
Camden	2,825	-	-	2	-	2	-
Cushing	604	-	-	-	-	1	-
Friendship	814	-	-	-	-	-	-
Hope	599	-	1	-	-	1	-
North Haven	551	-	-	-	1	1	-
Rockland	8,150	1	1	11	-	5	10
Rockport	2,314	-	-	3	1	3	2
St. George	2,206	1	-	1	1	3	3
South Thomaston	1,426	-	1	-	-	1	4
Thomaston	2,688	-	1	4	2	-	1
Union	1,248	-	-	-	-	-	1
Vinalhaven	2,358	-	-	3	-	-	1
Warren	2,069	-	-	3	1	-	2
Washington	1,019	-	-	-	-	-	-
Matinicus Isle Pl	184	-	-	-	-	-	-
LINCOLN COUNTY	19,575	-	1	15	4	5	21
Alna	444	-	-	-	-	-	2
Boothbay	1,766	-	-	-	1	-	-
Boothbay Harbor	1,926	-	1	1	1	-	1
Bremen	657	-	-	1	-	-	1
Bristol	2,572	-	-	2	1	2	4
Damariscotta	876	-	-	3	-	-	2
Dresden	882	-	-	-	-	-	1
Edgecomb	607	-	-	1	-	-	-
Jefferson	1,155	-	-	-	-	-	1
Newcastle	1,075	-	-	2	-	1	2
Nobleboro	810	-	-	2	-	-	1
Somerville	374	-	-	-	-	-	-
Southport	527	-	-	-	-	-	-
Waldoboro	3,145	-	-	1	1	1	4
Westport	330	-	-	-	-	1	-
Whitefield	1,156	-	-	2	-	-	1
Wiscasset	1,273	-	-	-	-	-	1

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	2	-	-	-	-	-	2	-	-	-
10	11	8	14	17	2	1	6	1	9	-	-	13
-	2	-	1	1	-	-	1	-	-	-	-	-
-	1	1	1	2	-	-	1	-	-	1	-	-
-	1	1	1	-	-	-	-	-	-	-	-	1
-	1	1	2	1	-	2	2	2	3	-	-	1
1	4	2	2	-	1	2	2	-	-	1	-	2
-	1	1	1	1	-	-	-	-	2	-	-	-
1	38	24	83	19	8	2	22	1	30	5	5	16
-	2	1	-	1	-	-	-	-	1	-	-	-
-	5	1	17	1	1	-	2	1	1	1	1	2
-	-	-	1	-	-	-	1	-	1	-	-	-
-	3	-	2	-	-	1	-	-	2	1	-	-
-	1	2	4	-	-	-	1	-	1	-	-	-
-	-	-	2	-	-	-	-	-	1	-	-	1
-	11	9	22	10	-	-	10	-	10	-	4	8
-	2	1	4	1	-	-	2	-	3	1	-	2
-	1	1	3	1	1	-	-	-	1	1	-	2
-	1	1	3	-	-	-	-	-	1	-	-	-
1	2	3	6	-	3	-	1	-	2	-	-	-
-	3	2	6	1	1	-	2	-	4	-	-	1
-	2	-	3	1	2	-	2	-	1	-	-	-
-	-	3	8	3	-	1	-	-	1	-	-	-
-	5	-	2	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
3	19	22	43	10	4	4	14	-	19	3	3	12
-	1	-	3	-	-	-	1	-	-	-	-	1
-	1	3	2	-	-	2	1	-	3	-	-	-
1	2	1	2	-	-	-	-	-	1	1	-	1
-	1	1	-	-	1	-	-	-	-	-	-	-
1	2	4	5	-	-	1	-	-	1	-	1	1
-	1	1	1	-	1	-	1	-	1	-	-	2
-	1	1	2	1	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	4	-	1	-	-	-
1	1	-	8	2	-	-	-	-	3	1	1	2
-	1	1	6	1	1	-	4	-	2	-	-	-
-	-	3	2	1	1	-	1	-	-	-	-	1
-	1	-	-	2	-	-	1	-	-	-	-	-
-	-	-	2	-	-	-	1	-	-	-	-	1
-	3	5	6	1	-	1	-	-	1	-	1	1
-	1	-	1	-	-	-	-	-	1	-	-	-
-	2	2	2	1	-	-	-	-	2	-	-	2
-	1	-	-	1	-	-	-	-	2	1	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

OXFORD

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
OXFORD COUNTY	31,551	2	4	31	11	41	37
Albany	538	-	-	-	1	1	-
Andover	727	-	-	1	-	1	-
Bethel	1,835	-	-	3	2	3	-
Brownfield	1,019	-	-	2	1	1	-
Buckfield	1,139	1	-	4	-	-	3
Canton	946	-	-	1	1	2	2
Denmark	634	-	-	-	-	1	-
Dixfield	1,052	-	-	1	-	-	1
Fryeburg	1,376	-	1	1	1	-	1
Gilead	340	-	-	-	-	-	1
Greenwood	741	-	-	-	-	-	-
Hanover	214	-	-	-	-	-	1
Hartford	660	-	-	1	-	2	-
Hebron	494	-	1	1	-	1	-
Hiram	1,015	-	-	2	-	-	-
Lovell	633	-	1	2	-	1	4
Mexico	816	-	-	1	1	1	-
Newry	286	-	-	1	-	1	-
Norway	2,302	-	-	3	1	5	4
Oxford	1,331	-	1	3	-	-	1
Paris	3,225	-	-	1	-	-	8
Peru	773	-	-	2	-	-	-
Porter	886	-	-	1	2	-	1
Roxbury	238	-	-	-	-	-	-
Rumford	3,770	1	-	-	-	18	5
Stoneham	284	-	-	-	-	-	-
Stow	270	-	-	-	1	-	-
Sumner	802	-	-	-	-	-	2
Sweden	282	-	-	-	-	-	-
Upton	242	-	-	-	-	1	1
Waterford	917	-	-	-	-	2	1
Woodstock	816	-	-	-	-	-	1
Lincoln Pl	73	-	-	-	-	-	-
Milton Pl	202	-	-	-	-	-	-
Riley	13	-	-	-	-	-	-
No. 4, R. 2	-	-	-	-	-	-	-
PENOBSCOT COUNTY	75,218	4	4	68	10	58	65
Alton	314	-	-	-	-	-	-
Argyle	320	-	1	-	-	-	1
Bangor	21,850	2	2	22	1	14	9
Bradford	954	-	-	2	-	-	-
Bradley	682	-	-	-	-	-	1
Brewer	4,835	-	-	5	1	3	3
Burlington	394	-	-	-	-	-	1
Carmel	862	-	-	2	-	-	-
Carroll	487	-	-	-	-	1	-
Charleston	842	-	-	-	-	-	-
Chester	363	-	-	-	-	-	-
Clifton	236	-	-	-	-	-	1
Corinna	1,170	-	-	4	1	2	2
Corinth	1,042	-	-	2	-	2	2

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	34	19	65	64	11	5	41	6	20	7	3	21
-	1	1	1	1	-	-	1	-	-	-	-	-
-	1	-	-	1	-	-	2	-	-	1	-	3
-	6	-	7	4	-	-	4	-	-	-	-	3
-	-	1	2	4	-	-	1	-	-	-	-	-
-	2	-	-	4	1	2	3	-	-	-	-	1
-	1	-	-	3	-	-	4	-	1	-	-	-
-	1	-	3	3	-	1	-	-	1	-	-	2
-	2	3	1	1	-	-	-	-	-	-	1	1
-	2	-	5	2	1	-	2	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	1	-	1	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
-	1	-	1	1	-	-	-	1	1	-	-	1
-	-	-	2	1	-	1	1	-	1	-	-	-
-	1	-	1	3	-	-	1	-	1	-	-	-
-	3	1	4	1	-	-	-	-	-	-	-	-
-	-	1	2	5	1	1	2	-	3	1	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	3	-	6	3	-	-	2	1	-	-	1	1
-	3	-	2	1	-	-	1	-	-	-	-	-
-	4	3	7	5	2	-	2	1	2	-	-	2
-	1	-	4	-	-	-	2	-	-	-	-	-
-	-	2	2	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	3	7	17	6	-	4	2	2	2	-	4
-	-	1	1	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	1	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	2	-	-	-	2	-	-	-	1	-
1	2	1	1	-	-	-	2	-	-	1	-	1
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
27	78	73	118	120	22	24	80	6	67	12	11	92
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	-	-
10	30	26	42	40	5	8	23	1	21	3	2	28
-	4	1	1	3	-	-	1	-	1	-	-	-
-	-	-	-	2	-	-	1	-	-	-	-	-
2	2	7	5	9	-	4	5	1	3	-	1	4
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	1	1	-	1	-	-	-
-	-	-	1	1	-	1	-	-	-	-	-	-
-	4	-	1	2	-	-	-	-	-	2	1	1
-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	1	-	-	-	1	-	1	-
1	1	5	1	1	-	-	1	-	1	-	-	-
1	3	-	1	1	1	1	1	1	-	2	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

PENOBSCOT

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Dexter	2,841	-	-	1	-	3	3
Dixmont	843	-	-	-	1	-	-
Eddington	663	-	-	-	-	-	2
Enfield	1,062	-	-	2	-	2	-
Etna	527	-	-	1	-	-	
Exeter	879	-	-	1	1	-	1
Garland	857	-	-	2	-	-	-
Glenburn	461	-	-	-	-	-	-
Greenbush	586	-	-	-	-	-	-
Greenfield	160	-	-	-	-	-	-
Hampden	2,182	-	-	4	1	4	3
Hermon	1,183	-	-	1	-	-	-
Holden	602	-	-	1	-	1	2
Howland	519	-	-	1	-	-	1
Hudson	430	-	-	-	-	-	-
Kenduskeag	423	-	-	-	-	-	-
Kingman	336	-	-	2	-	1	-
Lagrange	574	-	-	-	-	-	-
Lee	801	-	-	-	-	-	1
Levant	789	-	-	-	-	-	2
Lincoln	1,731	-	-	1	1	1	3
Lowell	300	-	-	-	-	-	1
Mattamiscontis	28	-	-	-	-	-	-
Mattawamkeag	527	-	-	-	-	-	-
Maxfield	115	-	-	-	-	-	1
Medway	297	-	-	-	-	-	-
Milford	838	-	-	-	-	1	1
Millinocket	1,144	-	-	-	1	8	1
Mount Chase	299	-	-	-	-	-	1
Newburg	734	-	-	1	-	-	2
Newport	1,533	2	-	3	-	-	4
Old Town	5,763	-	-	3	1	10	8
Orono	3,257	-	-	2	1	5	1
Orrington	1,266	-	1	3	-	-	1
Passadumkeag	409	-	-	-	-	-	-
Patten	1,172	-	-	-	-	-	-
Plymouth	658	-	-	-	-	-	1
Prentiss	502	-	-	-	-	-	1
Springfield	532	-	-	-	-	-	3
Stetson	503	-	-	1	-	-	-
Veazie	555	-	-	1	-	-	1
Winn	688	-	-	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-
Lakeville Pl	129	-	-	-	-	-	-
Stacyville Pl	347	-	-	-	-	-	-
PISCATAQUIS COUNTY	15,408	2	1	10	4	6	8
Abbot	716	-	-	1	-	1	-
Atkinson	485	-	-	1	1	-	1
Brownville	1,570	-	-	1	-	-	1
Dover	1,889	-	-	1	1	1	-
Foxcroft	1,629	-	-	1	-	-	3
Greenville	1,117	2	-	1	-	1	-
Guilford	1,544	-	-	-	1	-	-
Medford	282	-	-	-	-	-	-
Milo	1,159	-	1	-	-	1	2

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	5	5	11	4	-	1	6	-	3	-	1	1
-	1	1	2	-	-	-	-	-	2	-	-	-
-	-	-	2	-	-	-	-	-	1	-	-	1
-	1	-	1	1	-	1	1	-	-	-	-	-
-	3	1	1	-	1	-	1	-	1	-	1	-
-	-	1	1	-	1	-	2	-	1	-	-	-
-	1	1	2	1	-	-	1	-	1	-	-	1
-	-	-	-	2	-	-	-	-	-	-	-	1
1	-	-	1	4	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-
-	3	1	1	-	-	-	3	-	2	1	-	3
-	-	1	4	1	-	-	1	-	-	-	-	1
-	-	-	2	-	-	-	2	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	2	-	2	-	-	-	1	-	-	1
-	1	1	1	-	-	-	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	3	-	-	-
-	1	1	2	-	1	-	-	-	-	-	-	-
-	1	1	4	1	-	-	-	-	2	-	-	5
-	-	1	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	1	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	1	-	-
-	1	1	-	2	-	-	2	-	1	-	-	1
-	3	2	2	2	2	2	2	-	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	4	2	-	-	-	-	-	-	-	-
-	1	4	3	2	1	-	2	-	1	-	-	1
8	2	4	5	21	3	2	8	2	4	1	1	14
2	2	1	3	7	3	1	4	1	4	-	-	2
-	1	1	1	-	-	-	2	-	4	-	-	6
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	2
1	-	1	3	2	1	-	3	-	1	1	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	2	-	-	1	1	-	-	-	-	-
-	1	1	-	2	-	-	1	-	-	-	1	-
1	1	-	1	1	-	-	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
6	11	11	24	11	3	2	8	3	13	2	3	14
-	-	-	1	1	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	1	4	3	-	-	-	1	-	1	1	-	1
-	2	1	4	-	-	-	1	-	2	-	2	-
-	1	2	1	-	-	-	-	-	1	-	-	-
1	3	1	-	1	-	1	1	-	3	-	1	3
-	1	1	3	2	-	-	2	-	2	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	1
2	1	-	2	4	-	-	1	3	2	-	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

PISCATAQUIS

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Monson	1,116	-	-	1	-	1	-
Parkman	718	-	-	1	1	-	-
Sangerville	1,294	-	-	-	-	-	1
Sebec	593	-	-	-	-	-	-
Shirley	248	-	-	1	-	1	-
Wellington	413	-	-	-	-	-	-
Williamsburg	117	-	-	-	-	-	-
Willimantic	419	-	-	1	-	-	-
Barnard Pl	98	-	-	-	-	-	-
SAGADAHOC COUNTY	20,269	2	1	13	4	10	12
Arrowsic	180	-	-	-	-	-	-
Bath	10,477	2	1	7	4	4	4
Bowdoin	937	-	-	1	-	-	-
Bowdoinham	1,305	-	-	-	-	1	1
Georgetown	799	-	-	-	-	-	-
Phippsburg	1,254	-	-	3	-	-	2
Richmond	2,049	-	-	2	-	2	5
Topsham	2,097	-	-	-	-	3	-
West Bath	291	-	-	-	-	-	-
Woolwich	880	-	-	-	-	-	-
SOMERSET COUNTY	32,781	1	2	26	3	24	24
Anson	1,830	-	-	4	-	3	-
Athens	896	-	-	-	-	2	-
Bingham	841	1	-	-	-	-	-
Cambridge	364	-	-	-	-	-	-
Canaan	977	-	-	-	-	-	-
Concord	291	-	-	-	-	-	-
Cornville	689	-	-	1	-	-	-
Detroit	527	-	-	-	-	-	1
Embden	569	-	-	1	-	-	-
Fairfield	3,878	-	-	2	-	4	1
Harmony	571	-	-	3	-	-	-
Hartland	1,115	-	-	-	-	-	1
Madison	2,764	-	-	2	-	1	4
Mercer	493	-	-	-	-	-	-
Moscow	378	-	-	-	-	-	-
New Portland	913	-	-	1	-	-	-
Norridgewock	1,495	-	1	2	-	-	2
Palmyra	915	-	-	1	1	-	3
Pittsfield	,891	-	-	3	2	3	3
Ripley	449	-	-	-	-	-	-
St. Albans	1,037	-	-	-	-	-	1
Skowhegan	5,180	-	1	2	-	5	5
Smithfield	449	-	-	-	-	1	-
Solon	996	-	-	1	-	2	2
Starks	636	-	-	1	-	-	-
Caratunk Pl	218	-	-	1	-	-	-
Flagstaff Pl	115	-	-	-	-	-	-
Jackman Pl	352	-	-	-	-	2	-
Lexington Pl	231	-	-	1	-	1	1
Mayfield Pl	89	-	-	-	-	-	-

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	-	-	2	-	1	-	1	-	1	-	-	1
1	-	-	3	-	1	-	1	-	-	-	-	-
-	1	-	3	-	-	1	-	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	26	14	45	33	11	4	12	-	25	1	2	14
-	1	-	1	1	-	-	-	-	-	-	-	-
-	11	7	26	15	8	1	6	-	14	-	2	9
-	3	1	5	2	-	-	1	-	1	-	-	-
-	2	1	6	1	1	-	1	-	2	-	-	-
-	1	-	2	2	-	-	1	-	1	-	-	-
-	1	-	-	5	-	-	-	-	4	-	-	1
-	4	3	1	3	1	1	2	-	2	-	-	1
-	2	1	4	3	1	1	-	-	1	1	-	1
-	1	-	-	1	-	-	-	-	-	-	-	2
-	-	1	-	-	-	1	1	-	-	-	-	-
8	38	25	45	28	8	1	34	2	20	2	1	15
1	1	1	3	4	-	-	1	-	1	-	-	-
-	1	-	-	1	-	-	2	-	-	-	-	-
-	-	1	1	1	1	-	-	-	1	-	-	1
-	-	3	-	-	-	-	-	-	-	-	-	-
2	2	-	1	2	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	-	1	1	-	1	-	-
1	1	2	3	-	1	-	-	-	-	-	-	-
2	-	-	2	-	-	-	1	-	1	-	-	-
-	2	4	4	4	1	-	5	1	3	-	1	3
-	3	1	-	1	-	-	4	-	-	-	-	-
-	3	1	1	-	-	-	3	-	2	-	-	-
-	4	-	1	2	-	-	4	-	1	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	1	-	-	-
-	-	-	2	1	-	-	1	-	-	-	-	1
-	6	-	5	2	-	1	3	-	1	-	-	1
-	1	-	-	3	-	-	1	-	-	-	-	-
-	2	5	2	1	-	-	-	-	3	-	-	1
-	1	-	-	-	-	-	1	-	-	-	-	-
-	1	-	1	-	-	-	1	-	-	-	-	1
2	5	3	9	2	3	-	4	-	2	-	-	1
-	1	-	2	1	-	-	-	-	-	-	-	-
-	1	1	3	1	-	-	1	-	-	-	-	1
-	-	-	-	-	2	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-

Digitized by Google

TABLE

Deaths in Each Town from Certain

SOMERSET

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Moose River Pl	239	-	-	-	-	-	-
The Forks Pl	157	-	-	-	-	-	-
West Forks Pl	160	-	-	-	-	-	-
Rockwood	76	-	-	-	-	-	-
WALDO COUNTY	24,185	1	1	21	4	12	24
Belfast	4,615	1	1	4	-	1	2
Belmont	352	-	-	-	1	1	1
Brooks	669	-	-	-	-	2	-
Burnham	766	-	-	1	-	-	1
Frankfort	1,211	-	-	-	1	-	2
Freedom	479	-	-	-	-	-	1
Islesboro	923	-	-	2	-	-	-
Jackson	439	-	-	-	-	-	-
Knox	558	-	-	-	-	-	-
Liberty	737	-	-	1	-	-	-
Lincolnville	1,223	-	-	-	1	-	1
Monroe	958	-	-	2	1	2	1
Montville	982	-	-	1	-	-	-
Morrill	420	-	-	-	-	-	-
Northport	545	-	-	-	-	1	2
Palermo	757	-	-	-	-	-	-
Prospect	648	-	-	1	-	-	2
Searsmont	949	-	-	-	-	1	3
Searsport	1,349	-	-	4	-	3	1
Stockton Springs	872	-	-	1	-	-	1
Swanville	502	-	-	-	-	-	-
Thorndike	497	-	-	2	-	1	-
Troy	766	-	-	1	-	-	2
Unity	877	-	-	-	-	-	3
Waldo	468	-	-	-	-	-	-
Winterport	1,623	-	-	1	-	-	1
WASHINGTON COUNTY	44,114	3	2	34	5	29	35
Addison	1,059	-	-	1	-	-	3
Alexander	333	-	-	1	-	-	-
Baileyville	215	-	-	-	-	-	-
Baring	231	-	-	-	-	-	-
Brookton	285	-	-	-	-	-	1
Calais	7,655	-	-	4	-	4	4
Centerville	91	-	-	-	-	-	-
Charlotte	315	-	-	-	-	-	-
Cherryfield	1,859	-	-	-	-	-	-
Columbia	516	-	-	1	-	-	-
Columbia Falls	569	-	-	1	1	1	1
Cooper	207	-	-	-	-	-	-
Crawford	112	-	-	-	-	-	-
Cutler	565	-	-	2	-	1	-
Danforth	1,092	-	-	1	1	-	1
Deblois	73	-	-	-	-	-	1
Dennysville	482	-	-	-	-	-	2
East Machias	1,521	-	-	1	-	-	2
Eastport	5,311	-	1	4	-	5	7

Digitized by Google

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
4	28	33	71	24	4	7	19	4	22	2	3	10
-	4	11	18	5	-	1	8	1	10	-	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	1	-	-	-
-	-	-	1	3	-	-	-	-	1	-	-	1
-	1	1	1	-	1	1	-	-	-	-	-	1
-	-	-	1	1	-	-	1	-	-	-	-	1
1	-	1	1	-	-	-	-	1	2	-	1	-
1	-	1	2	-	-	1	-	-	1	-	-	-
-	1	1	2	-	-	-	-	1	-	-	-	-
-	2	-	2	-	-	-	1	-	1	-	-	-
-	1	1	3	1	-	-	-	-	-	-	-	-
-	1	3	1	1	-	1	-	-	1	1	-	1
1	1	2	5	1	-	-	-	-	-	-	-	-
-	3	-	-	-	-	-	1	-	-	1	-	-
-	-	1	3	2	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	1	-	-	-	-	-
-	-	1	2	1	-	-	1	-	-	-	-	1
-	2	1	6	1	1	-	-	-	-	-	-	-
-	2	2	-	2	1	-	-	-	-	-	-	-
-	-	1	4	-	-	1	1	-	-	-	-	1
-	3	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	2	-	-	-	-	-
-	-	3	2	1	-	-	-	-	-	-	-	-
1	2	2	5	1	-	1	1	-	1	-	-	-
-	1	-	2	1	-	-	1	1	3	-	-	-
-	3	-	9	1	1	-	1	-	-	-	1	-
13	35	38	83	53	10	12	23	2	28	4	4	31
-	2	2	7	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	2
-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-
3	7	7	16	13	2	1	4	-	3	-	2	5
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	2	-	1	2	-	-	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	2	1	2	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	2	1	-	-	-	1	-	-	2	-	-	1
1	2	2	-	4	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-
-	2	2	4	4	1	1	1	-	1	1	1	2
5	3	5	12	9	2	2	2	1	4	1	-	1

Digitized by Google

TABLE

Deaths in Each Town from Certain

WASHINGTON

County and Towns.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Edmunds	492	-	-	-	-	1	-
Forest City	151	-	-	-	-	-	-
Harrington	1,165	-	-	-	-	-	1
Jonesboro	606	-	-	1	1	-	-
Jonesport	2,124	-	-	1	-	4	1
Lubec	3,005	1	-	5	-	4	2
Machias	2,082	-	-	-	-	5	-
Machiasport	1,218	-	-	1	-	-	1
Marshfield	227	-	-	-	-	-	-
Meddybemps	154	-	-	-	-	-	-
Milbridge	1,921	-	-	3	1	2	-
Northfield	126	-	-	-	-	-	-
Pembroke	1,652	-	-	1	-	1	-
Perry	1,245	-	-	-	-	1	2
Princeton	1,084	1	1	1	-	-	-
Robbinston	844	-	-	2	-	-	1
Roque Bluffs	168	-	-	-	-	-	-
Steuben	901	-	-	1	1	-	-
Talmage	93	-	-	1	-	-	1
Trescott	463	-	-	-	-	-	-
Vanceboro	550	-	-	-	-	-	1
Waite	135	-	-	-	-	-	1
Whiting	399	1	-	1	-	-	-
Whitneyville	424	-	-	-	-	-	2
Grand Lake Stream Pl	221	-	-	-	-	-	-
No. 14 Pl	77	-	-	-	-	-	-
No. 21 Pl	86	-	-	-	-	-	-
YORK COUNTY	64,885	8	7	75	15	55	43
Acton	778	-	-	1	-	-	-
Alfred	937	-	-	-	-	-	-
Berwick	2,280	-	-	1	-	1	1
Biddeford	16,145	1	8	12	1	25	6
Buxton	1,838	-	-	5	-	-	2
Cornish	984	-	-	-	1	-	-
Dayton	473	-	-	1	-	-	-
Eliot	1,458	-	-	1	2	-	-
Hollis	1,274	-	-	1	-	-	3
Kennebunk	3,228	1	1	5	2	2	2
Kennebunkport	2,123	-	-	8	-	1	4
Kittery	2,872	-	-	2	1	-	4
Lebanon	1,335	-	-	2	-	1	2
Limerick	874	-	-	1	1	1	2
Limington	1,001	-	-	-	-	-	2
Lyman	687	-	-	-	-	-	-
Newfield	676	-	-	2	-	-	-
North Berwick	1,748	-	-	1	1	1	-
Old Orchard	964	-	-	3	2	-	-
Parsonsfield	1,131	-	-	3	-	-	2
Saco	6,122	1	1	7	3	5	3
Sanford	6,078	2	-	4	1	11	-
Shapleigh	847	-	-	-	-	-	1
South Berwick	3,188	2	-	1	-	2	2
Waterboro	1,169	-	-	1	-	1	3
Wells	2,007	1	-	5	-	-	2
York	2,668	-	2	8	-	4	2

Digitized by Google

No. 34—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	4	3	-	-	-	-	-	1	-	-	1
-	1	1	2	1	1	-	-	-	-	-	-	1
1	1	-	-	1	-	-	3	-	1	-	1	2
-	1	1	7	4	-	3	-	-	1	-	-	1
-	1	3	8	2	1	-	1	-	1	-	-	5
1	-	1	1	-	2	-	-	-	2	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	1
1	-	-	-	-	-	-	-	-	-	-	-	2
-	-	2	3	1	-	-	2	-	3	-	-	1
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	5	2	1	-	1	-	3	-	-	-
-	1	-	2	3	-	1	-	-	-	1	-	1
1	-	1	2	1	-	-	-	-	-	-	-	-
-	-	-	1	2	-	-	3	-	-	-	-	1
-	-	1	-	-	-	-	1	-	-	-	-	-
-	3	-	-	1	-	1	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
30	82	80	118	117	26	27	60	8	79	9	11	45
-	2	-	1	4	-	-	1	-	1	-	-	-
-	2	-	1	4	-	-	1	-	1	-	-	-
-	5	-	6	2	2	-	1	-	-	1	1	-
17	13	14	28	45	6	7	14	2	12	2	1	8
-	2	3	5	1	1	-	3	-	2	-	1	3
-	2	2	1	2	1	-	-	-	3	-	-	1
-	2	-	-	-	-	-	1	-	3	-	-	-
-	3	2	-	-	1	4	-	-	1	1	-	1
-	3	4	5	3	3	-	3	-	1	-	-	1
-	5	3	6	5	-	-	4	-	4	1	-	1
-	5	1	6	3	-	2	3	-	5	-	1	3
2	4	3	8	7	1	-	3	-	8	-	2	1
-	4	-	5	-	1	-	1	1	1	-	-	-
1	2	1	-	1	1	-	-	1	2	-	-	1
-	-	2	-	2	-	-	2	-	-	-	-	1
-	-	1	-	1	-	-	2	-	-	-	-	1
-	-	2	2	2	1	-	2	-	1	-	-	1
2	3	2	2	3	-	2	-	-	6	-	-	1
-	1	2	-	1	-	3	-	-	1	-	-	1
-	-	2	2	6	1	1	1	1	1	1	-	-
6	6	6	13	6	3	2	7	1	9	1	2	4
2	8	5	9	9	2	3	6	-	6	1	-	8
-	1	3	1	1	-	-	-	-	3	-	-	1
-	4	4	7	3	1	2	2	1	2	-	-	3
-	-	5	1	2	-	-	1	-	2	-	-	-
-	3	4	4	2	-	-	-	-	3	1	2	3
-	2	4	5	2	1	1	2	1	1	-	1	1

Digitized by Google

TABLE

Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Androscoggin, males	105	53	12	22	33	34	37	41	50	75	33	7	1	1
females.....	110	53	13	22	36	33	47	45	65	70	42	11	-	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Aroostook, males	216	81	21	24	32	14	22	29	39	36	25	2	-	2
females.....	166	64	20	30	23	30	22	31	23	33	23	4	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	133	38	19	25	54	59	65	89	129	137	82	12	-	4
females.....	123	45	16	21	58	60	54	85	120	145	107	21	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	21	7	3	7	13	7	10	20	24	28	24	3	-	3
females.....	12	8	6	4	3	5	11	11	18	28	15	1	-	1
not stated. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	34	11	4	12	15	14	14	32	42	52	31	3	-	1
females.....	22	9	2	6	20	19	10	20	30	29	28	6	-	2
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	66	28	9	24	34	42	38	52	82	92	56	13	-	3
females.....	53	17	9	14	30	27	40	35	61	81	49	9	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	31	12	3	9	13	13	12	25	47	43	31	4	-	-
females.....	17	3	3	9	13	11	19	19	35	46	33	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	8	2	2	2	4	1	9	8	32	31	25	5	-	-
females.....	4	2	2	2	8	9	7	3	25	29	25	3	-	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	57	14	3	8	17	14	14	15	43	54	39	6	-	-
females.....	50	20	3	12	17	18	13	27	43	41	36	16	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	127	59	16	36	65	38	63	80	94	97	68	12	-	13
females.....	72	40	11	39	56	40	58	59	74	98	54	23	-	5
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males	14	9	1	9	9	8	7	15	14	26	11	2	-	2
females.....	16	3	3	11	10	8	5	7	16	21	8	2	-	-
not stated. ...	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males	19	6	4	6	8	5	8	21	25	28	24	4	1	-
females.....	22	6	3	2	9	6	14	13	17	27	14	3	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	37	17	4	9	7	16	8	27	36	40	34	3	-	1
females.....	24	12	7	8	10	18	24	25	31	39	27	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	14	5	2	1	10	9	11	24	26	58	24	7	-	-
females.....	15	-	1	6	13	13	16	15	45	41	30	6	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	56	17	3	17	29	13	20	24	40	61	40	9	-	1
females.....	48	23	7	10	19	21	22	31	36	57	38	10	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	108	42	9	29	30	28	33	50	91	105	53	6	-	4
females.....	94	41	4	16	38	39	41	60	89	104	69	10	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	1046	401	115	240	373	315	371	552	814	963	600	98	2	35
females.....	848	346	110	212	363	357	403	486	728	889	598	141	1	15
not stated.....	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Grand total	1897	747	225	452	736	672	774	1038	1542	1852	1198	239	3	52

Digitized by Google

No. 35.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
23	40	52	42	38	29	40	43	43	48	49	56	1	504	-
42	37	44	50	44	30	37	67	59	48	48	41	-	547	-
-	-	-	-	-	1	-	-	-	1	-	-	1	3	1,054
25	38	36	36	49	37	34	103	74	45	36	28	2	543	-
22	23	29	30	33	34	42	66	76	43	40	32	-	470	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,013
70	61	80	71	77	72	57	83	83	61	64	67	-	846	-
65	65	87	81	88	64	55	71	69	70	67	73	1	856	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,702
15	14	15	11	11	18	10	22	6	13	18	17	-	170	-
9	6	9	12	10	7	10	13	11	12	15	9	-	123	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
19	23	21	26	28	23	20	21	26	16	20	22	-	265	-
11	16	17	19	18	10	18	15	25	22	11	21	-	203	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1	469
48	41	63	42	31	40	33	59	50	50	35	45	2	539	-
39	38	33	41	27	32	37	34	37	30	37	40	1	426	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	965
19	15	20	20	19	27	26	17	21	19	24	16	-	243	-
14	22	29	19	18	15	12	16	22	19	14	17	-	217	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	460
12	12	10	9	12	7	12	7	15	12	10	11	-	129	-
10	7	14	6	8	9	6	14	6	15	10	14	-	119	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	249
22	23	28	36	28	19	22	27	23	17	18	21	-	284	-
26	25	37	29	28	21	17	21	28	22	21	21	-	296	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	580
47	57	81	64	58	53	53	80	74	60	68	68	5	768	-
49	52	73	59	49	46	47	53	51	44	50	54	2	629	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,397
9	8	10	10	11	8	9	15	15	11	9	12	-	127	-
9	8	11	9	10	9	12	10	15	6	4	7	-	110	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	237
11	12	10	17	14	13	16	14	13	11	15	13	-	159	-
11	7	16	8	13	13	7	12	10	12	10	18	-	137	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	296
16	22	17	17	28	14	18	27	25	24	16	15	-	239	-
19	20	18	21	25	17	20	19	24	14	18	17	-	232	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	471
6	15	14	18	9	21	26	12	24	11	17	18	-	191	-
21	15	17	23	21	17	21	15	16	11	11	16	-	204	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	395
20	17	27	22	27	28	34	32	30	30	30	32	1	330	-
26	19	17	28	26	22	26	29	46	35	25	24	-	323	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	653
45	39	58	58	50	47	60	51	42	44	40	54	-	588	-
42	56	67	50	53	45	48	64	58	44	35	43	-	605	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,193
407	437	542	499	490	456	470	613	564	472	469	495	11	5,925	-
415	416	518	485	471	391	415	519	553	447	416	447	4	5,497	-
-	-	-	1	-	1	-	1	-	1	-	-	1	5	-
822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427	11,427

Digitized by Google

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Fifteen Years, 1892-1906.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	580	438	993	2,445	3,120	16,200	7,918	15,082	3,380	8,787
Males	271	211	465	1,226	1,774	7,200	-	7,404	1,578	4,284
Females	307	227	528	1,218	1,345	9,260	-	7,673	1,802	4,503
Not stated	2	-	-	1	1	1	-	5	-	-
January	51	32	85	255	236	1,385	104	2,223	425	733
February	42	35	72	220	205	1,331	89	2,054	404	791
March	61	59	89	156	263	1,643	113	2,209	459	781
April	57	39	74	167	224	1,542	121	1,917	387	749
May	70	40	68	176	213	1,581	117	1,484	326	754
June	52	36	90	136	167	1,367	206	808	219	689
July	59	21	89	143	154	1,315	1,062	368	152	648
August	35	19	103	135	244	1,223	2,612	305	101	715
September	25	29	95	170	388	1,159	2,307	444	150	673
October	46	37	66	262	433	1,247	890	773	228	702
November	49	50	72	315	310	1,129	186	1,048	225	712
December	33	41	87	302	276	1,264	108	1,438	298	776
Not stated	-	-	3	2	7	14	3	11	6	4

Digitized by Google

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100, Fifteen Years, 1892-1906.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January	108.53	86.02	100.89	122.80	89.06	100.66	15.47	178.54	148.05	106.26
February	94.40	104.20	94.53	117.30	85.65	107.11	14.65	177.53	155.86	117.35
March	123.83	158.60	105.54	75.13	99.25	119.42	16.80	178.20	159.90	104.65
April	119.57	108.33	109.04	83.11	87.35	115.81	18.59	154.64	139.30	106.64
May	142.10	107.53	80.64	84.76	80.38	114.91	17.40	115.85	113.57	101.03
June	109.08	100.00	110.27	67.68	65.12	102.66	31.65	65.18	78.83	98.10
July	119.77	56.45	105.54	68.87	58.12	95.58	157.93	28.73	52.95	86.83
August	71.05	51.08	122.14	65.01	92.08	88.89	388.44	23.81	35.18	95.81
September	52.44	80.55	116.39	84.60	151.30	87.04	354.49	35.82	53.99	95.82
October	93 38	99.46	78.26	126.17	163.40	90.64	132.35	60.35	89.43	94.07
November	102.78	138.88	88.21	156.76	120.89	84.79	28.58	84.54	80.99	101.37
December	66.90	110.21	103.17	148.32	104.16	91.87	16.06	112.26	103.81	103.98
Mean	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

Digitized by Google

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1906 was 11,427. This was 46 more than for the preceding year, 1905, and a larger number than has occurred in any year since 1892, but a glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1900, has gradually lessened.

Years.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892	12,147	5,939	6,175	33	18.19
1893	11,134	5,557	5,551	26	16.59
1894	11,012	5,570	5,422	20	16.33
1895	10,464	5,226	5,228	10	15.44
1896	10,626	5,350	5,268	8	15.60
1897	11,236	5,624	5,606	6	16.42
1898	10,956	5,506	5,447	3	15.93
1899	11,370	5,676	5,686	8	16.45
1900	11,389	5,734	5,649	6	16.40
1901	11,133	5,604	5,523	6	15.94
1902	10,673	5,454	5,216	3	15.19
1903	11,009	5,629	5,378	2	15.58
1904	11,346	5,868	5,468	10	15.97
1905	11,381	5,835	5,545	1	15.92
1906	11,427	5,925	5,497	5	15.90
Average	11,154	5,633	5,511	10	16.12

By referring to Table No. 4, it will be seen that the lowest death-rate was in Hancock and Lincoln counties, being only 12.66 in each. The counties Aroostook, Franklin, Hancock, Knox, Lincoln, Piscataquis, Sagadahoc, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec,

Digitized by Google

Oxford, Penobscot, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 18.36.

The death-rates in the cities was 17.25 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, and 16.79 in 1905), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.71 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, and 15.49 in 1905).

Seasons and Mortality.—The largest number of deaths occurred in August, 1,133. The smallest number of deaths in any one month was 822 in January. During the spring months 3,006 deaths occurred; during the summer, 2,866; during the autumn, 2,922; in the winter, 2,617. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1906:

	Largest Number.		Smallest Number.	
1892	January	1,577	November	790
1893	August	1,080	November	786
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,152	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822

Digitized by Google

The following is a tabular statement of the number of deaths in each quarter of the fifteen years 1892-1906:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,364	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615
1904	3,100	2,961	2,603	2,670
1905	3,187	2,810	2,786	2,581
1906	2,735	2,794	3,135	2,747
Average	3,007	2,734	2,800	2,597

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1906:

Digitized by Google

DEATHS IN EACH MONTH FOR THE YEARS 1892-1906.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.
1892	1,577	1,292	1,095	1,048	1,045	883	866	938	976	844	790	788	50	12,147
1893	849	845	959	1,037	969	819	823	1,080	975	917	796	1,087	28	11,184
1894	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898	887	817	863	915	985	791	814	1,008	1,147	1,034	857	911	2	10,956
1899	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	969	919	805	837	861	911	854	820	998	24	10,673
1903	1,006	944	996	989	960	786	901	865	957	865	831	919	20	11,009
1904	985	1,035	1,080	1,116	1,088	807	800	896	907	909	817	944	12	11,346
1905	981	1,009	1,197	1,023	957	830	765	1,006	1,012	958	824	799	17	11,381
1906	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
Total	15,224	14,289	15,517	14,977	14,212	11,983	12,505	14,666	14,850	13,531	11,987	13,331	231	167,303

Digitized by Google

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1899-1906. The number of deaths for 1906 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,427 decedents, 5,925 were males and 5,497 were females. The sex of five was unstated.

Among children dying before they were 5 years old, 1,447 were males and 1,194 were females; there were 253 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages of from 50 to 90, and from 90 to 100, more among females. At the age of 100 years and over two men and one woman died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,897	16.61 per cent.
From 1-5 years of age	747	6.54 per cent.
From 5-10 years of age	225	1.97 per cent.
From 10-20 years of age	452	3.96 per cent.
From 20-30 years of age	736	6.44 per cent.
From 30-40 years of age	672	5.88 per cent.
From 40-50 years of age	774	6.77 per cent.
From 50-60 years of age	1,038	9.08 per cent.
From 60-70 years of age	1,542	13.49 per cent.
From 70-80 years of age	1,852	16.21 per cent.
From 80-90 years of age	1,198	10.48 per cent.
From 90-100 years of age	239	2.09 per cent.
100 years of age and over	3	0.03 per cent.
Ages not stated	52	0.45 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the fifteen years 1892-1906. The various diseases of the brain have occupied the first place among the causes of death, except in 1892 when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the

Digitized by Google

list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, and 1905 it again occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES, 1892-1906.

Years.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Old age.	Cancer.	Kidney disease.†	Infantile diarrhea.	Bronchitis.	Diphtheria and croup.
1892	3d	4th	1st	2d	5th	7th	8th	6th	9th	10th
1893	1st	4th	3d	2d	5th	7th	8th	6th	9th	10th
1894	1st	4th	3d	2d	5th	6th	8th	7th	9th	10th
1895	1st	3d	4th	2d	5th	7th	8th	6th	9th	10th
1896	1st	3d	4th	2d	5th	7th	8th	6th	9th	10th
1897	1st	3d	4th	2d	5th	7th	8th	6th	10th	9th
1898	1st	2d	4th	3d	5th	7th	8th	5th	10th	9th
1899	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1900	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1901	1st	2d	4th	3d	5th	6th	8th	7th	9th	10th
1902	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1903	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1904	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1905	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1906	1st	2d	3d	4th	8th	7th	5th	6th	9th	10th

* Including deaths certified as from apoplexy, paralysis, insanity, inflamatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Digitized by Google

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1906.

COUNTIES.	Estimated population for 1906.	Aggregate deaths from six infectious diseases—1906.	Infectious death-rate per 10,000—1906.
Androscoggin	57,406	56	9.76
Aroostook	67,437	92	13.64
Cumberland	106,533	60	5.63
Franklin	19,279	13	6.74
Hancock	37,241	10	2.69
Kennebec	60,380	19	3.15
Knox	30,406	15	4.93
Lincoln	19,669	2	1.02
Oxford	33,229	22	6.62
Penobscot	78,275	83	10.60
Piscataquis	17,438	8	4.59
Sagadahoc	20,857	4	1.92
Somerset	34,582	22	6.36
Waldo	24,185	11	4.55
Washington	45,682	21	4.59
York	66,119	34	5.14
State	718,718	472	6.57

In the foregoing table the second column shows for each county the whole number of deaths for 1906 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

Digitized by Google

SIX INFECTIOUS DISEASES BY CITIES—1906.

Cities.	Estimated population for 1906.	Aggregate deaths from six infectious diseases—1906.	Infectious death-rate per 10,000.—1906.
Auburn	13,972	17	12.16
Augusta	12,377	11	8.89
Bangor	23,498	23	9.79
Bath	11,529	-	-
Belfast	5,373	2	3.72
Biddeford	17,166	9	5.24
Brewer	5,220	4	7.66
Calais	7,874	6	7.62
Eastport	6,448	2	3.10
Ellsworth	4,297	-	-
Gardiner	5,507	1	1.82
Hallowell	2,714	-	-
Lewiston	24,997	30	12.00
Old Town	6,034	18	29.83
Portland	55,165	34	6.17
Rockland	8,150	9	11.00
Saco	6,150	-	-
South Portland	6,287	3	4.77
Waterville	10,899	3	2.75
Westbrook	7,674	9	11.73
Collectively	241,331	181	7.50

By consulting the following table it will be seen that the number of deaths from measles, whooping cough, and diphtheria and croup was larger than in 1905. There was a smaller number of deaths from typhoid fever, scarlet fever, influenza, tetanus, and malarial disease.

Digitized by Google

INFECTIOUS DISEASES—1899-1906.

Diseases.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	Total.
Smallpox	3	2	-	12	7	3	-	-	27
Measles	39	84	26	28	36	22	32	105	372
Scarlet fever	48	35	18	13	18	10	7	5	154
Influenza	380	236	266	122	196	166	243	109	1,718
Whooping cough	96	99	28	51	110	54	38	109	585
Diphtheria and croup	152	155	127	115	115	162	110	119	1,055
Tetanus	11	7	5	7	11	14	7	4	66
Typhoid fever	195	196	224	162	225	242	156	133	1,533
Malarial disease	10	13	11	20	9	13	11	3	90

Smallpox.—In 1906, as in 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 105 persons, of whom 58 were males, 46 were females, and 1, not stated. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, and 32 in 1905.

Digitized by Google

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	61	January	37	Under 1	134
Aroostook	83	February	36	1-5	170
Cumberland	56	March	41	5-10	35
Franklin	13	April	41	10-20	29
Hancock	21	May	54	20-30	24
Kennebec	28	June	42	30-40	26
Knox	18	July	48	40-50	16
Lincoln	8	August	30	50-60	8
Oxford	23	September	23	Over 60	22
Penobscot	44	October	42	Not stated	3
Piscataquis	10	November	45	Total	467
Sagadahoc	6	December	28		
Somerset	37	Total	467		
Waldo	12				
Washington	17				
York	35				
State	467				

Scarlet Fever.—The total mortality from this disease was 5 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, and 7 in 1905) 2 males and 3 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 2 in November. There were no deaths in the first quarter, 1 in the second, 1 in the third, and 3 in the last quarter of the year.

Androscoggin county had 1 death from scarlet fever; Aroostook, 1; Kennebec, 1; and Washington, 2. Of the 5 deaths from this cause, 2 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the fourteen years 1893-1906.

Digitized by Google

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893—1906.

By Counties.		By months.		By age-periods.	
Androscoggin	29	January	24	Under 1	34
Aroostook	66	February	31	1-5	188
Cumberland	44	March	55	5-10	117
Franklin	7	April	34	10-20	45
Hancock	14	May	36	20-30	10
Kennebec	42	June	33	30-40	4
Knox	22	July	21	40-50	1
Lincoln	3	August	19	50-60	2
Oxford	5	September	28	Not stated	1
Penobscot	38	October	35	Total	402
Piscataquis	10	November	47		
Sagadahoc	10	December	39		
Somerset	12	Total	402		
Waldo	14				
Washington	21				
York	65				
State	402				

Digitized by Google

The scarlatina death-rate per 10,000 for this State was 0.07; for the cities, 0.08.

Influenza.—During the year for which this report is made, 109 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 10.09; February, 5.51; March, 16.51; April, 16.51; May, 16.51; June, 3.67; July, 4.59; August, 8.26; September, 1.84; October, 7.34; November, 6.42; December, 2.75. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year,	21	40-50 years,	2
	1-5 years,	12	50-60 years,	5
	5-10 years,	5	60-70 years,	8
	10-20 years,	2	70-80 years,	24
	20-30 years,	2	Over 80 years,	26
	30-40 years,	2		
			Total,	109

The influenza death-rate for the whole State was 1.52 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, and 3.40 in 1905).

Digitized by Google

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	-	-	3	1	1	-	-	-	-	-	1	-	-	6
Aroostook	1	-	2	2	3	1	3	8	1	5	3	-	-	29
Cumberland	-	1	2	-	3	-	1	-	-	1	1	-	-	9
Franklin	1	-	-	1	3	-	-	-	-	-	-	-	-	5
Hancock	-	-	1	1	4	-	-	-	-	-	1	-	-	7
Kennebec	2	-	1	1	1	-	-	-	1	1	-	1	-	8
Knox	-	-	1	-	-	-	-	-	-	1	1	-	-	3
Lincoln	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Oxford	2	-	3	2	1	1	-	-	-	-	-	-	-	9
Penobscot	2	1	2	-	-	-	-	-	-	-	-	2	-	7
Piscataquis	-	1	-	-	1	-	-	-	-	-	-	-	-	2
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset	-	2	1	3	1	1	-	-	-	-	-	-	-	8
Waldo	-	-	-	1	-	1	-	1	-	-	-	-	-	3
Washington	-	1	-	-	-	-	-	-	-	-	-	-	-	1
York	2	-	2	6	-	-	1	-	-	-	-	-	-	11
State	11	6	18	18	18	4	5	9	2	8	7	3	-	109

Whooping Cough.—The number of deaths from whooping cough was 109 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, and 38 in 1905), of which 57 were males and 52 females. The number of deaths in the cities was 25. Seventy-five of the 109 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.52 per 10,000; that of the cities, 1.04.

Digitized by Google

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1906.

By Counties.		By months.		By age-periods.	
Androscoggin	3	January	4	Under 1	75
Aroostook	38	February	3	1-5	31
Cumberland	18	March	5	5-10	2
Franklin	2	April	5	10-20	-
Hancock	4	May	4	20-30	-
Kennebec	2	June	11	30-40	-
Knox	3	July	9	40-50	-
Lincoln	1	August	18	50-60	-
Oxford	9	September	22	60-70	-
Penobscot	7	October	7	Not stated	1
Piscataquis	1	November	14	Total	109
Sagadahoc	1	December	11		
Somerset	8	Not stated	1		
Waldo	4	Total	109		
Washington	1				
York	7				
State	109				

Diphtheria.—There were for the year 1906, 119 deaths from diphtheria. Of the decedents, 56 were males and 63 were females. Ages: Under 1, 10; 1-5, 63; 5-10, 28; 10-20, 11; 20-30, 2; 40-50, 3; 60-70, 2.

Of the 119 deaths, 55 were in the cities, and 64 in other places. The diphtheria death-rate for the State was 1.66, and for the cities, 2.28. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

Digitized by Google

DIPHTHERIA BY COUNTIES AND MONTHS—1906.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	3	1	-	1	-	-	1	-	-	-	2	2	-	10	1.75
Aroostook	2	2	2	1	-	1	1	2	1	1	1	-	-	14	2.08
Cumberland	1	-	2	3	2	5	-	1	1	2	2	1	-	20	1.88
Franklin	-	-	-	-	1	1	-	-	-	-	-	1	-	3	1.56
Hancock	1	-	-	-	-	1	-	-	-	1	-	-	-	3	0.81
Kennebec	1	-	1	-	-	-	-	-	1	-	2	1	-	6	0.99
Knox	-	-	1	-	-	-	-	-	-	-	-	6	-	7	2.30
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	1	-	-	-	-	-	1	-	-	2	1	-	-	5	1.50
Penobscot	4	1	2	9	1	1	2	2	2	1	3	3	-	31	3.96
Piscataquis	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1.15
Sagadahoc	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.48
Somerset	-	1	-	-	-	-	-	-	2	2	-	1	-	6	1.74
Waldo	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.83
Washington	1	-	-	-	-	-	1	-	2	1	-	-	-	5	1.09
York	-	-	-	-	-	1	-	-	-	-	2	1	-	4	0.60
State	16	6	8	14	4	11	6	5	9	10	14	16	-	119	1.66

Digitized by Google

The following tabulation shows the number of deaths from diphtheria for the fourteen years 1893-1906 arranged by counties, months, and age-periods.

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	276	January	235	Under 1	309
Aroostook	333	February	206	1-5	1,064
Cumberland	455	March	144	5-10	531
Franklin	40	April	152	10-20	245
Hancock	50	May	155	20-30	51
Kennebec	192	June	116	30-40	25
Knox	91	July	130	40-50	16
Lincoln	28	August	125	50-60	7
Oxford	53	September	151	60-70	6
Penobscot	175	October	237	Over 70	4
Piscataquis	16	November	297	Not stated	5
Sagadahoc	68	December	283	Total	2,233
Somerset	83	Not stated	2		
Waldo	30	Total	2,233		
Washington	79				
York	204				
State	2,233				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1892 to 1906, the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities:

Digitized by Google

Deaths and Death-Rates from Diphtheria

Cities.	1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.
Auburn	5	4.31	9	7.65	3	2.51	2	1.65	1	0.81	6	4.82	14	11.10
Augusta	7	6.51	8	7.36	9	8.19	3	2.70	-	-	2	1.76	1	0.87
Bangor	-	-	2	1.00	2	0.99	4	1.95	3	1.45	4	1.90	7	3.29
Bath	4	4.41	3	3.24	2	2.12	3	3.12	1	1.02	4	4.02	2	1.98
Belfast	1	1.94	-	-	1	1.99	3	6.06	1	2.05	2	4.15	1	2.10
Biddeford	20	13.68	1	0.67	-	-	7	4.58	7	4.53	2	1.28	13	8.23
Brewer	-	-	-	-	1	2.25	-	-	-	-	4	8.62	-	-
Calais	11	14.94	5	6.76	-	-	2	2.68	9	11.98	-	-	-	-
Eastport	4	8.02	1	1.99	-	-	1	1.96	-	-	1	1.98	3	5.74
Ellsworth	-	-	1	2.15	-	-	-	-	-	-	-	-	-	-
Gardiner	-	-	-	-	-	-	-	-	7	12.73	1	1.82	1	1.82
Hallowell	1	3.24	-	-	-	-	-	-	-	-	1	3.50	1	3.56
Lewiston	9	4.07	3	1.34	9	4.00	5	2.20	2	0.87	32	13.83	38	16.27
Old Town	2	3.70	2	3.67	4	7.28	2	3.61	2	3.58	3	5.33	1	1.76
Portland *	13	2.99	14	3.16	18	3.99	28	6.09	23	4.92	54	11.34	31	6.40
Rockland	2	2.45	3	3.67	-	-	9	11.03	6	7.35	4	4.90	-	-
Saco	-	-	1	1.64	-	-	-	-	3	4.92	-	-	1	1.64
South Portland †	-	-	-	-	3	4.88	2	3.17	4	6.17	3	4.51	1	1.46
Waterville	3	3.96	6	7.67	15	18.62	9	10.85	2	2.34	5	5.70	-	-
Westbrook	9	13.31	4	5.86	-	-	-	-	4	5.70	-	-	2	2.80
Total	91	4.41	63	3.02	67	3.17	80	3.74	75	3.47	1.28	5.86	117	5.29
State	212	3.17	152	2.26	139	2.06	197	2.91	174	2.55	276	4.03	240	3.49
State excluding cities	121	2.62	89	1.93	72	1.55	117	2.52	99	2.13	148	3.18	123	2.64

* Portland includes Deering. † South Portland includes Cape Elizabeth.

Digitized by Google

in the Cities and the State, 1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
3	2.35	2	1.54	2	1.52	-	-	2	1.49	3	2.20	1	0.72	4	2.86	57	3.04
1	0.86	-	-	2	1.70	1	0.84	-	-	-	-	3	2.45	1	0.81	38	2.27
-	-	2	0.92	2	0.90	4	1.79	-	-	3	1.31	-	-	5	2.13	38	1.18
2	1.94	2	1.91	5	4.69	3	2.77	7	6.36	14	12.52	4	3.52	-	-	56	3.57
-	-	-	-	2	4.22	-	-	-	-	1	1.95	-	-	1	1.86	13	1.75
11	6.89	8	4.96	3	1.84	5	3.03	7	4.20	6	3.57	9	5.29	1	0.58	100	4.22
-	-	1	2.07	-	-	-	-	-	-	3	5.89	-	-	2	3.83	11	1.51
1	1.31	1	1.31	-	-	1	1.29	1	1.29	-	-	-	-	1	1.27	32	2.86
-	-	2	3.77	1	1.87	1	1.85	-	-	-	-	-	-	-	-	14	1.81
-	-	-	-	1	2.33	-	-	-	-	1	2.33	-	-	-	-	3	0.45
1	1.82	-	-	4	7.27	-	-	2	3.63	-	-	-	-	1	1.82	17	2.06
1	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0.93
47	19.95	17	7.15	7	2.92	1	0.41	5	2.05	7	2.85	2	0.81	2	0.80	186	5.30
-	-	-	-	-	-	3	5.13	1	1.70	3	5.05	4	6.68	11	18.23	38	4.31
22	4.46	18	3.59	24	4.71	15	2.89	9	1.71	18	3.36	10	1.85	13	2.36	310	4.25
1	1.23	-	-	1	1.23	1	1.23	-	-	-	-	-	-	6	7.36	33	2.70
3	4.90	2	3.27	2	3.26	1	1.63	1	1.63	1	1.63	1	1.63	-	-	16	1.75
-	-	-	-	-	-	3	3.99	3	3.90	1	1.27	1	1.25	1	1.22	22	2.12
-	-	1	1.06	1	1.03	3	3.01	5	4.91	5	4.80	5	4.69	3	2.75	63	4.76
1	1.39	10	13.73	2	2.72	-	-	1	1.34	4	5.30	2	2.63	3	3.91	42	3.91
94	4.21	66	2.92	59	2.58	42	1.82	44	1.88	70	2.96	42	1.75	55	2.27	1,093	3.29
152	2.20	155	2.23	127	1.82	115	1.64	115	1.63	162	2.28	110	1.54	119	1.66	2,445	2.36
58	1.24	89	1.90	68	1.45	73	1.55	71	1.51	92	1.95	68	1.44	64	1.36	1,352	1.93

Digitized by Google

Typhoid Fever.—There were 133 deaths from typhoid fever. Of these, 78 were males and 55 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 76 per cent. died between 10 and 50 years of age.

Ages: Under 1, 2; 1-5, 1; 5-10, 10; 10-20, 30; 20-30, 41; 30-40, 19; 40-50, 12; 50-60, 8; 60-70, 7; 70-80, 2; not stated, 1.

The largest number of deaths, 18, occurred in October, and the smallest number, 6, in April and May, respectively. By quarters, 31 were in the first quarter, 20 in the second, 33 in the third, and 48 in the last quarter of the year, and in 1 the month was not stated.

The typhoid death-rate of 2.15 in the cities is greater than that in the villages and rural towns, which is 1.70. The rate for the State is 1.86.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	-	-	1	-	1	1	1	2	1	1	1	-	10	1.74
Aroostook.....	-	1	1	1	1	2	-	-	1	2	1	2	-	12	1.78
Cumberland	1	1	-	-	-	3	2	1	2	1	1	2	-	14	1.31
Franklin	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1.04
Hancock	-	-	-	-	-	-	-	-	1	2	-	-	-	3	0.81
Kennebec	1	4	-	1	-	-	-	1	2	-	-	-	-	9	1.49
Knox	1	1	-	-	-	-	-	1	-	-	1	-	-	4	1.31
Lincoln	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.51
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot.....	1	2	4	2	3	1	2	2	3	6	10	2	1	39	5.11
Piscataquis	1	-	-	-	1	-	-	1	-	-	1	1	-	5	2.87
Sagadahoc	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.96
Somerset	1	-	-	-	-	-	-	-	-	1	1	-	-	3	0.86
Waldo	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.82
Washington.....	1	1	2	1	-	-	1	-	2	1	3	-	-	12	2.63
York	1	1	3	-	1	1	1	-	2	3	-	2	-	15	2.27
State.....	9	11	11	6	6	8	7	10	16	18	20	10	1	133	1.86

Digitized by Google

The following exhibits for the fourteen years 1893-1906 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	270	January	226	Under 1	18
Aroostook	242	February	202	1-5	105
Cumberland	396	March	251	5-10	165
Franklin	65	April	220	10-20	667
Hancock	111	May	200	20-30	894
Kennebec	302	June	156	30-40	420
Knox	69	July	146	40-50	271
Lincoln	54	August	229	50-60	156
Oxford	123	September	348	60-70	106
Penobscot	499	October	391	70-80	69
Piscataquis	56	November	271	Over 80	15
Sagadahoc	52	December	263	Not stated	24
Somerset	92	Not stated	7	Total	2,910
Waldo	65	Total	2,910		
Washington	147				
York	367				
State	2,910				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1892 to 1906, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Digitized by Google

Deaths and Death-Rates from Typhoid

Cities.	1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.
Auburn	3	2.58	6	5.10	3	2.51	1	0.83	5	4.07	1	0.80	3	2.38
Augusta	-	-	7	6.44	6	5.46	5	4.50	5	4.46	5	4.41	19	16.59
Bangor	21	10.69	12	6.02	25	12.37	13	6.35	8	3.86	8	3.80	7	3.29
Bath	2	2.20	3	3.24	2	2.12	1	1.04	2	2.05	-	-	1	0.99
Belfast	1	1.84	3	5.89	-	-	1	2.02	1	2.05	-	-	1	2.10
Biddeford	18	12.32	5	3.34	4	2.64	12	7.85	17	10.99	8	5.12	6	3.80
Brewer	-	-	3	6.84	6	13.48	-	-	2	4.37	1	2.15	-	-
Calais	-	-	9	12.16	5	6.72	-	-	7	9.32	-	-	-	-
Eastport	-	-	2	3.98	2	3.95	3	5.87	-	-	1	1.92	3	5.74
Ellsworth	1	2.13	2	4.30	4	8.69	-	-	2	4.44	5	11.24	3	6.82
Gardiner	-	-	2	3.64	-	-	-	-	1	1.82	2	3.63	2	3.64
Hallowell	-	-	1	3.29	2	6.68	1	3.39	2	6.81	1	3.50	1	3.56
Lewiston	36	16.28	13	5.82	21	9.32	9	3.96	11	4.80	14	6.05	17	7.28
Old Town	4	7.40	1	1.84	3	5.46	2	3.61	2	3.58	1	1.78	3	5.29
Portland *	7	1.61	14	3.16	21	4.65	23	5.00	15	3.21	12	2.52	37	7.63
Rockland	3	3.67	4	4.90	-	-	2	2.45	-	-	1	1.23	5	6.13
Saco	4	6.57	1	1.64	1	1.64	6	9.84	9	14.75	3	4.91	3	4.91
South Portland †	1	1.72	3	5.18	1	1.63	2	3.17	3	4.62	6	9.01	2	2.93
Waterville	2	2.64	3	3.84	3	3.72	1	1.21	-	-	3	3.96	2	2.22
Westbrook	1	1.48	3	4.39	2	2.90	3	4.31	2	2.85	-	-	4	5.59
Total	104	5.04	97	4.65	111	5.25	85	3.98	94	4.35	72	3.29	119	5.38
State	286	4.32	286	4.26	277	4.11	206	3.04	204	3.00	167	2.44	226	3.29
State exclusive of cities	182	3.94	189	4.09	166	3.58	121	2.61	110	2.37	95	2.04	107	2.29

* Including Deering. † Including Cape Elizabeth.

Malarial Diseases.—Three deaths were registered as due to malarial diseases. In all these cases the disease was contracted outside of this State; two of these persons having contracted the disease in the war of the rebellion. The decedents were males; their respective ages were: 20-30, 1; 60-70, 1; 80-90, 1.

Digitized by Google

Fever in the Cities and the State, 1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
5	3.91	4	3.09	-	-	1	0.75	1	0.74	1	0.73	2	1.45	-	-	36	1.93
8	6.92	4	3.42	9	7.63	4	3.36	29	24.11	5	4.12	6	4.89	7	5.66	119	6.80
15	6.95	4	1.83	24	10.85	7	3.12	10	4.41	39	16.99	17	7.32	10	4.26	220	6.81
-	-	1	0.95	1	0.94	2	1.85	1	0.91	2	1.79	1	0.88	-	-	19	1.26
1	2.14	-	-	-	-	-	-	1	2.00	2	3.91	1	1.91	-	-	12	1.60
5	3.13	16	9.91	19	11.65	10	6.07	8	4.80	10	5.94	13	7.65	3	1.75	154	6.46
4	8.38	1	2.07	7	14.29	1	2.01	-	-	3	5.89	1	1.94	1	1.92	30	4.22
4	5.25	2	2.61	3	3.90	3	3.88	2	2.58	-	-	3	3.83	4	5.08	42	3.69
1	1.90	-	-	2	3.74	1	1.85	1	1.84	-	-	-	-	1	1.80	17	2.17
-	-	2	4.65	-	-	2	4.65	2	4.65	1	2.33	-	-	-	-	24	3.59
2	3.64	1	1.82	2	3.64	1	1.82	1	1.82	-	-	-	-	-	-	14	1.70
-	-	-	-	4	14.73	2	7.37	1	3.68	1	3.68	-	-	-	-	16	3.71
24	10.19	15	6.31	13	5.42	2	0.83	3	1.23	9	3.66	8	3.23	8	3.20	203	5.84
2	3.50	3	5.21	7	12.05	5	8.54	9	15.26	19	31.97	5	8.35	6	9.94	72	8.25
13	2.64	19	3.79	15	2.34	15	2.89	17	3 23	16	2.99	14	2.58	9	1.63	247	3.37
1	1.23	1	1.23	1	1.23	1	1.23	1	1.23	2	2.45	1	1.23	3	3.68	26	2.13
4	6.54	6	9.80	5	8.16	4	6.52	5	8.15	5	8.14	2	3.25	-	-	58	6.32
2	2.86	-	-	-	-	1	1.33	3	3.90	1	1.27	1	1.25	-	-	26	2.59
3	3.25	2	2.11	7	7.20	7	7.03	17	16.69	2	1.92	2	1.87	-	-	51	3.84
2	2.77	1	1.37	1	1.36	2	2.70	3	4.01	3	3.98	2	2.63	-	-	29	2.69
93	4.16	82	3.68	120	5.25	71	3.07	115	4.91	121	5.11	79	3.30	52	2.15	1,415	4.23
206	2.98	196	2.82	224	3.21	162	2.31	225	3.18	242	3.41	156	2.18	133	1.85	3,196	3.09
113	2.42	114	2.43	104	2.22	91	1.94	110	2.34	121	2.57	77	1.63	81	1.72	1,781	2.55

Tuberculosis.—In 1906, tuberculosis in its various forms was the cause of 1,176 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, and 1,109 in 1905). The death-rate per 10,000 from this cause was 16.36.

Digitized by Google

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1892 to 1906, the tuberculosis death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Tuberculosis

Cities.	1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.
Auburn	16	13.81	26	22.11	36	30.17	24	19.83	26	21.19	22	17.68	24	19.03
Augusta	36	33.46	34	31.27	31	28.21	37	33.32	30	26.74	19	16.76	22	19.21
Bangor	68	32.06	53	26.60	45	22.28	56	27.35	43	20.72	49	23.30	43	20.19
Bath	20	22.04	18	19.44	15	15.92	20	20.83	14	14.32	22	22.12	20	19.75
Belfast	13	25.21	12	23.58	16	31.86	11	22.20	16	32.74	9	18.68	5	10.52
Biddeford	45	30.79	36	24.07	33	21.82	32	20.92	34	21.99	33	21.11	27	17.08
Brewer	7	16.20	14	31.92	11	24.72	17	37.66	14	30.58	19	40.94	10	21.24
Calais	33	44.82	24	32.43	19	25.55	26	34.79	22	29.30	14	18.55	11	14.51
Eastport	15	30.07	22	43.75	20	39.46	19	37.18	-	-	14	19.27	8	15.30
Ellsworth	7	14.88	11	23.65	7	15.21	8	17.58	8	17.78	12	26.97	7	15.92
Gardiner	13	23.67	14	25.50	19	34.58	13	23.65	11	20.01	15	27.28	5	9.09
Hallowell	8	25.90	7	23.02	6	20.04	6	20.36	7	24.13	13	45.55	4	14.25
Lewiston	31	14.02	37	16.58	48	21.31	49	21.56	45	19.62	75	32.41	60	25.70
Old Town	17	31.47	15	27.54	12	21.85	9	16.25	16	28.66	17	30.21	9	15.86
Portland *	122	28.08	118	26.64	104	23.05	125	27.20	103	22.01	109	22.88	113	23.31
Rockland	20	24.48	19	23.26	21	25.72	10	12.25	17	20.83	18	22.07	19	23.30
Saco	17	27.94	15	24.63	14	22.97	12	19.68	9	14.75	13	21.28	9	14.72
South Portland*	13	22.41	12	20.09	3	4.88	12	19.00	7	10.79	13	19.52	9	13.18
Waterville	20	26.38	14	17.91	21	26.07	16	19.30	16	18.76	28	31.94	20	22.21
Westbrook	12	17.75	16	23.44	18	26.12	12	17.25	14	19.93	10	14.11	19	26.56
Total	528	25.61	517	24.76	499	23.62	514	24.05	452	20.91	520	23.79	444	20.09
State	1513	22.66	1446	21.55	1443	21.40	1397	20.61	1359	19.95	1338	19.55	1239	18.01
State exclusive of cities	985	21.34	929	20.09	944	20.38	883	19.03	907	19.51	818	17.56	795	17.03

* Portland includes Deering. † South Portland includes Cape Elizabeth.

Digitized by Google

This table and the corresponding one for pulmonary tuberculosis present some interesting facts. While the death-rates for the individual cities are based upon too small numbers to be of much value, the figures for the totals for the cities, for the state as a whole, and for the state exclusive of the cities may be accepted as a trustworthy indication that the tuberculosis death-rates have diminished by from 26.2% to 37.7%.

(all kinds) in the Cities and the State—1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
15	11.74	20	15.44	21	16.00	8	6.02	18	13.37	20	14.67	17	12.32	18	12.88	311	16.42
20	17.29	21	17.97	22	18.65	18	15.11	20	16.63	22	18.11	22	17.94	18	14.54	372	21.68
50	23.17	34	15.56	51	23 05	48	21.43	37	16.31	58	25.27	51	21.96	48	20.43	729	22.65
11	10.68	22	21.00	31	29.10	19	17.55	13	11.80	15	13.42	20	17.61	11	9.54	271	17.81
5	10.68	12	26.00	9	18.98	11	22.60	12	24.03	10	19.53	8	15.25	6	11.17	155	20.87
34	21.28	28	17.34	38	23.29	37	22.44	37	22.21	39	23.18	29	17.06	45	26.21	527	22.05
15	31.44	18	37.23	15	30.62	7	14.10	11	21.88	16	31.42	21	40.73	18	34.48	213	29.68
16	21.00	19	24.82	24	31.20	12	15.52	13	16.74	14	17.95	17	21.69	12	15.24	276	24.27
19	36.05	13	24.48	17	31.77	9	16.69	10	18.41	10	18.27	13	23.58	13	23.41	198	25.18
9	20.70	5	11.64	8	18.62	5	11.64	7	16.29	3	6.98	5	11.64	8	18.62	110	16.55
11	20.00	9	16.36	8	14.54	11	19.99	8	14.53	8	14.53	7	12.71	5	9.08	157	19.03
7	25.35	11	40.53	7	25.79	6	22.11	8	29.48	3	11.05	8	29.48	9	33.16	110	26.01
50	21.23	45	18.94	33	13.77	51	21.10	28	11.49	41	16.68	42	16.94	58	23.20	693	19.64
9	15.74	11	19.09	10	17.22	14	23.92	14	23.74	16	26.92	19	31.72	17	28.17	205	23.89
107	21.70	109	21.74	124	24.32	120	23.16	98	18.61	102	19.07	100	18.41	101	18 31	1,655	22.57
11	13.49	18	22.09	18	22.09	15	18.40	23	28.22	20	24.54	18	22.09	12	14.72	259	21.17
13	21.25	9	14.70	10	16.32	7	11.42	8	13.04	12	19.54	13	21.15	8	13.01	169	18.43
9	12.85	13	18.12	11	14.97	9	11.97	12	15.61	15	19.08	9	11.21	13	15.85	160	15.30
21	22.73	15	15.83	13	13.38	9	9.04	18	17.67	19	18.23	16	15.01	17	15.60	263	19.34
18	24.94	16	21.97	22	29.94	11	14.84	10	13.37	11	14.58	10	13.14	12	15.64	211	19.57
450	20.14	448	19.86	492	21.52	427	18.45	405	17.30	454	19.17	445	18.57	449	18.53	7,044	21.09
1241	17.96	1223	17.61	1250	17.90	1165	16.58	1076	15.23	1217	17.13	1109	15.52	1176	16.36	19,192	18.53
791	16.91	775	16.54	758	16.16	738	15.71	671	14.27	763	16.20	664	14.08	727	15.40	12,148	17.35

Digitized by Google

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 109; 54 were of males and 55 of females.

The number for the cities was 51. The death-rate for the State was 0.81; for the cities, 2.11.

Ages: Under 1, 41; 1-5, 26; 5-10, 10; 10-20, 13; 20-30, 6; 30-40, 4; 40-50, 4; 50-60, 4; over 60, 1.

Pulmonary Tuberculosis. (Consumption.)—From this cause 915 deaths were registered in 1906, which is equivalent to a death-rate of 12.73 per 10,000 of population. The death-rate for the cities was 14.38. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the fifteen registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73

Digitized by Google

There were in 1906, 437 fewer deaths than in 1892, 384 fewer than in 1893, 347 fewer than in 1894, 280 fewer than in 1895, 257 fewer than in 1896, 213 fewer than in 1897, 106 fewer than in 1898, 100 fewer than in 1899, 112 fewer than in 1900, 118 fewer than in 1901, 55 fewer than in 1902, 14 more than in 1903, 101 fewer than in 1904, and 21 more than in 1905.

Ages: Under 1, 11; 1-5, 14; 5-10, 10; 10-20, 120; 20-30, 259; 30-40, 170; 40-50, 115; 50-60, 82; 60-70, 72; 70-80, 50; 80 and over, 12.

It is thus shown in this report, as it was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 77 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 411 of the decedents, or 44.9 per cent., were males; and 504, or 55.1 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

Digitized by Google

CONSUMPTION BY COUNTIES AND MONTHS—1906.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin....	7	9	3	2	13	3	10	4	6	10	4	4	-	75	13.06
Aroostook.....	3	6	6	5	8	7	8	6	2	8	8	12	-	69	10.23
Cumberland	10	9	15	10	16	14	8	16	12	9	8	13	-	140	13.14
Franklin	1	3	-	1	-	3	1	1	1	1	2	-	-	14	7.26
Hancock.....	4	6	5	10	2	1	1	3	4	4	3	1	-	44	11.81
Kennebec	7	4	8	7	6	7	6	5	4	8	4	10	-	76	12.59
Knox	4	8	4	-	1	4	2	2	2	2	6	3	-	38	12.48
Lincoln.....	2	1	1	1	1	-	1	2	1	2	-	1	-	13	6.61
Oxford.....	2	3	5	4	4	5	1	5	3	1	1	6	-	40	12.04
Penobscot.....	13	11	12	10	8	9	9	8	11	9	7	13	-	120	15.33
Piscataquis	1	2	-	2	2	5	2	2	3	3	1	1	-	24	13.76
Sagadahoc	2	-	1	1	1	-	5	1	-	-	1	4	-	16	7.67
Somerset	6	5	5	2	11	5	6	2	4	3	3	2	-	54	15.61
Waldo	1	2	3	-	2	1	8	2	5	2	2	3	-	31	12.82
Washington.....	5	4	7	7	4	4	7	6	8	6	7	4	-	69	15.10
York	6	6	11	7	13	8	7	8	6	7	4	9	-	92	13.91
State.....	74	79	86	69	92	76	82	73	72	75	61	76	-	915	12.73

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	80 and over.	Not stated.	Total.
Males	5	7	6	46	117	70	52	38	40	27	3	-	411
Females	6	7	4	74	142	100	63	44	32	23	9	-	504
Total	11	14	10	120	259	170	115	82	72	50	12	-	915

For the fourteen years 1893-1906, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

Digitized by Google

CONSUMPTION BY COUNTIES MONTHS AND AGE-PERIODS—1893-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	1,129	January	1,239	Under 1	218
Aroostook	954	February	1,224	1-5	216
Cumberland	2,178	March	1,513	5-10	140
Franklin	354	April	1,415	10-20	1,784
Hancock	792	May	1,449	20-30	4,370
Kennebec	1,313	June	1,258	30-40	2,779
Knox	755	July	1,213	40-50	1,756
Lincoln	406	August	1,118	50-60	1,331
Oxford	564	September	1,061	60-70	1,159
Penobscot	1,755	October	1,122	70-80	808
Piscataquis	328	November	1,053	Over 80	221
Sagadahoc	411	December	1,173	Not stated	66
Somerset	761	Not stated	15	Total	14,848
Waldo	627	Total	14,848		
Washington	1,095				
York	1,426				
State	14,848				

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1892 to 1906, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Digitized by Google

Deaths and Death-Rates from Pulmonary Tuberculosis

Cities.	1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.
Auburn	16	13.81	23	19.56	29	24.31	20	16.53	19	15.48	21	16.88	21	16.65
Augusta	35	32.53	30	27.59	28	25.48	33	29.72	25	22.28	14	12.35	19	16.59
Bangor	56	28.50	49	24.59	38	18.81	47	22.95	35	16.87	38	18.07	32	15.02
Bath	19	20.94	14	15.12	13	13.79	20	20.83	13	13.30	17	17.09	18	17.78
Belfast	12	23.27	10	19.65	15	29.87	10	20.19	12	24.55	8	16.60	5	10.52
Biddeford	40	27.37	35	23.41	29	19.17	28	18.31	27	17.46	32	20.47	24	15.19
Brewer	6	13.89	11	25.08	9	20.22	13	28.80	10	21.84	16	34.47	7	14.87
Calais	28	38.01	18	24.32	16	21.52	19	25.42	20	26.63	10	13.25	9	11.87
Eastport	14	28.06	19	37.78	18	35.51	18	35.23	-	-	9	17.34	7	13.38
Ellsworth	6	12.76	8	17.20	7	15.21	8	17.58	7	15.56	12	26.97	7	15.92
Gardiner	7	12.74	13	23.66	19	34.58	12	21.83	10	18.19	12	21.83	5	9.09
Hallowell	7	22.66	6	19.73	5	16.70	4	13.57	5	17.24	11	38.54	3	10.69
Lewiston	30	13.57	37	16.58	43	19.09	43	18.92	36	15.70	56	24.20	46	19.70
Old Town	17	31.47	14	25.70	11	20.03	8	14.45	11	19.71	17	30.21	7	12.34
Portland *	90	20.71	105	23.71	86	19.06	100	21.76	79	16.88	82	17.21	90	18.57
Rockland	19	23.26	15	18.37	20	24.50	9	11.03	15	18.38	14	17.16	13	15.94
Saco	17	27.94	15	24.63	14	22.97	8	13.12	7	11.47	11	18.01	7	11.45
South Portland †	9	15.51	10	16.74	9	14.65	10	15.83	6	9.25	10	15.02	5	7.32
Waterville	20	26.38	11	14.07	16	19.86	11	13.27	9	10.55	24	27.38	14	15.55
Westbrook	12	17.75	11	16.11	14	20.31	6	8.62	10	14.24	10	14.11	13	18.17
Total	460	22.31	454	21.74	439	20.78	427	19.98	356	16.47	424	19.40	352	15.96
State	1352	20.25	1299	19.36	1262	18.71	1195	17.63	1172	17.21	1128	16.45	1021	14.84
State exclusive of cities	892	19.32	845	18.28	823	17.77	768	16.55	816	17.55	704	15.11	669	14.33

* Portland includes Deering. † South Portland includes Cape Elizabeth.

Digitized by Google

in the Cities and the State, 1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
12	9.39	17	13.13	14	10.67	7	5.27	14	10.40	13	9.53	12	8.69	14	10.02	252	13.35
16	13.83	18	15.41	20	16.95	14	11.75	16	13.30	21	17.29	21	17.13	15	12.12	325	18.95
40	18.54	28	12.81	36	16.27	40	17.86	31	13.67	47	20.48	39	16.79	35	14.89	591	18.41
6	5.82	19	18.13	29	27.22	13	12.01	13	11.80	11	9.84	19	16.73	8	6.94	232	15.16
5	10.68	11	23.84	8	16.87	7	14.38	10	20.02	7	13.67	8	15.25	4	7.44	132	17.79
30	18.78	26	16.10	34	20.84	35	21.23	31	18.61	36	21.40	20	11.77	31	18.06	458	19.21
14	29.34	12	24.82	12	24.49	5	10.07	8	15.91	14	27.49	16	31.03	11	21.07	164	22.89
15	19.69	14	18.29	20	26.00	10	12.83	9	11.59	10	12.82	16	20.41	12	15.24	226	19.87
17	32.25	12	22.59	15	28.03	9	16.69	7	12.89	7	12.79	12	21.77	11	19.81	175	22.27
8	18.40	5	11.64	8	18.62	5	11.64	7	16.29	2	4.65	4	9.31	6	13.96	100	15.05
7	12.73	8	14.54	5	9.09	9	16.35	7	12.72	8	14.53	7	12.71	3	5.45	132	16.00
5	18.11	10	36.85	7	25.79	5	18.42	7	25.79	3	11.05	8	29.48	8	29.48	94	22.27
34	14.43	40	16.83	25	10.43	46	19.03	21	8.61	33	13.42	31	12.51	43	17.20	564	16.01
9	15.74	10	17.35	9	15.50	10	17.09	10	16.95	14	23.56	18	30.06	13	21.54	178	20.78
87	17.64	82	16.35	101	19.81	88	16.98	90	15.19	82	15.33	77	14.17	77	13.96	1,306	17.82
6	7.36	17	20.86	17	20.85	15	18.40	20	24.54	16	19.63	18	22.09	10	12.27	224	18.31
10	16.35	9	14.70	7	11.42	3	4.89	8	13.04	10	16.28	12	19.52	8	13.01	146	15.92
8	11.42	9	12.55	11	14.97	8	10.64	9	11.71	13	16.54	2	2.49	11	13.41	120	12.54
19	20.56	14	14.77	10	10.30	7	7.03	16	15.70	15	14.39	14	13.13	15	13.76	215	15.78
15	20.78	14	19.22	17	23.14	8	10.79	9	12.04	11	14.58	8	10.51	12	15.64	170	15.73
363	16.24	375	16.60	405	17.71	344	14.87	333	14.22	373	15.75	362	15.11	347	14.32	5,814	17.43
1015	14.69	1027	14.79	1033	14.79	970	13.81	901	12.75	1016	14.30	894	12.51	915	12.73	16,200	15.66
652	13.94	652	13.92	628	13.39	626	13.33	568	12.08	643	13.65	532	11.28	568	12.03	10,386	14.84

Digitized by Google

Tuberculosis Mesenteric.—There were 54 deaths from this cause, 21 males and 33 females.

Ages: Under 1, 2; 1-5, 3; 5-10, 2; 10-20, 6; 20-40, 14; 40-60, 13; over 60, 14.

Tuberculosis, Other Forms.—Of these deaths, 98 in all, the cause assigned was: Tuberculosis or general tuberculosis, 50; tuberculosis of larynx, 12; tuberculosis of bones, 6; tuberculosis of glands, 2; tuberculosis of bladder, 1; Pott's disease, 14; and others, 13.

There were 21 deaths from erysipelas; 40 from pyemia and septicemia, and 25 from puerperal fever—giving a special death-rate of 1.20. The following shows the distribution of puerperal fever by months and counties:

January	5	Androscoggin	3
February	1	Aroostook	4
March	4	Cumberland	3
April	2	Franklin	0
May	2	Hancock	2
June	1	Kennebec	0
July	1	Knox	2
August	0	Lincoln	0
September	3	Oxford	0
October	1	Penobscot	1
November	3	Piscataquis	1
December	2	Sagadahoc	2
		Somerset	4
Total	25	Waldo	0
		Washington	0
		York	3
		Total	25

Forty-three deaths were returned under alcoholism. The special death-rate from alcoholism was 0.60.

Rheumatism.—The returns give 54 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, and 60 also in 1905), 25 males and 29 females. Fifteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.75, while that in the cities was 0.62. The following shows the deaths from this cause arranged by counties, months, and age-groups:

Digitized by Google

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1906.

By Counties.		By months.		By age-periods.	
Androscoggin	8	January	5	Under 1	-
Aroostook	4	February	9	1-5	2
Cumberland	9	March	4	5-10	1
Franklin	2	April	1	10-20	3
Hancock	4	May	7	20-30	-
Kennebec	5	June	2	30-40	4
Knox	4	July	2	40-50	9
Lincoln	1	August	3	50-60	7
Oxford	4	September	5	60-70	11
Penobscot	4	October	4	70-80	10
Piscataquis	1	November	4	Over 80	7
Sagadahoc	1	December	8	Total	54
Somerset	2	Total	54		
Waldo					
Washington					
York	7				
State	54				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the fourteen years 1893-1906:

Digitized by Google

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	39	January	67	Under 1	1
Aroostook	48	February	81	1-5	10
Cumberland	113	March	69	5-10	25
Franklin	12	April	52	10-20	58
Hancock	38	May	76	20-30	53
Kennebec	69	June	41	30-40	48
Knox	36	July	60	40-50	61
Lincoln	26	August	60	50-60	104
Oxford	44	September	43	60-70	170
Penobscot	85	October	51	70-80	161
Piscataquis	23	November	72	Over 80	60
Sagadahoc	25	December	79	Not stated	3
Somerset	42	Not stated	3	Total	754
Waldo	34	Total	754		
Washington	42				
York	78				
State	754				

Cancer.—From cancer in its various forms and locations there were 617 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900; 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, and 662 in 1905). Of the decedents, 238 were males and 379 were females. The cancer death-rate for the State was 8.58.

Distributed as to its more frequent locations, there died of cancer of the stomach, 134; intestines, 101; female genital organs, 92; liver, 79; breast, 49; skin, 30, mouth, 29; abdomen, 11; neck, 11; throat, 9; pelvis, 9; arm, 7; kidneys, 4; bladder, 4; prostrate, 4; lung, 3; larynx, 3; hip, 3; pancreas, 2; eye, 2; various, 12; unspecified, 19.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

Digitized by Google

CANCER BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	-	-	-	2	1	11	18	50	70	62	24	-	238
Females	-	1	-	1	2	30	62	96	89	74	24	-	379
Total	-	1	-	3	3	41	80	146	159	136	48	-	617

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1906, and for the fourteen years 1893-1906:

CANCER—1906 AND 1893-1906.

Counties.	1906.		1893-1906.		Age-Groups.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1906.	1893-1906.
Androscoggin	64	11.15	601	7.72	Under 1 year	1	9
Aroostook	26	3.86	278	2.98	From 1-5 years	-	12
Cumberland	108	10.14	1,360	8.92	" 5-10 "	-	11
Franklin	15	7.78	236	9.55	" 10-20 "	3	33
Hancock	36	9.67	362	6.47	" 20-30 "	3	108
Kennebec	47	7.78	687	7.94	" 30-40 "	41	425
Knox	28	9.21	377	8.31	" 40-50 "	80	946
Lincoln	15	7.63	258	7.79	" 50-60 "	146	1,633
Oxford	31	9.33	358	6.99	" 60-70 "	159	2,019
Penobscot	68	8.68	803	6.67	" 70-80 "	136	1,748
Piscataquis	10	5.74	149	5.25	Over 80 years	48	656
Sagadahoc	13	6.23	235	7.92	Not stated	-	39
Somerset	26	7.52	400	7.85	Total	617	7,639
Waldo	21	8.68	292	7.64			
Washington	34	7.44	422	6.10			
York	75	11.34	806	8 37			
State	617	8.58	7,639	7.37			

Digitized by Google

Diabetes.—The deaths from this cause numbered 121 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, and 115 in 1905). The special death-rate from diabetes was, therefore, 1.68 in 1906. Fifty-nine of the decedents were males and 62 were females.

Ages: 1-5, 4; 5-10, 3; 10-20, 6; 20-30, 7; 30-40, 11; 40-50, 11; 50-60, 16; 60-70, 29; 70-80, 27; 80-90, 5; over 90, 1; and not stated, 1.

Old Age.—There were registered 535 deaths as due to old age, 257 men and 278 women. Of these decedents, 102 were from 70 to 80 years of age; 315 were from 80 to 90; 117 were from 90 to 100; while 1 was over 100 years of age.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years of more was 3,292 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, 3,532 in 1904, and 3,611 in 1905), or one death in every two and four fifths was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,292 died of old age, the death-rate from old age would be 45.80 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD AGE—1906.

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	239	41.64	Oxford	182	57.78
Aroostook	123	18.24	Penobscot	352	44.97
Cumberland	504	47.31	Piscataquis	70	40.14
Franklin	99	51.40	Sagadahoc	101	48.42
Hancock	149	40.00	Somerset	150	43.35
Kennebec	300	49.69	Waldo	166	68.64
Knox	166	54.59	Washington	216	47.28
Lincoln	118	59.99	York	347	53.48

Digitized by Google

Centenarians.—Among the persons whose decease occurred in 1906, three had exceeded the age of 100 years. Two of these persons were men, and one was a woman. Their names, together with a few facts relating to the life history of each, are as follows:

March 5, Reuben Ray died at Greene at the age of 101 years, 4 months, and 17 days. He was born in Lewiston. Birthplace of parents not known.

November 22, Sabrina Watts Hall died at Jonesboro at the age of 101 years, 2 months, and 16 days. She was born in Jonesboro. Her father, Samuel Watts, was born in North Yarmouth, and her mother, Polly Noyes, was born in Haverhill, Mass.

February, 14, Clarkson Goud died at Topsham at the age of 100 years, 1 month, and 22 days. He was born in Wayne. His father, whose name was James Goud, and his mother, whose name was not known, were born in Dresden.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,524 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1600 in 1902, 1,641 in 1903, 1,578 in 1904, and 1,648 in 1905), or 21.20 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 159 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, and 216 in 1905), 78 males and 81 females. Of these, 93 were in the cities. The death-rate from the several diseases grouped under this head was 2.21.

Ages: Under 1, 60; 1-5, 40; 5-10, 11; 10-20, 14; 20-40, 17; 40-60, 9; over 60, 8.

Apoplexy.—From this cause 718 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, and 751 in 1905), 352 males and 366 females. Of these, 227 were in the cities. The State's death-rate from apoplexy was, therefore, 9.99; that of the cities, 9.47.

Digitized by Google

The largest number of deaths from apoplexy, 206, occurred in the spring; the largest number in any one month was 77 in March.

In 1894, 1896, 1900, and 1905, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, and 1904, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 46, was in January; the smallest number in any one season was 164 in the fall months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	6	10	8	7	2	4	6	8	-	2	7	2	-	62	10.80
Aroostook.....	-	2	1	2	5	3	1	1	1	-	3	1	-	20	2.97
Cumberland.....	8	6	11	10	10	11	5	12	8	11	10	10	-	112	10.52
Franklin.....	-	3	4	3	2	3	1	5	3	-	1	3	-	28	14.52
Hancock.....	-	6	4	6	-	1	3	3	2	2	1	3	-	31	8.32
Kennebec	9	6	8	4	6	4	8	5	6	5	10	5	-	76	12.59
Knox	3	3	5	2	3	2	4	3	6	3	2	2	-	38	12.50
Lincoln.....	3	5	-	2	2	-	1	3	1	1	-	1	-	19	9.66
Oxford.....	4	-	7	3	6	4	1	3	2	1	3	-	-	34	10.23
Penobscot.....	1	4	8	4	9	5	10	6	7	7	8	9	-	78	9.96
Piscataquis	-	1	-	1	2	-	-	4	1	-	-	2	-	11	6.31
Sagadahoc.....	3	1	3	3	3	4	-	1	-	3	3	2	-	26	12.47
Somerset.....	2	3	2	3	5	3	3	5	1	3	5	3	-	38	10.99
Waldo	2	4	3	2	5	2	2	-	1	1	2	4	-	28	11.58
Washington.....	2	6	3	-	1	4	2	2	5	6	3	1	-	35	7.66
York	3	6	10	8	8	4	10	8	4	8	5	8	-	82	10.86
State.....	46	66	77	60	69	54	57	69	48	53	63	56	-	718	9.99

Digitized by Google

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	7	1	4	2	4	8	19	54	89	102	61	1	352
Females	2	–	1	1	6	3	15	43	100	117	77	1	366
Total	9	1	5	3	10	11	34	97	189	219	138	2	718

APOPLEXY 1906 AND 1893-1906.

Counties.	1906.		1893-1906.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	62	10.80	690	8.58
Aroostook	20	2.97	206	2.18
Cumberland	112	10.51	1,477	9.90
Franklin	28	14.52	224	8.30
Hancock	31	8.32	350	6.71
Kennebec	76	12.59	877	10.36
Knox	38	12.50	401	9.42
Lincoln	19	9.65	248	9.01
Oxford	34	10.23	396	8.51
Penobscot	78	9.89	816	7.44
Piscataquis	11	6.31	152	6.22
Sagadahoc	26	12.47	299	10.24
Somerset	38	10.99	429	8.86
Waldo	28	11.54	331	9.78
Washington	35	7.66	405	6.83
York	82	12.40	998	10.78
State	718	9.99	8,299	8.25

Digitized by Google

Softening of the Brain.—From cerebral softening there were 33 deaths—those of 16 males and 17 females.

Ages: From 30-40, 1; 60-70, 14; 70-80, 13; over 80, 5.

Paralysis.—Of the 233 deaths from paralysis, 108 persons were males and 125 were females.

Ages: Under 1, 1; 10-20, 1; 20-30, 1; 30-40, 3; 40-50, 15; 50-60, 23; 60-70, 65; 70-80, 81; 80-90, 30; over 90, 11; not stated, 2.

Epilepsy.—Twelve males and 19 females died of epilepsy, 31 in all.

Ages: 5-10, 1; 10-20, 3; 20-40, 8; 40-60, 13; over 60, 6.

Tetanus.—This disease was the cause of 4 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, and 7 in 1905). The decedents were all males. Of these 4 deaths from tetanus, 3 occurred in July, all from the 3rd to the 9th, and 1, in August.

Ages: 5-10, 1; 10-20, 1; 20-30, 1; 40-50, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,246 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, and 1,222 in 1905). The following exhibits the age and sex distribution of each form of disease for the year 1906:

Diseases.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Total.
Pericarditis	-	1	2	1	2	9	-	3	12	15
Endocarditis	-	1	2	2	9	22	1	18	19	37
Organic diseases of heart	10	7	11	67	206	809	3	598	515	1,113
Angina pectoris	-	-	1	2	19	59	-	42	39	81
Total	10	9	16	72	236	899	4	661	585	1,246

For the year 1906, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

Digitized by Google

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	90	15.68	Oxford	65	19.56
Aroostook	58	7.86	Penobscot	118	15.08
Cumberland	193	18.12	Piscataquis	24	13.76
Franklin	38	19.71	Sagadahoc	45	21.58
Hancock	58	15.57	Somerset	45	13.01
Kennebec	119	19.71	Waldo	71	29.36
Knox	83	27.30	Washington	83	18.17
Lincoln	43	21.86	York	118	17.85
			State	1,246	17.34

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.34.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1–5.	5–10.	10–20.	20–30.	30–40.	40–50.	50–60.	60–70.	70–80.	Over 80.	Not stated.	Total.
Males	5	1	1	5	12	26	34	79	161	222	92	3	661
Females	5	4	3	10	10	25	43	80	159	163	102	1	585
Total	10	5	4	15	22	51	77	159	320	385	194	4	1,246

Digitized by Google

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,330 persons died from the various respiratory diseases, as tabulated on page 95 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, and 1,391 in 1905). From these diseases there were, therefore, 439 fewer deaths than in 1892, 77 fewer than in 1893, 18 more than in 1894, 165 more than in 1895, 189 more than in 1896, 17 fewer than in 1897, 206 more than in 1898, 125 fewer than in 1899, 183 fewer than in 1900, 75 fewer than in 1901, 50 fewer than in 1902, 18 fewer than in 1903, 98 fewer than in 1904, and 61 fewer than in 1905.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1906 the number of deaths was 876 smaller than in 1892, 461 smaller than in 1893, 329 smaller than in 1894, 115 smaller than in 1895, 68 smaller than in 1896, 230 smaller than in 1897, 100 larger than in 1898, 225 smaller than in 1899, 295 smaller than in 1900, 193 smaller than in 1901, 105 smaller than in 1902, 4 smaller than in 1903, 199 smaller than in 1904, and 40 smaller than in 1905.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1906 was 18.50 in each 10,000 population, as compared with 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Digitized by Google

Pneumonia.—The number of deaths registered under this cause was 970 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, and 1,053 in 1905), of which 507 were males and 463 were females. The death-rate from this disease was, therefore, 13.50 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, and 14.73 in 1905). As 421 of the deaths occurred in the cities, the urban death-rate was 17.44.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	108	79	15	18	29	18	38	46	49	66	46	-	507
Females	100	65	10	10	19	22	33	19	59	72	54	-	463
Total	208	144	25	28	48	40	71	65	108	138	100	-	970

Digitized by Google

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	5	9	19	12	9	8	3	2	5	17	14	17	-	126	21.95
Aroostook.....	3	8	14	16	9	5	4	3	5	5	12	11	-	95	14.09
Cumberland	14	13	24	17	14	8	8	3	3	11	12	17	-	144	13.52
Franklin	2	2	1	1	-	2	1	-	-	3	7	4	-	23	11.26
Hancock.....	2	3	5	5	8	2	-	-	2	1	2	5	-	35	9.40
Kennebec	5	12	11	6	6	8	3	-	-	5	7	5	-	68	11.26
Knox	1	1	2	6	3	1	-	-	-	1	4	-	-	19	6.25
Lincoln.....	1	1	3	1	2	2	-	-	-	-	-	-	-	10	5.08
Oxford	4	8	10	17	4	4	3	-	1	2	6	5	-	64	19.26
Penobscot.....	9	18	16	16	12	8	2	-	3	7	18	11	-	120	15.33
Piscataquis	1	1	1	2	-	3	-	-	-	2	1	-	-	11	6.31
Sagadahoc	-	4	5	5	6	4	1	1	-	2	2	3	-	33	15.82
Somerset	3	3	3	4	7	1	-	2	-	3	-	2	-	28	13.42
Waldo	1	2	4	1	2	4	-	-	-	1	3	6	-	24	9.92
Washington.....	2	3	5	8	9	6	5	1	1	3	6	4	-	53	11.60
York	8	15	26	20	14	9	6	4	2	3	3	7	-	117	17.70
State	61	108	149	143	105	75	36	16	22	66	97	97	-	970	13.50

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the fourteen years 1893-1906:

Digitized by Google

PNEUMONIA—1893-1906.

By Counties.		By months.		By age-periods.	
Androscoggin	1,062	January	1,857	Under 1	2,037
Aroostook	743	February	1,771	1-5	1,389
Cumberland	2,171	March	2,081	5-10	283
Franklin	383	April	1,777	10-20	479
Hancock	684	May	1,348	20-30	677
Kennebec	1,272	June	745	30-40	769
Knox	494	July	344	40-50	956
Lincoln	350	August	287	50-60	1,171
Oxford	697	September	412	60-70	1,871
Penobscot	1,641	October	719	70-80	2,318
Piscataquis	236	November	983	Over 80	1,647
Sagadahoc	336	December	1,366	Not stated	54
Somerset	672	Not stated	11	Total	13,651
Waldo	472	Total	13,651		
Washington	822				
York	1,499				
State	13,651				

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1892 to 1906, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Digitized by Google

Deaths and Death-Rates from Pneumonia

Cities.	1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.
Auburn	22	18.98	13	11.05	6	5.03	15	12.40	10	8.15	10	8.04	5	3.96
Augusta	32	29.74	16	14.71	18	16.38	16	14.41	22	19.61	20	17.64	13	11.35
Bangor	40	20.35	44	22.08	61	30.20	37	18.07	27	13.01	31	14.74	40	18.78
Bath	22	24.25	20	21.60	16	16.98	11	11.46	4	4.09	10	10.05	11	10.86
Belfast	13	25.21	7	13.75	5	9.96	4	8.07	2	4.09	5	10.38	9	18.94
Biddeford	53	36.27	38	25.41	22	14.55	25	16.35	26	16.81	31	19.83	15	9.47
Brewer	8	18.51	6	13.68	9	20.22	13	28.70	8	17.47	9	19.39	13	27.62
Calais	–	–	15	20.27	7	9.41	15	20.07	12	15.98	10	13.25	7	9.23
Eastport	10	20.04	7	13.92	8	15.78	2	3.91	–	–	9	17.34	5	9.56
Ellsworth	12	25.52	6	12.90	12	26.08	7	15.38	10	22.22	10	22.48	3	6.82
Gardiner	18	32.77	8	14.56	8	14.56	8	14.56	3	5.46	2	3.64	5	9.09
Hallowell	5	16.19	8	26.31	–	–	4	13.57	4	13.79	1	3.50	2	7.12
Lewiston	32	14.47	18	8.06	27	11.99	20	8.80	27	11.77	25	10.80	33	14.13
Old Town	12	22.21	8	14.69	8	14.57	6	10.83	7	12.54	3	5.33	10	17.62
Portland *	113	26.01	123	27.77	85	18.83	79	17.19	62	13.25	105	22.04	75	15.47
Rockland	21	25.71	17	20.82	12	14.70	10	12.25	8	9.80	10	12.26	11	13.49
Saco	11	18.08	17	27.92	9	14.77	6	9.84	11	18.02	11	18.01	10	16.36
South Portland †	9	15.51	12	20.09	10	16.27	8	12.66	8	12.53	4	6.01	7	10.25
Waterville	21	27.70	25	31.98	13	16.14	5	6.03	10	11.72	10	11.41	6	6.66
Westbrook	6	8.87	11	16.11	7	10.16	2	2.87	10	14.24	8	11.29	7	9.78
Total	460	22.31	419	20.07	343	16.24	293	13.71	271	12.54	324	14.82	287	12.99
State	1431	21.48	1143	17.03	1023	15.17	812	11.98	781	11.47	936	13.68	769	11.18
State exclusive of cities	971	21.04	724	15.66	680	14.68	519	11.18	510	10.97	612	13.14	482	10.33

* Portland includes Deering. † South Portland includes Cape Elizabeth.

Digitized by Google

in the Cities and the State—1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
25	19.56	12	9.27	16	12.19	12	9.03	15	11.14	10	7.34	22	15.94	26	18.61	219	11.38
27	23.34	16	13.70	12	10.17	30	25.18	16	13.30	22	18.11	16	13.05	19	15.35	295	17.06
38	17.61	36	16.48	37	16.72	41	18.31	58	25.57	60	26.15	48	20.67	40	17.02	638	19.72
11	10.68	15	14.32	10	9.39	14	12.93	19	17.25	16	14.31	20	17.61	15	13.01	214	13.92
5	10.68	8	17.33	6	12.66	7	14.38	7	14.02	3	5.86	8	15.25	5	9.31	94	12.66
44	27.54	41	25.39	21	12.87	42	25.48	29	17.41	40	23.77	37	21.77	45	26.22	509	21.28
6	12.55	4	8.27	11	22.45	6	12.09	15	29.83	8	15.71	13	25.21	9	17.24	138	19.26
7	9.19	12	15.68	17	22.10	14	18.10	9	11.59	16	20.51	10	12.76	13	16.51	164	14.31
3	5.69	14	26.36	12	22.43	7	12.98	5	9.20	6	10.96	9	16.33	9	16.21	106	13.25
6	13.71	8	18.62	9	30.25	13	30.25	2	4.65	6	13.96	25	58.18	5	11.64	134	18.83
17	30.91	19	34.54	14	25.45	4	7.27	12	21.80	11	19.98	14	25.43	3	5.27	146	17.69
4	14.49	8	29.48	4	14.74	8	29.48	4	14.74	4	14.74	6	22.11	5	18.42	67	15.91
34	14.43	40	16.83	28	11.68	42	17.57	18	7.38	25	10.17	49	19.77	70	28.00	488	13.71
19	33.22	9	15.62	8	13.77	11	18.79	16	27.12	7	11.78	9	15.03	21	34.80	154	17.86
96	19.47	94	18.74	68	13.34	75	14.47	96	18.23	77	14.39	65	11.96	81	14.68	1,294	17.72
9	11.04	10	12.27	9	11.04	12	14.72	10	12.27	9	11.04	9	11.04	10	12.27	167	13.65
14	22.89	16	26.14	11	17.95	6	9.79	7	11.40	7	11.40	9	14.64	6	9.78	151	16.46
5	7.14	13	18.12	7	9.53	6	7.98	3	3.90	5	6.36	3	3.73	6	7.31	106	10.48
9	9.74	14	14.77	9	9.26	24	24.12	11	10.80	21	20.14	8	7.53	17	15.60	203	14.91
8	11.08	3	4.12	9	13.31	9	12.14	12	16.05	7	9.28	6	7.89	17	22.15	122	10.70
387	17.32	392	17.35	318	13.91	383	16.55	364	15.55	360	15.20	386	16.11	422	17 41	5,409	16.14
067	15.44	1067	15.36	994	14.23	987	14.05	999	14.11	1050	14.78	1053	14.73	970	13.50	15,082	14.54
680	14.54	675	14.41	676	14.41	604	12.86	635	13.50	690	14.65	667	14.15	548	11.61	9,673	13.81

Digitized by Google

Bronchitis.—From this cause, including both acute and chronic bronchitis, 187 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, and 218 in 1905). Among these decedents, 77 were males and 110 were females. Of these 187 deaths, 60 were in the cities. The largest number of deaths in any one month was 38 in March. In August occurrred the smallest number of deaths, 5. The largest number of deaths in three consecutive months was 82 in March, April, and May; the smallest number in any three consecutive months was 19 in July, August, and September. The number of deaths by quarters was 62, 62, 19, and 44.

The bronchitis death-rate of the State was 2.60; of the cities, 2.49.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year,	45	40-50 years,	2
	1-5 years,	19	50-60 years,	6
	5-10 years,	1	60-70 years,	13
	10-20 years,	0	70-80 years,	41
	20-30 years,	1	Over 80 years,	57
	30-40 years,	1	Not stated,	1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

Digitized by Google

BRONCHITIS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	3	3	1	4	1	-	1	-	2	3	2	-	21	3.66
Aroostook	-	-	2	-	-	1	-	-	1	-	2	-	-	6	0.89
Cumberland	2	1	12	3	2	1	3	1	1	1	1	3	-	31	2.91
Franklin	-	-	-	-	2	-	-	-	-	1	-	-	-	3	1.57
Hancock	-	-	2	1	1	1	-	1	-	-	-	-	-	6	1.61
Kennebec	-	-	-	5	2	3	1	-	-	-	1	1	-	13	2.15
Knox	-	-	3	1	2	-	1	-	-	-	-	1	-	8	2.63
Lincoln	1	-	-	-	-	-	-	-	-	1	-	2	-	4	2.06
Oxford	-	1	2	-	2	1	-	-	-	1	1	3	-	11	3.31
Penobscot	2	1	6	2	2	3	1	-	1	1	-	3	-	22	2.81
Piscataquis	1	-	-	-	-	-	-	-	-	-	-	2	-	3	1.72
Sagadahoc	1	2	1	1	1	2	-	-	1	2	-	-	-	11	5.27
Somerset	1	1	-	2	1	-	-	-	-	1	-	2	-	8	2.31
Waldo	-	-	1	-	-	1	-	1	1	-	-	-	-	4	1.65
Washington	1	-	-	1	-	3	-	1	1	1	-	2	-	10	2.19
York	3	2	6	5	3	1	-	-	2	2	-	2	-	26	3.36
State	13	11	38	22	22	18	6	5	8	13	8	23	-	187	2.60

Pleurisy.—Seventeen deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, and 21 in 1905), 11 males and 6 females.

Ages: Under 1, 1; 10-20, 2; 20-30, 2; 40-50, 2; 50-60, 2; 60-70, 4; over 70, 4.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,366 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, and 1,303 in 1905), or a death-rate of 19.01. The distribution of these under their several causes will be found on page 95.

Digitized by Google

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 868 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, and 719 in 1905). The death-rate from this group of diseases was 12.08 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 652 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, and 561 in 1905). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 26 deaths from this cause; in the second quarter, 26; in the third quarter, 502; and in the fourth quarter, 98. The largest number of deaths occurred in August, 244.

Of the children dying from this cause, 55 per cent. were less than 6 months old, and another 32 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 165; 3-6 months, 194; 6-9 months, 128; 9-12 months, 80; 12-18 months, 60; 18 months-2 years, 25.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: cholera morbus, 31; dysentery, 46; and diarrhea, 139.

Of the 652 deaths from infantile diarrhea, 245 were returned from the cities. This represents an urban death-rate from this cause of 10.15 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901; 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, and 9.96 in 1905), which is in contrast with 8.52, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, and 6.57 in 1905).

Digitized by Google

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1906.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	-	-	-	1	5	31	22	7	2	2	74	12.89
Aroostook	2	2	2	-	1	8	13	79	64	15	5	-	191	28.32
Cumberland	1	-	2	2	2	4	5	24	22	6	2	-	70	8.45
Franklin	-	-	-	-	-	-	-	4	-	1	2	-	7	3.64
Hancock	-	-	-	-	-	1	-	3	9	2	2	-	17	4.56
Kennebec	1	-	1	-	1	-	-	16	19	4	-	1	43	10.73
Knox	-	-	1	-	-	-	-	1	1	1	1	2	7	2.30
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	3	9	7	4	1	-	24	7.22
Penobscot	2	-	2	1	1	-	5	34	18	14	-	2	79	10.09
Piscataquis	-	-	-	1	-	-	-	3	2	2	1	1	10	5.73
Sagadahoc	-	-	-	-	-	-	2	3	4	2	1	-	12	5.75
Somerset	-	1	-	-	-	-	1	5	7	3	-	-	17	4.92
Waldo	-	-	1	-	-	-	-	-	1	1	-	-	3	1.24
Washington	3	-	1	1	2	-	1	11	16	4	-	1	40	8.76
York	-	-	-	-	-	-	13	21	18	4	1	1	58	8.76
State	11	5	10	5	7	14	48	244	210	70	18	10	652	9.07

The preceding table exhibits the number of deaths from infantile diarrhea in 1906, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the fourteen years 1893-1906, by counties, months, and age-groups:

Digitized by Google

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893—1906.

By Counties.		By months.		By age-periods.	
Androscoggin	901	January	101	Under 6 months	3,969
Aroostook	1,446	February	86	6–12 months	2,402
Cumberland	888	March	112	1–2 years	979
Franklin	115	April	119	Over 2 years	5
Hancock	203	May	116	Unknown	17
Kennebec	711	June	188	Total	7,372
Knox	183	July	952		
Lincoln	44	August	2,417		
Oxford	221	September	2,155		
Penobscot	723	October	850		
Piscataquis	92	November	170		
Sagadahoc	145	December	103		
Somerset	208	Not stated	3		
Waldo	81	Total	7,372		
Washington	460				
York	951				
State	7,372				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1899-1906:

Digitized by Google

INFANTILE DIARRHŒA IN THE CITIES—1899-1906.

Cities.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	Total.
Auburn	9	9	7	3	4	2	8	15	57
Augusta	24	19	18	11	12	14	19	16	133
Bangor	6	13	8	4	16	6	12	13	78
Bath	8	17	4	4	7	2	4	7	53
Belfast	1	4	-	1	-	3	1	2	12
Biddeford	39	43	48	42	19	19	19	37	266
Brewer	8	9	7	2	4	7	13	3	53
Calais	11	12	12	7	9	1	9	7	68
Eastport	5	15	15	-	3	2	2	6	48
Ellsworth	1	1	-	-	1	-	-	5	8
Gardiner	2	2	8	-	-	1	1	1	15
Hallowell	-	2	-	-	1	2	1	1	7
Lewiston	60	63	43	26	20	29	55	45	341
Old Town	11	11	9	11	4	2	20	12	80
Portland	36	70	19	18	24	23	37	44	271
Rockland	2	5	5	4	6	1	9	1	33
Saco	6	10	3	4	2	3	4	5	37
South Portland	3	7	1	3	1	2	6	7	30
Waterville	25	6	12	9	10	13	9	16	100
Westbrook	5	13	8	6	3	9	10	2	56
Total	262	331	227	155	146	141	239	245	1,746

Peritonitis.—There were 59 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, and 90 in 1905), 27 males and 32 females. Twenty-one of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

Digitized by Google

PERITONITIS—1906.

By Counties.		By months.		By age-periods.	
Androscoggin	4	January	4	Under 1	2
Aroostook	8	February	9	1-5	2
Cumberland	12	March	6	5-10	4
Franklin	3	April	4	10-20	9
Hancock	-	May	6	20-30	5
Kennebec	3	June	2	30-40	
Knox	1	July	2	40-50	12
Lincoln	1	August	9	50-60	8
Oxford	4	September	4	60-70	5
Penobscot	8	October	4	70-80	6
Piscataquis	1	November	6	Over 80	2
Sagadahoc	1	December	3	Total	59
Somerset	5	Total	59		
Waldo	2				
Washington	2				
York	4				
State	59				

Appendicitis.—Of the deaths classified under this cause, 75 in number, 48 were males and 27 were females. The number of deaths in each month was: January, 4; February, 7; March, 6; April, 10; May, 6; June, 9; July, 5; August, 3; September, 10; October, 4; November, 5; December, 6.

Ages: Under 1, 1; 1-5, 5; 5-10, 6; 10-20, 26; 20-30, 11; 30-40, 8; 40-50, 4; 50-60, 7; 60-70, 5; over 70, 2.

Cirrhosis of the Liver.—Forty-three deaths were ascribed to cirrhosis of the liver—those of 27 men and 16 women. Of these 43 deaths, 16 were in the cities, and 27 in the rural parts of the State. The death-rate in the State from this one cause was 0.60 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, and 0.62 in 1905).

Diseases of the Genito-Urinary System and its Adnexa.—There were 853 deaths referred to the diseases under this group, equivalent to a death-rate of 11.87.

Digitized by Google

Nephritis.—Acute nephritis caused the death of 63 persons, 28 males and 35 females. The death-rate from nephritis was, therefore, 0.88.

Ages: Under 1, 3; 1-5, 4; 5-10, 7; 10-20, 4; 20-30, 8; 30-40, 9; 40-50, 7; 50-60, 6; 60-70, 6; 70-80, 5; over 80, 4.

* *Bright's Disease.*—This was the cause of 652 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, and 599 in 1905), 365 males and 287 females. Of these deaths, 264 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1906.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	-	2	1	3	6	15	35	65	82	111	43	2	365
Females	2	2	2	5	14	21	35	43	68	59	35	1	287
Total	2	4	3	8	20	36	70	108	150	170	78	3	652

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

Digitized by Google

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	55	9.58	Oxford	20	6.02
Aroostook	18	2.67	Penobscot	67	8.56
Cumberland	151	14.17	Piscataquis	13	7.45
Franklin	24	12.45	Sagadahoc	25	11.99
Hancock	32	8.59	Somerset	20	5.78
Kennebec	49	8.11	Waldo	22	9.10
Knox	30	9.87	Washington	28	6.13
Lincoln	19	9.66	York	79	11.95
			State	652	9.07

The Puerperal State.—Under this class of accidents and diseases of reproduction, 76 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, and 51 in 1905). This is equivalent to a special death-rate of 1.06.

Deaths from External Causes.—Under this class there were 586 deaths.

Fractures caused 44 deaths—fracture of thigh, 13; of hip, 12; of skull, 11; of spine, 6; of rib, 1; of leg, 1.

Burns and scalds caused 41 deaths—13 were from clothing taking fire; 11, scalded with hot water; 3, lighting fire with kerosene; 3, by overturning lamp; 2 children burned to death in a box where they made a fire while playing; 1, playing with matches; 1, burned in hot pulp; the rest, unspecified.

Sunstroke caused 6 deaths. Four persons died from exposure to cold.

From accidental drowning, 126 deaths occurred.

Other accidental injuries caused the death of 191 persons; 47 were from falls, 44, from railway injuries; 14, from pistol and gunshot wounds; 13, from working in a mill; 10, from explosions; 8, by runaway horses; 8, by electric cars; 5, run over by

Digitized by Google

teams; 5, suffocated by falling dirt; 4, by falling trees; 3, while coasting; 2, by falling derrick; 1, kicked by a horse; 1, crushed by moving building; 1, crushed by log; 1, crushed by falling pole; 1, accident at house raising; 1, struck by handle of pitchfork; 1, cut on foot; and the rest were unspecified.

From acute poisoning there were 31 deaths.

Thirty-two people met their death from other external violence, including 1 murder and 1 homicide.

The death-rate in the State under this class was 8.15.

Suicide.—Within the year 85 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, and 84 in 1905), 73 males and 12 females. Of the males, the occupation of 19 was farmer; of 10, laborer, of 4, painter; of 3, clerk; and 3, shoemaker; of 2, carpenter; and 2, soldier; of 1 each, book dealer, bookkeeper, butcher, editor, engineer, fisherman, herbist, hostler, jeweler, machinist, master mariner, millman, motorman, sewing machine agent, spinner, teacher, teamster, telegraph operator, traveling salesman; while of 11, no occupation was given.

Of the females, the occupation of 4 was registered as housewife; of 4, as housekeeper; and of 4 no occupation was given.

As to the means employed; 32 committed suicide by shooting; 21, by hanging; 12, by poisoning; 11, by drowning; 5, by cutting throat; 1, by asphyxiation by illuminating gas; 1, by jumping from a high place; and not stated, 2.

Digitized by Google

SUICIDES BY AGES, MONTHS AND COUNTIES—1906.

Age-Periods.		Months.		Counties.		Rate per 10,000 of population.
10-20	2	January	8	Androscoggin	5	0.87
20-30	15	February	5	Aroostook	2	0.45
30-40	12	March	7	Cumberland	16	1.51
40-50	16	April	9	Franklin	3	1.56
50-60	14	May	4	Hancock	4	1.07
60-70	12	June	7	Kennebec	9	1.49
70-80	8	July	6	Knox	5	1.64
Over 80	5	August	9	Lincoln	3	1.53
Unknown	1	September	13	Oxford	3	0.91
Total	85	October	4	Penobscot	11	1.41
		November	9	Piscataquis	3	1.15
		December	8	Sagadahoc	2	0.96
		Unknown	1	Somerset	1	0.29
		Total	85	Waldo	3	1.24
				Washington	4	0.87
				York	11	1.66
				State	85	1.18

The youngest suicide was a boy of 17 years; the oldest, a man of 87 years. The largest number of suicides in any month was 13 in September. By quarters, the suicides were 15, 20, 28, 21, and of 1 the month was not stated. As in 1905, the largest number in any county was 16 in Cumberland. This county also had the largest number of suicides in 1904, while in 1903, the largest number was in Androscoggin and Cumberland counties, the same in each. The highest death-rate from suicide was in York county. The rate for the State per 10,000 of population was 1.18.

Digitized by Google

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes	6
Table No. 2.—Population in 1890 and 1900 and Estimated Population for 1906	7
Table No. 3.—Births, Marriages, and Deaths, 1898-1906.....	7
Table No. 4.—Estimated Population of 1906, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1906	8
Table.—Summary of Births, Marriages and Deaths	9
Table No. 5.—Births and Deaths in each County	10
Table No. 6.—Births and Deaths in the Cities	11
Table No. 7.—Births, Marriages and Deaths by Counties and Towns	12-61
Table No. 8.—Births, Marriages and Deaths by Counties.....	62-63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1899-1906	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1906	65
Table No. 11.—Number of Births in each month of 1899-1906, with Monthly Ratio compared with a Standard of 100	66
Table No. 12.—Births by Sex and Months by Counties, 1906...	67
Table No. 13.—Births in Cities, for 1906, with rate per 1,000 of population	68
Table No. 14.—Percentage of American and Foreign births by Counties, 1906	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1906	70
Table No. 16.—Twin Births by Months and Counties, 1906.....	71
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1906	72
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1906	73
Table No. 19.—Still-Births by Seasons, 1906	74
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1899-1906	78

Digitized by Google

PAGE

Table No. 21...Marriages by Counties and Nativity, 1906 79
Table No. 22.—Marriages by Months and Counties, 1906..... 79
Table No. 23.—Number of Marriages in each month of 1899-1906, with Monthly Ratio compared with a Standard of 100 80
Table No. 24.—Marriages by Ages and Counties, 1906 81
Table No. 25.—Interesting Facts in Relation to Marriages 82-83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1906 86-87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1906 88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1899-1906 90
Table No. 29.—Number of Deaths in each Month of 1899-1906, with Monthly Ratio compared with a Standard of 100 91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties... 92-97
Table No. 31.—Deaths from all Causes, by Months 98-101
Table No. 32.—Deaths from all Causes, by Age-Groups, 1901-1906 102-119
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases 120-137
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases 138-157
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties. 158-159
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during fifteen years, 1892-1906 160
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100; Fifteen years, 1892-1906 161
Table.—Deaths in each Month for the years 1892-1906..... 165
Table.—Mortality from Ten Prominent Causes, 1892-1906..... 167
Table.—Six Infectious Diseases by Counties, 1906 168
Table.—Six Infectious Diseases by Cities, 1906 169
Table.—Infectious Diseases, 1899-1906 170
Table.—Measles by Counties, Months, and Age-Periods, 1896-1906 171
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1906 172
Table.—Influenza by Counties and Months, 1906 174
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1906 175
Table.—Dihptheria by Counties and Months, 1906 176
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1906 177

Digitized by Google

PAGE
Table.—Diphtheria in the Cities and the State, 1892-1906 178-179
Table.—Typhoid Fever by Counties and Months, 1906 180
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1906 181
Table.—Typhoid Fever in the Cities and the State, 1892-1906.... 182-183
Table.—Tuberculosis (all kinds) in the Cities and the State, 1892-1906 184-185
Table.—Consumption by Counties and Months, 1906 188
Table.—Consumption by Sex and Age-Periods, 1906 188
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1906 189
Table.—Pulmonary Tuberculosis in the Cities and State, 1892-1906 190-191
Table.—Rheumatism by Counties, Months, and Age-Periods, 1906 193
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1906 194
Table.—Cancer by Sex and Age-Periods, 1906 195
Table.—Cancer by Counties and Age-Periods, 1906 and 1893-1906 195
Table.—Old Age by Counties, 1906 196
Table.—Apoplexy by Counties and Months, 1906 198
Table.—Apoplexy by Sex and Age-Periods, 1906 199
Table.—Apoplexy, 1906, and 1893-1906 199
Table.—Diseases of the Heart by Ages 200
Table.—Diseases of the Heart by Counties 201
Table.—Heart Disease by Sex and Age-Periods, 1906 201
Table.—Pneumonia by Sex and Age-Periods, 1906 203
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1906 204
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1906 205
Table.—Pneumonia in the Cities and the State, 1892-1906..... 206-207
Table.—Bronchitis by Counties and Months, 1906 209
Table.—Infantile Diarrhea by Counties and Months, 1906..... 211
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1906 212
Table.—Infantile Diarrhea in the Cities, 1899-1906 213
Table.—Peritonitis by Counties, Months, and Age-Periods, 1906 214
Table.—Bright's Disease by Sex and Age-Periods, 1906 215
Table.—Bright's Disease by Counties, 1906 216
Table.—Suicides by Ages, Months, and Counties, 1906 218

Digitized by Google

INDEX.

PAGE

Age and Mortality 166
Appendicitis 214
Apoplexy 197
1906 and 1893-1906 199
by counties and months 198
by sex and age-periods, 1906 197
Birth-rate 73
Birth-rates 8, 9
Births and birth-rates, by counties and years 64
by counties, showing proportion of males to females 65
by seasons 76
by sex and months, by counties 67
in cities, for 1906, with rate 68
in each month, by years 66
notes on 73
parentage of 75
percentage of American and foreign, by cities 70
by counties.... 69
relation to deaths 10
twin 77
by months and counties 71
by sex and parentage 72
marriages and deaths, in each town 12-61
Brain or membranes, inflammation of 197
softening of the 199
Bright's Disease 215
Bronchitis 208
Cancer 194
1906 and 1893-1906 195
by sex and age-periods, 1906 195
Centenarians 197
Cirrhosis of the liver 214
Consumption, by counties and months 188
by counties, months, and age-periods, 1893-1906.. 189
by sex and age-periods, 1906 188

Digitized by Google

PAGE

Deaths, age and mortality 166
causes of 166
by ages, sex and months, by counties 158-159
months, reduced to a standard mean for fifteen years... 161
in each month, for the years 1892-1906 165
in each town, from special causes 120-138
from certain diseases and groups of diseases 158
in the State and Counties, by classes and counties..... 92-97
from all Causes, by months 98-101
from all Causes, by age-groups, 1901-1906 102-119
from several specified causes in fifteen years 160
notes on, and the causes of death 162
number in each month, by years 91
seasons and mortality 163
sex and mortality 166
and death-rates, by counties and years 90
Death-rates 8, 9
compared 166
Diabetes 190
Diarrheal diseases 210
Digestive system, diseases of the 209
Diphtheria 175
by counties and months 176
by counties, months, and age-periods, 1893-1906..... 177
in the cities and in the State, 1892-1906 178-179
Divorces by causes, sex of libellants, etc..... 88
decreed in 1906 86-87
notes on 89
Epilepsy 200
External causes, deaths from 216
Genito-Urinary system and its adnexa, diseases of the 214
Heart, diseases of the 200
Infantile Diarrhea 210
by counties and months 211
by counties, months, and age-periods, 1893-1906 212
in cities, 1899-1906 213
Infectious diseases 168
1899-1906 170
six by cities 169
six by counties 168
Influenza 173
deaths from, by counties and months 175
Liver, cirrhosis of 214

Digitized by Google

PAGE

Marriages, interesting facts relating to 82-83
rates 8, 9, 84
ages 84
and rates, by counties 78
by ages and counties 81
by counties and nativity 79
by months and counties 79
nativity 84
notes on 84
number of, in each month, by years 80
seasons 84
Malarial diseases 182
Measles 170
by counties, months, and age-periods, 1896-1906..... 171
Mortality from ten prominent causes, 1892-1906 167
Nephritis 215
Nervous system, diseases of the 197
Old Age 196
Paralysis 200
Peritonitis 215
by counties, months, and age-periods, 1906 214
Pleurisy 209
Pneumonia 203
1893-1906 205
by counties and months, with death-rates 204
by sex and age-periods, 1906 203
in the cities and the State, 1892-1906 206-207
Population 6
Puerperal fever, by months and counties, 1906 192
Puerperal state, the 216
Respiratory system, diseases of the 202
Rheumatism 192
by counties, months, and age-periods 193
Scarlet fever 171
by counties, months, and age-periods 172
Sex and mortality 160
Smallpox 170
Still-births 77
by seasons 74
by sex and parentage 73
Suicides 217
by ages, months, and counties, in 1906 218
Tetanus 200

Digitized by Google

PAGE
Tuberculosis 183
in the cities and the State, 1892-1906 184-185
mesenteric 192
other forms 192
pulmonary 186
in the cities and the State, 1892-1906..... 190-191
Typhoid fever 180
by counties and months, 1906 180
by counties, months, and age-periods, 1893-1906 ... 181
in the cities and the State, 1892-1906 182-183
Whooping cough 174
by counties, months, and age-periods 175

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

BOUND

JUN 25 1917

UNIV. OF MICH.
LIBRARY

UNIVERSITY OF MICHIGAN
3 9015 06941 7197

Digitized by Google

Digitized by Google